MATERIAL DATA SAFETY SHEET

Manufacturer:

PELIKAN, INCORPORATED

Address:

Ribbon Products Division, 200 Beasley Drive, Franklin, TN 37064

Telephone:

615-794-9000 or 800-251-3365 Facsimile: 615-794-4425

SECTION I - MATERIAL IDENTIFICATION

Material Trade Name:

COVER-UP CORRECTION TAPE

Material Part Number:

322C/4010/4015

Material Description:

Dry lift-off correction coating on polyester film.

SECTION II - INGREDIENTS

No PELIKAN ingredient, present at 1% or more, is contained in the SARA Title III, 313 list.

However the following composition is provided for medical reference purposes.

COMPONENT

% by Wt.

Hazardous

CAS Number(s)

Polyethylene Terephthalate resin

64 %

No

Correction Coating:

Proprietary blend of resins,

oils, and pigments.

36 %

No

SECTION III - PHYSICAL DATA

Appearance and Odor:

Black color, coated one side film, odor nil.

Boiling Point: NA

Evaporation Rate (N-BuAct=1):

NA NA

Melting Point: NA

% Volatiles by Volume: Vapor Density (Air=1):

NA

Vapor Pressure: NA Weight per Gallon: NA

Specific Gravity (H2O=1):

NA

Viscosity:

NA

Solubility in Water:

Insoluble

SECTION IV - FIRE AND EXPLOSION DATA

Flash Point (Method):

250 C (482F) (COC)

Flammable Limits in Air (% by Vol)

Autoignition Temperature:

NA

LEL: NA

UEL: NA

Extinguishing Media:

Dry chemical, Carbon Dioxide, Water.

Special Fire Fighting Procedures: None Required.

Unusual Fire and Explosion Hazards: None.

SECTION V - HEALTH HAZARD DATA

Routes of Exposure: Eyes []

Skin [X]

Inhalation []

Ingestion []

Effects of Acute Overexposure:

Nil to mild skin irritation.

Effects of Chronic Overexposure:

Sensitizer: NA

Emergency and First Aid Procedures:

Eyes: NA

Inhalation:

Ingestion:

NA

NA

Skin: Wash with plenty of warm soapy water.

MATERIAL SAFETY DATA SHEET

PRODUCT DESCRIPTION

Brother 4010 Cover Up Brother 4015 Cover Up

Page 1 Date: 1/31/96 MSDS#96-0009 Reorder Number:

90-4010-006 90-4015-005

EMERGENCY CONTACTS: Chemtrec Assistance (800) 424-9300

The information below is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied with respect to such information and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes.

Health

Flammability

Reactivity

HMIS Hazard Ratings

1=Slight

2≈Moderate

3=Serious

------ HAZARDOUS INGREDIENTS/IDENTITY INFORMATION

EXPOSURE LIMITS (mg/m3)

OSHA

ACGIH

COMPONENT:

0=Minimal

CAS NUMBER:

PEL:

TLV:

no hazardous ingredients

No other ingredients are known to retain hazardous properties.

PHYSICAL CHARACTERISTICS

BOILING POINT:

SPECIFIC GRAVITY (WATER = 1):

SOLUBILITY IN WATER:

EVAPORATION RATE (BUTYL ACETATE = 1):

VAPOR DENSITY (AIR = 1):

VAPOR PRESSURE (MM HG/DEGREE C):

MELTING POINT:

APPEARANCE & ODOR:

Not Applicable Not Applicable

Insoluble

Not Applicable

Not Applicable

Not Applicable

Not Applicable

Plastic Spools with coated film. Minimal Odor.

FIRE & EXPLOSION HAZARD DATA

FLASH POINT:

EXTINGUISHING MEDIA:

SPECIAL FIRE FIGHTING PROCEDURES:

Not Applicable

Water fog, foam, carbon dioxide, or dry chemical.

Firefighters should wear positive pressure self-contained breathing

apparatus and full protective clothing

UNUSUAL FIRE & EXPLOSION HAZARDS:

Extinguish all nearby sources of ignition since product may decompose

and produce harmful vapors at high temperatures.

HAZARDOUS REACTIVITY DATA

STABILITY:

POLYMERIZATION:

CONDITIONS TO AVOID:

MATERIALS TO AVOID:

HAZARDOUS DECOMPOSITION PRODUCTS:

Stable

Will not occur

Extreme heat, sparks, or open flame

None Known

Thermal decomposition products may release oxides of carbon and

nitrogen

MATERIAL SAFETY DATA SHEET

PRODUCT DESCRIPTION:

Brother 4010 Cover Up Brother 4015 Cover Up Date: 2/6/96 MSDS#96-0009 Reorder Number:

90-4010-006 90-4015-005

HEALTH HAZARD DATA-----

When used as intended, this product does not represent a health or safety hazard.

PRIMARY ROUTES OF EXPOSURE: SIGNS & SYMPTOMS OF EXPOSURE:

Inhalation, Skin contact or Ingestion

INHALATION: SKIN CONTACT: None Known None Known

SKIN CONTACT: INGESTION:

Consult Physician

Medical conditions generally aggravated by exposure: None known when used as intended.

EMERGENCY & FIRST AID PROCEDURES -----

IF INHALED:

Not Applicable

IN CASE OF EYE CONTACT:

Flush with water and seek medical attention if any pronounced

irritation is present afterwards.

IN CASE OF SKIN CONTACT:

Wash areas with soap and water and seek medical attention if any

pronounced irritation is present afterwards.

Consult Physician.

IF INGESTED:

PRECAUTIONS FOR SAFE HANDLING & USE -----

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OF SPILLED:

Sweep up and discard as other office waste.

WASTE DISPOSAL METHOD:

Dispose by incineration or landfill according to Federal, State and

local regulations.

PRECAUTIONS TO BE TAKEN IN HANDLING & STORING:

Store in a cool dry space. Avoid high temperatures & humidity.

None

OTHER PRECAUTIONS:

CONTROL MEASURES

VENTILATION:
RESPIRATORY PROTECTION:
EYE PROTECTION:
PROTECTIVE CLOTHING:

OTHER PROTECTIVE MEASURES:

General Office Conditions

None necessary when used as intended None necessary when used as intended

None necessary when used as intended. Gloves for cleanliness.

None when used as intended.

**END OF MSDS **