Identity	<u>aı sa</u>	re	ίу	Data .	<u>Sheet</u>			
UB6235001	TXZ	111				0	- 297	
SECTION I								
Manufacturer's Name			Emergency Telephone Number					
FUJICOPIAN CO., LTD.			(06) 471-7071 Telephone Number for Information					
Address			101					
8-43,Utajima 4-chome, Nishi Yodogawa-ku, Osaka 555,Japan			(06) 471-7071 Date Prepared					
SECTION II - Hazar	dous Ingre	dient	s/Ider		9,1	992		
Hazardous Components	CAS. No.	A	CGIH TLV	OSHA PEL	EEC	Other Limits	%	
Carbon Black Paraffin Wax (fume)	1333-86- 8002-74-			3.5mg/m³ N/A	N/A N/A	N/A N/A	8 18	
Predominant Components								
Coloring Material Wax Not Applicable Resin Additive Polyethyleneterephthalate film								
Impurity								
None		-						
SECTION III — Hazaro	fous Infor	mat io	1					
Appearance and Odor Polyethyleneterephthalate fi	lm coated	io no	ne sid	e there of	with blac	ek ink.		
Incompatibility (Material to None	Avoid)							
Hazardous Decomposition or By None	products						<u> </u>	
Fire and Explosion Hazards None								
Health Hazards Health hazard risks would be	extremel	y smal	1.	•				
Information on Ecological Eff No data available	ect							
UN-category UN-num Not applicable Not a				applicable				

	IV — Emergency and First Ai	d Procedures	0 - 297
Health Hazards	(Acute and Chronic) 050>2,000mg/kg (MICE)		201
Signs and Sympto No data availa			
Medical Condition Generally Aggra No data availa	vated by Exposure		
SKIN : W EYE : W INHALATION : N	irst Aid Procedures ash away ink on skin. ash with water and consult a ot applicable o data available	a doctor promptly.	
	V — Emergency Action in ca	ase of Fire	
Extinguishing M Water mist, Fo	edia am, Dry powder, CO2 gas, oth	ners	
Special Fire Fi	ghting Procedures		
Unusual Fire an None	d Explosion Hazards		
Steps to Be Tak	VI - Precautions for Safe been in Case Material is Relea ly released, rewind ribbon.	Handling and Use ased or Spilled	
Precautions to Should be stor	Be Taken in Handling and Sto ed in dark and cool place.	oring	
Other Precautio	ns		
SECTION	VI — Control Measures		
Respiratory Pro None	tection (Specify Type)		
Yentilation	Local Exhaust N/A	Special N/A	
	Mechanical(General) N/A	Other N/A	
Eye Protection N/A		Hand Protection Desirable in some cases.	
Other Protectiv	e Clothing or Equipment		
Work/Hygienic P None	ractices	P4	
L		Dillicontra co	1 777

SECTION	VM - Physical/Chem	ical Cha	racteristics		0 - 297	
Boiling Point N/A		Melting point N/A				
PH value N/A		Specific Gravity N/A				
Viscosity N/A			Vapor Pressure N/A			
Solubility in War Negligible	ater					
OFSTION	IX — Fire and Exp	lanian Ha	gard Nato			
Flash Point >150℃	W	105.100.10	Ignition Tem	perature		
Flammable Limits			LEL: N/A	UEL : N/A		
SECTION Stability	X — Reactivity D Unstable	#1 52 (2003)	Condition to A	void		
	Stable		N/A		.	
	5 table	X				
Hazardous	May Occur	1	Condition to A	void		
Polymerization	Will Not Occur	/ _X				
SECTION Ames Test : Nega	<u>XI — Toxícology</u> tive	Informa	ifan.			
SECTION	XII - Transport	Informe	t ìon			
No special		<u> </u>				
SECTION	X III — ¥aste Dis	nosal In	formation			
Waste Disposal	Method	HOMESTA	***************************************			
Disposal in ac	ecordance with loca	l, state	and federal re	gulations.		
SECTION Danger Category	XIV - Labeling			<u> </u>		
None None	•					
R/S Phrases						
unnecessary		· .				
L			FUJICO	PIAN CO.	, LTD.	

S. Tada

SHOJI TADA MANAGER