Material Safety Data Sheet Identity UB6221001 0 - 299T×221 SECTION I Manufacturer's Name Emergency Telephone Number (06) 471-7071FUJICOPIAN CO., LTD. Telephone Number for Information Address (06) 471-70718-43.Utajima 4-chome. Nishi Yodogawa-ku. Date Prepared Osaka 555, Japan 9,1992 Jul. SECTION II - Hazardous Ingredients/Identity Information Hazardous Components CAS. No. ACGIH OSHA EEC Other % TLY PEL Limits 1333-86-4 3.5mg/m² Carbon Black $3.5 \, \text{mg/m}^3$ N/A N/A 8 8002-74-2 2.0 mg/m³ Paraffin Wax (fume) N/A N/A N/A 18 Predominant Components Coloring Material Not Applicable Wax Resin Additive Polyethyleneterephthalate film lmpurity None SECTION III - Hazardous Information Appearance and Odor Polyethyleneterephthalate film coated on one side there of with black ink. Incompatibility (Material to Avoid) None Hazardous Decomposition or Byproducts None Fire and Explosion Hazards None Health Hazards Health hazard risks would be extremely small. Information on Ecological Effect No data available UN-number UN-category Not applicable Not applicable

- Particular State Control Control Control Control	Wasania	ana na			,,,,,,,,,					
	IV - Emergency and		d Procedures		0 -	299				
Health Hazards (Acute and Chronic) Acute Oral : LD50>2,000mg/kg (MICE)										
Signs and Sympt No data avails	toms of Exposure able									
Medical Condit	ions wated by Exposure				***************************************					
No data avails										
	First Aid Procedures									
SKIN : Wash away ink on skin. EYE : Wash with water and consult a doctor promptly.										
	INHALATION: Not applicable									
omano		•			· · · · · · · · · · · · · · · · · · ·					
SECTION	V — Emergency Acti	on in ca	se of Fire							
Extinguishing Media Water mist, Foam, Dry powder, CO2 gas, others										
		gas, oth	ers							
Special Fire Fighting Procedures N/A										
None None	d Explosion Hazards									
SECTION WE PERSON SECTION OF										
SECTION VI - Precautions for Safe Handling and Use Steps to Be Taken in Case Material is Released or Spilled										
If inadvertent 	ly released, rewind	ribbon.								
December 4. D. T.L. is Market 12.										
Precautions to Be Taken in Handling and Storing Should be stored in dark and cool place.										
					•					
Other Precautio	ns									
None										
	VI — Control Measur									
Respiratory Pro None	tection (Specify Type	e <i>)</i>								
	Local Exhaust		1	Special	<u></u>					
	N/A	•	·	N/A						
	Mechanical(General)		Other	···					
,	N/A			N/A						
Eye Protection			Hand Protec							
N/A			Desirable	in some cases.						
Other Protectiv	e Clothing or Equipme	ent								
					·					
Work/Hygienic P None	ractices									

SECTION	VII - Physical/Che	emical Ch	aracteristics			0 - 299			
Boiling Point . N/A			Melting point N/A						
PH value N/A			Specific Gravity N/A						
Viscosity N/A			Vapor Pressure N/A						
Solubility in W Negligible	ater								
SECTION	IX — Fire and Exp	122124	AAARA DAAA						
Flash Point >150℃	IA	товтопон	Ignition Temperature N/A						
Flammable Limit	s		LEL : N/A		UEL : N/A				
C.E.C.T.I.O.N	X - Reactivity D								
Stability	Unstable	4:1:3 (0:10:00:00:	Condition to Avoid						
	Stable		N/A						
Hazardous	May Occur	X	Condition to	Avoid					
Polymerization	Will Not Occur		N/A						
1017 801 125 11011	WITT NOT GOOD!	/x							
	XI — Taxicology	Informa	tion						
Ames Test : Nega	tive	·							
SECTION	XII — Transport	Informa	t ion						
SECTION XII — Transport Information No special									
	*****************************				Varansaa a kasta sa	X.,,.,,.,., .,.,.,,.,,,,,,,,,,,,,,,,,,,			
SECTION XII - Waste Disposal Information									
Waste Disposal Method									
Disposal in accordance with local, state and federal regulations.									
SECTION	XIV - Labeling								
Danger Category None									
R/S Phrases unnecessary					· · · · · · · · · · · · · · · · · · ·				
			THE LOC	<u> </u>					

FUJICOPIAN CO., LTD.

S. Tada