

Material Safety Data Sheet

Identity UB5322004 TX2521, TX2321		
SECTION I		
Manufacturer's Name Fuji Kagakushi Kogyo Company Limited	Emergency Telephone Number (06) 471-7071	
Address 8-48, Utajima 4-chome, Nishi Yodogawa-ku, Osaka 555, Japan	Telephone Number for Information (06) 471-7071	
	Date Prepared Dec. 16, 1991	
SECTION II - Hazardous Ingredients/Identity Information		
Hazardous Components	CAS No.	OSHA PEL ACGIH TLV Other Limits
Paraffin Wax (fume)	8002-74-2	N/A
Titanium dioxide	13463-67-7	15.0mg/m ³
Predominant Components Coloring material Wax Resin Additive Polyethyleneterephthalate film		Not Applicable
SECTION III - Physical/Chemical Characteristics		
Melting point	N/A	Specific Gravity N/A
Boiling Point, Evaporation Rate	N/A	Vapor Pressure/Density N/A
Solubility in Water	No data	
Appearance and Odor Polyethyleneterephthalate film coated on one side there of with red ink.		

SECTION IV - Fire and Explosion Hazard Data				
Flash Point	N/A		Flammable Limits	LEL N/A UEL N/A
Extinguishing Media	Water mist, Foam, Dry powder, CO ₂ gas, others			
Special Fire Fighting Procedures	N/A			
Unusual Fire and Explosion Hazards	None			
SECTION V - Reactivity Data				
Stability	Unstable		Condition to Avoid N/A	
	Stable	X		
Incompatibility (Material to Avoid)			None	
Hazardous Decomposition or Byproducts			None	
Hazardous Polymerization	May Occur		Condition to Avoid N/A	
	Will Not Occur	X		
SECTION VI - Health Hazard Data				
Route(s) of Entry:	Inhalation?	Skin?	Ingestion?	
	No	Yes	Yes	
Health Hazards (Acute and Chronic)				
No data available				
Carcinogenicity:	NIPT	IARC Monographs?	OSHA Regulated?	
	No	No	No	
Signs and Symptoms of Exposure				
No data available				
Medical Conditions				
Generally Aggravated by Exposure				
No data available				
Emergency and First Aid Procedures				
Wash away with soap and water an ink sticking to skin. If ink has contacted eye, wash it with enough water, then consult a doctor.				

SECTION VII - Precautions for Safe Handling and Use				
Steps to Be Taken in Case Material is Released or Spilled				
An inadvertently released or rewound ribbon should be wound again on the reel.				
Waste Disposal Method				
Dispose in accordance with local, state and federal regulations.				
Precautions to Be Taken in Handling and Storing				
Should be stored at dark and cold place.				
Other Precautions				
None				
SECTION VIII - Control Measures				
Respiratory Protection (Specify Type)				
None				
Ventilation	Local Exhaust	N/A	Special	N/A
	Mechanical (General)	N/A	Other	N/A
Protective Gloves		N/A	Eye Protection	
			N/A	
Other Protective Clothing or Equipment				
N/A				
Work/Hygienic Practices				
None				