## **MATERIAL SAFETY DATA SHEET**

This MSDS complies with OSHA'S Hazard Communication Standard 29 CFR 1910.1200 and OSHA Form 174

	Tils Modo compiles with OortA o Hazard Com	munication 3	italiualu 29 Cl K 1910.	1200 and	OSHA I UIII I	74		
			OR'S INFORMATIC					
	Flammability-1; Reactivity-1; Special-0		S Rating: Health-2; I			ity-1; Person	al Protection-B	
Manufactured For:	Lagasse, Inc.	l l	DOT Hazard Classification: ORM-D					
Address:	One Parkway North	lder	Identity (trade name as used on label):					
	Deerfield, IL 60015			_	ARDWALK			
			HEAVY DUTY OVEN & GRILL CLEANER					
			MSDS Number: A06409 Revision – 1					
DOT Emergency Response Number: Chemtel: 800-255-3924 Date Prepared: 07/12/96 Prepared By: DL Information Calls: (770)422-2071								
NOTICE: JUDGEMIENT BASED ON INDIRECT TEST DATA								
	SECTION 1 - MATERIAL	. IDENTIFIC						
COMPONENTS-CHEMICAL NAMES AND COMMON NAMES			CAS Number	SARA	OSHA PEL	ACGIH	Carcinogen	
(Hazardous Components 1% or greater; Carcinogens 0.1% or greater)  ISOBUTANE/PROPANE BLEND			75-28-5	III LIST	(ppm) 800	TLV (ppm)	Ref. Source **	
ISOBOTANE/PROPANE BLEND			74-98-6	No	1000	800 1000	d d	
SODIUM HYDROXIDE			1310-73-2	No			d	
POTASSIUM HYDROXIDE			1310-73-2	No No	2mg/M3 2mg/M3	2mg/M3 2mg/M3	d d	
HEXYLENE GLYCOL			107-41-5	No	N/E	25		
HEATEENE GETOOL			107-41-5	INO	IN/E	25	е	
	SECTION 2 PHYSIC	AL /CUEMI	CAL CHARACTER	ETICE				
SECTION 2 - PHYSICAL/CHEMICAL CHARACTERISTICS  Boiling Point: N/A Specific Gravity (H2O=1): Concentrate Only = 1.060								
	70°F (Aerosols): Max. 60		or Pressure (Non-Aero					
			Evaporation Rate ( = 1): N/E					
Solubility in Water: Soluble Water Reactive: No								
Appearance and Odor: Tan foamy gel with lemon fragrance.								
SECTION 3 - FIRE AND EXPLOSION HAZARD DATA								
FLAMMABILITY as per USA FLAME PROJECTION TEST  Auto Ignition Temperature  Flammability Limits in Air by % in Volume:								
(aerosols) Not categorized as flammable N/E % LEL: N/E % UEL: N/E								
FLASH POINT AND METHOD USED (non-aerosols): N/A EXTINGUISHER MEDIA: Foam, dry chemical, carbon dioxide, water.								
SPECIAL FIRE FIGHTING PROCEDURES: Self-contained breathing apparatus.  Unusual Fire & Explosion Hazards: Do not expose aerosols to temperatures above 130°F or the container may rupture.								
SECTION 4 - REACTIVITY HAZARD DATA								
STABILITY [X] STABLE [ ] UNSTABLE   HAZARDOUS POLYMERIZATION [ ] WILL [X] WILL NOT OCCUR								
Incompatibility (Mat. to avoid): Strong acids and oxidizers.  Conditions to Avoid: Open flame, welding arcs, heat.								
Hazardous Decomposition Products: CO, CO2.								
SECTION 5 - HEALTH HAZARD DATA								
PRIMARY ROUTES OF ENTRY: [X]INHALATION []INGESTION [X]SKIN ABSORPTION []EYE []NOT HAZARDOUS								
ACUTE EFFECTS:								
Inhalation: Excessive inhalation of vapors can be harmful and may cause headache, dizziness, asphyxia, anesthetic effects and possible unconsciousness.								
Eye Contact: CAUSTIC: May cause burns.  Skin Contact: CAUSTIC: May cause burns.  Ingestion: Possible chamical programment is if assirated into lungs. CAUSTIC: May cause burns.								
Ingestion: Possible chemical pneumonitis if aspirated into lungs. CAUSTIC: May cause burns.  CHRONIC EFFECTS: Lab animals have experienced anemia, liver, kidney, lung, blood damage to Hexylene Glycol. (Effects due to excessive exposure to the raw								
materials of this mixture) May cause burns, dermatitis, respiratory illness, nystagmus and central nervous disorders.								
Medical Conditions Generally Aggravated by Exposure: May aggravate existing eye, skin, or upper respiratory conditions.								
EMERGENCY FIRST AID PROCEDURES								
Eye Contact: Flush thorou	ughly irrigating with water for 15 minutes. If irrita	ated, seek m	edical attention.					
Skin Contact: Wash with soap and water. Neutralize with vinegar solution. If irritated, seek medical attention.								
Inhalation: Remove to fresh air. Resuscitate if necessary. Get medical attention.								
Ingestion: DO NOT INDUCE VOMITING. Drink two large glasses of water or milk. Get immediate medical attention.								
SECTION 6 - CONTROL AND PROTECTIVE MEASURES								
Respiratory Protection (specify type): If vapor concentration exceeds TLV, use respirator approved by NIOSH in positive pressure mode.								
Protective Gloves: Rubber or nitrile gloves. Eye Protection: Safety glasses recommended.								
Ventilation Requirements: Adequate ventilation to keep vapor concentration below TLV.  Other Protective Clothing & Equipment: Eyewash station.								
Hygienic Work Practices: Wash with soap and water before handling food. Remove contaminated clothing.								
SECTION 7 - PRECAUTIONS FOR SAFE HANDLING AND USE								
Steps To Be Taken If Material Is Spilled Or Released: Absorb with suitable medium. Incinerate or landfill according to local, state or Federal regulations. Dilute								
with water, absorb with cloth or neutralize with dilute acid and flush to sewer.								
Waste Disposal Methods: Aerosol cans when vented to atmospheric pressure through normal use, pose no disposal hazard.								
Precautions To Be Taken In Handling & Storage: Do not puncture or incinerate containers. Do not store at temperatures above 130°F.								
Other Precautions &/or Special Hazards: KEEP OUT OF REACH OF CHILDREN. Avoid food contamination. Do not use on aluminum. Avoid breathing								

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind.

\*\* Chemical Listed as Carcinogen or Potential Carcinogen. [a] NTP [b] IARC Monograph [c] OSHA [d] Not Listed [e] Animal Data Only

THIS MSDS IS CURRENT AS OF November 2, 2010. The DATE PREPARED section is the original date assembled and remains current until a change is necessary. This is tracked internally at the manufacturer by these date codes and therefore must remain as the originating date.