

SAFETY DATA SHEET

Classified in accordance 29 CFR 1910.1200

1. Identification

Product identifier: TROPIC BREEZE AIR FRESHENER & DEODORIZER

Other means of identification

SDS number: RE1000012133

Recommended restrictions

Recommended use: Air Freshener

Restrictions on use: Not known.

Manufacturer/Importer/Distributor Information

Company Name: PLZ Aeroscience Corporation
Address: 1000 Integram Dr
Pacific, MO 63069-3450
US
Telephone: 1-630-543-7600

Emergency telephone number: 1-866-836-8855

2. Hazard(s) identification

Hazard Classification

Physical Hazards

Flammable aerosol Category 1

Health Hazards

Serious Eye Damage/Eye Irritation Category 2A
Specific Target Organ Toxicity - Category 3
Single Exposure (Narcotic effect.)

Label Elements

Hazard Symbol:



Signal Word: Danger

Hazard Statement: Extremely flammable aerosol.
Causes serious eye irritation.
May cause drowsiness or dizziness.



Precautionary Statements

- Prevention:** Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use. Wash thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection. Avoid breathing dust/fume/gas/mist/vapors/spray. Use only outdoors or in a well-ventilated area.
- Response:** IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. Call a POISON CENTER/doctor if you feel unwell.
- Storage:** Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F. Store in a well-ventilated place. Keep container tightly closed. Store locked up.
- Disposal:** Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

Hazard(s) not otherwise classified (HNOC): None.

3. Composition/information on ingredients

Mixtures

| Chemical Identity | CAS number | Content in percent (%)* |
|---|------------|-------------------------|
| 2-Propanone | 67-64-1 | 50 - <100% |
| Propane | 74-98-6 | 5 - <10% |
| Ethane, 1,1-difluoro- | 75-37-6 | 5 - <10% |
| Benzoic acid, phenylmethyl ester | 120-51-4 | 1 - <5% |
| Terpenes and Terpenoids, grapefruit-oil | 68917-32-8 | 0.1 - <1% |

* All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

The exact concentration has been withheld as a trade secret.

4. First-aid measures

Description of necessary first-aid measures

- Inhalation:** Move to fresh air.
- Skin Contact:** Remove contaminated clothing and wash the skin thoroughly with soap and water after work.
- Eye contact:** Immediately flush with plenty of water for at least 15 minutes. If easy to do, remove contact lenses. Get medical attention.
- Ingestion:** Rinse mouth thoroughly.
- Personal Protection for First-aid Responders:** Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.



Most important symptoms/effects, acute and delayed

Symptoms: No data available.

Hazards: No data available.

Indication of immediate medical attention and special treatment needed

Treatment: Get medical attention if symptoms occur.

5. Fire-fighting measures

General Fire Hazards: Use water spray to keep fire-exposed containers cool. Fight fire from a protected location. Move containers from fire area if you can do so without risk.

Suitable (and unsuitable) extinguishing media

Suitable extinguishing media: Use fire-extinguishing media appropriate for surrounding materials.

Unsuitable extinguishing media: Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical: Vapors may travel considerable distance to a source of ignition and flash back.

Special protective equipment and precautions for firefighters

Special fire fighting procedures: No data available.

Special protective equipment for fire-fighters: Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures: Ventilate closed spaces before entering them. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Keep upwind.

Accidental release measures: Prevent entry into waterways, sewer, basements or confined areas. Stop the flow of material, if this is without risk. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Stop leak if you can do so without risk.

Methods and material for containment and cleaning up: Absorb spill with vermiculite or other inert material, then place in a container for chemical waste.

Environmental Precautions: Do not contaminate water sources or sewer. Prevent further leakage or spillage if safe to do so.



7. Handling and storage

Handling

Technical measures (e.g. Local and general ventilation): No data available.

Safe handling advice: Avoid contact with eyes. Wash hands thoroughly after handling. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source.
Pressurized container: Do not pierce or burn, even after use.

Contact avoidance measures: No data available.

Storage

Safe storage conditions: Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C. Do not pierce or burn, even after use.
Aerosol Level 2

Safe packaging materials: No data available.

Storage Temperature: No data available.

8. Exposure controls/personal protection

Control Parameters

Occupational Exposure Limits

| Chemical Identity | Type | Exposure Limit Values | Source |
|---|------|-----------------------|---|
| 2-Propanone | STEL | 1,000 ppm 2,400 mg/m3 | US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended |
| | PEL | 1,000 ppm 2,400 mg/m3 | US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended |
| | TWA | 250 ppm | US. ACGIH Threshold Limit Values, as amended |
| | TWA | 750 ppm 1,800 mg/m3 | US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended |
| | STEL | 500 ppm | US. ACGIH Threshold Limit Values, as amended |
| | REL | 250 ppm 590 mg/m3 | US. NIOSH: Pocket Guide to Chemical Hazards, as amended |
| Propane | REL | 1,000 ppm 1,800 mg/m3 | US. NIOSH: Pocket Guide to Chemical Hazards, as amended |
| | PEL | 1,000 ppm 1,800 mg/m3 | US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended |
| | TWA | 1,000 ppm 1,800 mg/m3 | US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended |
| 1,2-Benzenedicarboxylic acid, 1,2-diethyl ester | REL | 5 mg/m3 | US. NIOSH: Pocket Guide to Chemical Hazards, as amended |
| | TWA | 5 mg/m3 | US. ACGIH Threshold Limit Values, as amended |
| | TWA | 5 mg/m3 | US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended |

Biological Limit Values

| Chemical Identity | Exposure Limit Values | Source |
|---|-----------------------|-----------|
| 2-Propanone (acetone: Sampling time: End of shift.) | 25 mg/l (Urine) | ACGIH BEL |

Appropriate Engineering Controls No data available.



Individual protection measures, such as personal protective equipment

| | |
|----------------------------------|---|
| Eye/face protection: | Wear safety glasses with side shields (or goggles). |
| Skin Protection | |
| Hand Protection: | No data available. |
| Skin and Body Protection: | No data available. |
| Respiratory Protection: | In case of inadequate ventilation use suitable respirator. Seek advice from local supervisor. |
| Hygiene measures: | Avoid contact with eyes. Observe good industrial hygiene practices. When using do not smoke. |

9. Physical and chemical properties

Appearance

| | |
|---|--|
| Physical state: | liquid |
| Form: | Spray Aerosol |
| Color: | No data available. |
| Odor: | No data available. |
| Odor Threshold: | No data available. |
| pH: | No data available. |
| Freezing point: | No data available. |
| Boiling Point: | No data available. |
| Flash Point: | Estimated -104 °C |
| Evaporation Rate: | No data available. |
| Flammability (solid, gas): | No data available. |
| Explosive limit - upper (%): | No data available. |
| Explosive limit - lower (%): | No data available. |
| Vapor pressure: | 2,275 - 3,654 hPa (20 °C) 4,688 - 6,067 hPa (54 °C) |
| Vapor density (air=1): | No data available. |
| Density: | No data available. |
| Relative density: | No data available. |
| Solubility in Water: | No data available. |
| Solubility (other): | No data available. |
| Partition coefficient (n-octanol/water): | No data available. |
| Self Ignition Temperature: | No data available. |
| Decomposition Temperature: | No data available. |
| Kinematic viscosity: | No data available. |
| Dynamic viscosity: | No data available. |
| Explosive properties: | No data available. |
| Oxidizing properties: | No data available. |

10. Stability and reactivity

| | |
|----------------------------|---|
| Reactivity: | No data available. |
| Chemical Stability: | Material is stable under normal conditions. |



| | |
|--|------------------------------|
| Possibility of hazardous reactions: | No data available. |
| Conditions to avoid: | Avoid heat or contamination. |
| Incompatible Materials: | No data available. |
| Hazardous Decomposition Products: | No data available. |

11. Toxicological information

Information on likely routes of exposure

| | |
|----------------------|--------------------|
| Inhalation: | No data available. |
| Skin Contact: | No data available. |
| Eye contact: | No data available. |
| Ingestion: | No data available. |

Symptoms related to the physical, chemical and toxicological characteristics

| | |
|----------------------|--------------------|
| Inhalation: | No data available. |
| Skin Contact: | No data available. |
| Eye contact: | No data available. |
| Ingestion: | No data available. |

Information on toxicological effects

Acute toxicity (list all possible routes of exposure)

| | |
|----------------------------|--|
| Oral Product: | ATEmix: 34,178.69 mg/kg |
| Dermal Product: | Not classified for acute toxicity based on available data. |
| Inhalation Product: | Not classified for acute toxicity based on available data. |

Repeated dose toxicity

Product: No data available.

Components:

| | |
|----------------------------------|---|
| 2-Propanone | NOAEL (Rat(Male), Oral, 13 Weeks): 10,000 ppm(m) Oral Experimental result, Key study |
| Propane | NOAEL (Rat(Female, Male), Inhalation, >= 28 d): 4,000 ppm(m) Inhalation Experimental result, Key study LOAEL (Rat(Female, Male), Inhalation, >= 28 d): 12,000 ppm(m) Inhalation Experimental result, Key study |
| Benzoic acid, phenylmethyl ester | NOAEL (Rat(Female, Male), Dermal, 4 Weeks): 781 mg/kg Dermal Experimental result, Key study |



Skin Corrosion/Irritation

Product: No data available.

Components:

| | |
|--|--------------------------------|
| 2-Propanone | in vivo (Rabbit): Not irritant |
| Benzoic acid, phenylmethyl ester | in vivo (Rabbit): Not irritant |
| Terpenes and Terpenoids, grapefruit- oil | Assessment Irritating. |

Serious Eye Damage/Eye Irritation

Product: No data available.

Components:

| | |
|-------------|---|
| 2-Propanone | Irritating. Rabbit, 24 hrs: Minimum grade of severe eye irritant |
|-------------|---|

Respiratory or Skin Sensitization

Product: No data available.

Components:

| | |
|-------------|--|
| 2-Propanone | Skin sensitization:, in vivo (Guinea pig): Non sensitising |
|-------------|--|

Carcinogenicity

Product: No data available.

IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:

No carcinogenic components identified

US. National Toxicology Program (NTP) Report on Carcinogens:

No carcinogenic components identified

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050), as amended:

No carcinogenic components identified

Germ Cell Mutagenicity

In vitro

Product: No data available.

In vivo

Product: No data available.

Reproductive toxicity

Product: No data available.

Specific Target Organ Toxicity - Single Exposure

Product: No data available.

Components:

| | |
|-------------|--|
| 2-Propanone | Inhalation - vapor: Narcotic effect. - Category 3 with narcotic effects. |
|-------------|--|

Specific Target Organ Toxicity - Repeated Exposure

Product: No data available.

Target Organs

Specific Target Organ Toxicity - Single Exposure: Narcotic effect.



Aspiration Hazard

Product: No data available.

Components:

Terpenes and Terpenoids, grapefruit-oil May be fatal if swallowed and enters airways.

Other effects: No data available.

12. Ecological information

Ecotoxicity:

Acute hazards to the aquatic environment:

Fish

Product: No data available.

Components:

2-Propanone LC 50 (Oncorhynchus mykiss, 96 h): 5,540 mg/l Experimental result, Key study

Propane LC 50 (Various, 96 h): 147.54 mg/l QSAR QSAR, Key study

Benzoic acid, phenylmethyl ester LC 50 (Danio rerio, 96 h): 2.32 mg/l Experimental result, Key study

Aquatic Invertebrates

Product: No data available.

Components:

2-Propanone LC 50 (Daphnia pulex, 48 h): 8,800 mg/l Experimental result, Key study

Benzoic acid, phenylmethyl ester EC 50 (Daphnia magna, 48 h): 3.09 mg/l Experimental result, Key study

Chronic hazards to the aquatic environment:

Fish

Product: No data available.

Aquatic Invertebrates

Product: No data available.

Components:

2-Propanone LOAEL (Daphnia magna): 2,212 mg/l Experimental result, Key study
NOAEL (Daphnia magna): 2,212 mg/l Experimental result, Key study

Benzoic acid, phenylmethyl ester NOAEL (Daphnia magna): 0.258 mg/l Experimental result, Key study
LOAEL (Daphnia magna): 0.455 mg/l Experimental result, Key study

Toxicity to Aquatic Plants

Product: No data available.

Persistence and Degradability

Biodegradation

Product: No data available.



Components:

| | |
|-------------------------------------|--|
| 2-Propanone | 90.9 % (28 d) Detected in water. Experimental result, Key study |
| Propane | 100 % (385.5 h) Detected in water. Experimental result, Key study 50 % (3.19 d) Detected in water. QSAR, Weight of Evidence study |
| Benzoic acid, phenylmethyl ester | 94 % (28 d) Detected in water. Experimental result, Key study |

BOD/COD Ratio

Product: No data available.

Bioaccumulative potential

Bioconcentration Factor (BCF)

Product: No data available.

Components:

| | |
|-------------------------------------|--|
| 2-Propanone | Haddock, adult, Bioconcentration Factor (BCF): 0.69 Aquatic sediment Experimental result, Not specified |
| Benzoic acid, phenylmethyl ester | Bioconcentration Factor (BCF): 193.4 Aquatic sediment QSAR, Key study |

Partition Coefficient n-octanol / water (log Kow)

Product: No data available.

Mobility in soil:

No data available.

Components:

| | |
|---|--------------------|
| 2-Propanone | No data available. |
| Propane | No data available. |
| Benzoic acid, phenylmethyl ester | No data available. |
| Terpenes and Terpenoids, grapefruit-oil | No data available. |

Other adverse effects:

No data available.

13. Disposal considerations

Disposal instructions:

Wash before disposal. Dispose to controlled facilities.

Contaminated Packaging:

No data available.

14. Transport information

DOT

| | |
|-------------------------------|---------------------|
| UN Number: | UN 1950 |
| UN Proper Shipping Name: | Aerosols, flammable |
| Transport Hazard Class(es) | |
| Class: | 2.1 |
| Label(s): | – |
| EmS No.: | – |
| Packing Group: | – |
| Special precautions for user: | None known. |



IATA

UN Number: UN 1950
UN Proper Shipping Name: Aerosols, flammable
Transport Hazard Class(es):
 Class: 2.1
 Label(s): -
Packing Group: -
Special precautions for user: None known.
Other information
 Passenger and cargo aircraft: Allowed. 203
 Cargo aircraft only: Allowed. 203

IMDG

UN Number: UN 1950
UN Proper Shipping Name: Aerosols, flammable
Transport Hazard Class(es):
 Class: 2.1
 Label(s): -
 EmS No.: F-D, S-U
Packing Group: -
Special precautions for user: None known.

The classification shown in this section may be eligible for use of an exception, such as "Limited Quantity", per the dangerous goods regulations. The shipper of this product should consult the applicable mode's regulation for the UN number displayed above to determine if any exceptions are available and may be utilized, at the shipper's discretion.

15. Regulatory information

US Federal Regulations

Restrictions on use: Not known.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

US. Toxic Substances Control Act (TSCA) Section 5(a)(2) Final Significant New Use Rules (SNURs) (40 CFR 721, Subpt E)

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050), as amended
None present or none present in regulated quantities.

CERCLA Hazardous Substance List (40 CFR 302.4):

Chemical Identity

ACETONE
UNLISTED HAZARDOUS WASTES CHARACTERISTIC OF IGNITABILITY
Ethane, 1,1-difluoro-
DIETHYL PHTHALATE

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories

Flammable (gases, aerosols, liquids, or solids), Serious eye damage or eye irritation, Specific target organ toxicity (single or repeated exposure)



US. EPCRA (SARA Title III) Section 304 Extremely Hazardous Substances Reporting Quantities and the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA) Hazardous Substances

None present or none present in regulated quantities.

US. EPA Emergency Planning and Community Right-To-Know Act (EPCRA) SARA Title III Section 313 Toxic Chemicals (40 CFR 372.65) - Supplier Notification Required

None present or none present in regulated quantities.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130):

Clean Water Act Section 311 Hazardous Substances (40 CFR 117.3)

US State Regulations

US. California Proposition 65

No ingredient requiring a warning under CA Prop 65.

**US. New Jersey Worker and Community Right-to-Know Act
Chemical Identity**

2-Propanone
Propane
Ethane, 1,1-difluoro-

US. Massachusetts RTK - Substance List

No ingredient regulated by MA Right-to-Know Law present.

**US. Pennsylvania RTK - Hazardous Substances
Chemical Identity**

2-Propanone
Propane

US. Rhode Island RTK

No ingredient regulated by RI Right-to-Know Law present.

International regulations

Montreal protocol

2-Propanone
Ethane, 1,1-difluoro- Group I Annex F

Stockholm convention

2-Propanone
Ethane, 1,1-difluoro-

Rotterdam convention

2-Propanone
Ethane, 1,1-difluoro-

Kyoto protocol



Inventory Status:

| | |
|---|--|
| Australia AICS | On or in compliance with the inventory |
| Canada DSL Inventory List | On or in compliance with the inventory |
| Canada NDSL Inventory | Not in compliance with the inventory. |
| Ontario Inventory | On or in compliance with the inventory |
| China Inv. Existing Chemical Substances | On or in compliance with the inventory |
| Japan (ENCS) List | Not in compliance with the inventory. |
| Japan ISHL Listing | Not in compliance with the inventory. |
| Japan Pharmacopoeia Listing | Not in compliance with the inventory. |
| Korea Existing Chemicals Inv. (KECI) | On or in compliance with the inventory |
| Mexico INSQ | Not in compliance with the inventory. |
| New Zealand Inventory of Chemicals | Not in compliance with the inventory. |
| Philippines PICCS | On or in compliance with the inventory |
| Taiwan Chemical Substance Inventory | On or in compliance with the inventory |
| US TSCA Inventory | On or in compliance with the inventory |
| EINECS, ELINCS or NLP | Not in compliance with the inventory. |

16. Other information, including date of preparation or last revision

Issue Date: 03/14/2022

Revision Information: No data available.

Version #: 2.1

Further Information: No data available.

Disclaimer: This information is provided without warranty. The information is believed to be correct. This information should be used to make an independent determination of the methods to safeguard workers and the environment.