

# SAFETY DATA SHEET

Date Issued: 10-20-2021

## 1. IDENTIFICATION

<b>Product Name</b>	<b>71 Toilet Cleaner</b>
<b>Brand</b>	<b>Coastwide Professional™</b>
<b>Product Number</b>	CW710001-A, CW071RU01-A, CW710032-A, CW071RU32-A
<b>Recommended Use</b>	Bathroom cleaner
<b>Uses advised against</b>	Uses other than those identified on the product label are not recommended.
<b>Supplier Name</b>	WorkLife Brands, LLC.
<b>Supplier Address</b>	13800 E. 39th Avenue Aurora, CO 80011, USA
<b>Supplier Phone Number</b>	800-270-9167
<b>SDS Internet Address:</b>	<a href="http://sds.staples.com">http://sds.staples.com</a>
<b>Emergency telephone number:</b>	888-322-0912

## 2. HAZARDS IDENTIFICATION

### Classification

Serious eye damage/eye irritation	Category 2A
Flammable liquids	Category 3

**Appearance** Blue green

**Physical state** Liquid

**Odor** Citrus

### GHS Label elements, including precautionary statements

#### Warning

#### Hazard statements

Causes serious eye irritation  
Flammable liquid and vapor



#### Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling  
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

---

Keep container tightly closed  
Ground/bond container and receiving equipment  
Use explosion-proof electrical/ ventilating/ lighting/ equipment  
Use only non-sparking tools  
Take precautionary measures against static discharge  
Wear protective gloves/eye protection/face protection

### Precautionary Statements - Response

#### Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
If eye irritation persists: Get medical advice/attention

#### Skin

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower

#### Fire

In case of fire: Use CO2, dry chemical, or foam to extinguish

### Precautionary Statements - Storage

Store in a well-ventilated place. Keep cool

### Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

### Other information

**Unknown acute toxicity** 7 % of the mixture consists of ingredient(s) of unknown toxicity  
0 % of the mixture consists of ingredient(s) of unknown acute oral toxicity  
7 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity  
7 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas)  
7 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor)  
7 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

### Mixture

Chemical name	CAS No.	Weight-%	Hazardous Material Information Review Act registry number (HMIRA registry #)	Date HMIRA filed and date exemption granted (if applicable)
Citric acid	77-92-9	5	-	-
Alcohols, C9-11, ethoxylated	68439-46-3	2	-	-
Isopropyl alcohol	67-63-0	1.485	-	-

## 4. FIRST AID MEASURES

### Description of first aid measures

#### General advice

Show this safety data sheet to the doctor in attendance.

#### Inhalation

Remove to fresh air.

#### Eye contact

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Do not rub affected area. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.

---

<b>Skin contact</b>	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes.
<b>Ingestion</b>	Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Call a physician.
<b>Self-protection of the first aider</b>	Remove all sources of ignition. Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Use personal protective equipment as required. See section 8 for more information. Avoid contact with skin, eyes or clothing.

**Most important symptoms and effects, both acute and delayed**

**Symptoms** Burning sensation.

**Indication of any immediate medical attention and special treatment needed**

**Note to physicians** Treat symptomatically.

**5. FIRE-FIGHTING MEASURES**

<b>Suitable Extinguishing Media</b>	Dry chemical. Carbon dioxide (CO2). Water spray. Alcohol resistant foam.
<b>Large Fire</b>	CAUTION: Use of water spray when fighting fire may be inefficient.
<b>Unsuitable extinguishing media</b>	Do not scatter spilled material with high pressure water streams.
<b>Specific hazards arising from the chemical</b>	Risk of ignition. Keep product and empty container away from heat and sources of ignition. In the event of fire, cool tanks with water spray. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
<b>Hazardous Combustion Products</b>	Carbon oxides.
<b>Explosion Data</b>	
<b>Sensitivity to Mechanical Impact</b>	NONE.
<b>Sensitivity to Static Discharge</b>	Yes.
<b>Special protective equipment for fire-fighters</b>	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

**6. ACCIDENTAL RELEASE MEASURES**

**Personal precautions, protective equipment and emergency procedures**

<b>Personal precautions</b>	Evacuate personnel to safe areas. Use personal protective equipment as required. See section 8 for more information. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Keep people away from and upwind of spill/leak. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Pay attention to flashback. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Do not touch or walk through spilled material.
<b>Other Information</b>	Ventilate the area. Refer to protective measures listed in Sections 7 and 8.

**Methods and material for containment and cleaning up**

---

**Methods for containment**

Stop leak if you can do it without risk. Do not touch or walk through spilled material. A vapor suppressing foam may be used to reduce vapors. Dike far ahead of spill to collect runoff water. Keep out of drains, sewers, ditches and waterways. Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal.

**Methods for cleaning up**

Take precautionary measures against static discharges. Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labeled containers.

## 7. HANDLING AND STORAGE

**Precautions for safe handling****Advice on safe handling**

Use personal protection equipment. Avoid breathing vapors or mists. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Use grounding and bonding connection when transferring this material to prevent static discharge, fire or explosion. Use with local exhaust ventilation. Use spark-proof tools and explosion-proof equipment. Keep in an area equipped with sprinklers. Use according to package label instructions. Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product.

**Conditions for safe storage, including any incompatibilities****Storage Conditions**

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Keep in properly labeled containers. Do not store near combustible materials. Keep in an area equipped with sprinklers. Store in accordance with the particular national regulations. Store in accordance with local regulations.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

**Control parameters****Exposure Limits**

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH	
Isopropyl alcohol 67-63-0	STEL: 400 ppm TWA: 200 ppm	TWA: 400 ppm TWA: 980 mg/m <sup>3</sup> (vacated) TWA: 400 ppm (vacated) TWA: 980 mg/m <sup>3</sup> (vacated) STEL: 500 ppm (vacated) STEL: 1225 mg/m <sup>3</sup>	IDLH: 2000 ppm	10% LEL TWA: 980 mg/m <sup>3</sup> TWA: 400 ppm STEL: 500 ppm STEL: 1225 mg/m <sup>3</sup>
Chemical name	Alberta	British Columbia	Ontario TWAEV	Quebec
Isopropyl alcohol 67-63-0	TWA: 200 ppm TWA: 492 mg/m <sup>3</sup> STEL: 400 ppm STEL: 984 mg/m <sup>3</sup>	TWA: 200 ppm STEL: 400 ppm	TWA: 200 ppm STEL: 400 ppm	TWA: 400 ppm TWA: 985 mg/m <sup>3</sup> STEL: 500 ppm STEL: 1230 mg/m <sup>3</sup>

**Other Exposure Guidelines**

Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992). See section 15 for national exposure control parameters.

---

### Appropriate engineering controls

**Engineering controls**                      Showers  
   Eyewash stations  
   Ventilation systems.

### Individual protection measures, such as personal protective equipment

**Eye/face protection**                      Tight sealing safety goggles.

**Hand protection**                              Wear suitable gloves. Impervious gloves.

**Skin and body protection**                  Wear suitable protective clothing. Long sleeved clothing. Chemical resistant apron.  
   Antistatic boots.

**Respiratory protection**                      No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.

**General hygiene considerations**          Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or smoke when using this product. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

### Information on basic physical and chemical properties

**Physical state**                                  Liquid  
**Appearance**                                  Blue green  
**Odor**    Citrus  
**Color**    No information available  
**Odor Threshold**                                No information available

<u>Property</u>	<u>Values</u>	<u>Remarks</u>	<u>Method</u>
<b>pH</b>	2.5		
<b>Melting / freezing point</b>	No data available	None known	
<b>Boiling point / boiling range</b>	No data available	None known	
<b>Flash Point</b>	55 C / 131 F		
<b>Evaporation Rate</b>	No data available	None known	
<b>Flammability (solid, gas)</b>	No data available	None known	
<b>Flammability Limit in Air</b>		None known	
<b>Upper flammability limit</b>	No data available		
<b>Lower flammability limit</b>	No data available		
<b>Vapor pressure</b>	No data available	None known	
<b>Vapor density</b>	No data available	None known	
<b>Relative density</b>	1.020		
<b>Water Solubility</b>	Soluble in water		
<b>Solubility(ies)</b>	No data available	None known	
<b>Partition coefficient: n-octanol/water</b>	No data available	None known	
<b>Autoignition temperature</b>	No data available	None known	
<b>Decomposition temperature</b>	No data available	None known	
<b>Kinematic viscosity</b>	No data available	None known	
<b>Dynamic viscosity</b>	No data available	None known	

### Other Information

**Explosive properties**                          No information available  
**Oxidizing properties**                          No information available

---

<b>Softening Point</b>	No information available
<b>Molecular Weight</b>	No information available
<b>VOC Content (%)</b>	No information available
<b>Liquid Density</b>	No information available
<b>Bulk Density</b>	No information available
<b>Particle Size</b>	No information available
<b>Particle Size Distribution</b>	No information available

## 10. STABILITY AND REACTIVITY

<b>Reactivity</b>	No information available.
<b>Chemical stability</b>	Stable under normal conditions.
<b>Possibility of Hazardous Reactions</b>	None under normal processing.
<b>Hazardous Polymerization</b>	Hazardous polymerization does not occur.
<b>Conditions to avoid</b>	Heat, flames and sparks.
<b>Incompatible materials</b>	None known based on information supplied.
<b>Hazardous Decomposition Products</b>	Carbon oxides.

## 11. TOXICOLOGICAL INFORMATION

### Information on likely routes of exposure

#### Product Information

<b>Inhalation</b>	Specific test data for the substance or mixture is not available. May cause irritation of respiratory tract.
<b>Eye contact</b>	Specific test data for the substance or mixture is not available. Causes serious eye irritation. (based on components). May cause redness, itching, and pain.
<b>Skin contact</b>	Specific test data for the substance or mixture is not available. May cause irritation. Prolonged contact may cause redness and irritation.
<b>Ingestion</b>	Specific test data for the substance or mixture is not available. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

### Symptoms related to the physical, chemical and toxicological characteristics

<b>Symptoms</b>	May cause redness and tearing of the eyes.
-----------------	--

### Numerical measures of toxicity

#### Acute Toxicity

The following values are calculated based on chapter 3.1 of the GHS document .

<b>ATEmix (oral)</b>	15,478.00 mg/kg
----------------------	-----------------

<b>Unknown acute toxicity</b>	7 % of the mixture consists of ingredient(s) of unknown toxicity
	0 % of the mixture consists of ingredient(s) of unknown acute oral toxicity

7 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity  
 7 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas)  
 7 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor)  
 7 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

**Component Information**

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Citric acid	= 3 g/kg ( Rat ) = 3000 mg/kg ( Rat )	> 2000 mg/kg ( Rat )	-
Alcohols, C9-11, ethoxylated	= 1378 mg/kg ( Rat ) = 1400 mg/kg ( Rat )	> 2 g/kg ( Rabbit )	-
Isopropyl alcohol	= 1870 mg/kg ( Rat )	= 4059 mg/kg ( Rabbit )	= 72600 mg/m <sup>3</sup> ( Rat ) 4 h

**Delayed and immediate effects as well as chronic effects from short and long-term exposure**

**Skin corrosion/irritation** May cause skin irritation.  
**Serious eye damage/eye irritation** Classification based on data available for ingredients. Causes serious eye irritation.  
**Respiratory or skin sensitization** No information available.  
**Germ cell mutagenicity** No information available.  
**Carcinogenicity** No information available.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	ACGIH	IARC	NTP	OSHA
Isopropyl alcohol 67-63-0	-	Group 3	-	X

**Legend**

**IARC (International Agency for Research on Cancer)**  
 Group 3 - Not Classifiable as to Carcinogenicity in Humans  
**OSHA (Occupational Safety and Health Administration of the US Department of Labor)**  
 X - Present

**Reproductive toxicity** No information available.  
**STOT - single exposure** No information available.  
**STOT - repeated exposure** No information available.  
**Aspiration hazard** No information available.

**12. ECOLOGICAL INFORMATION**

**Ecotoxicity** The environmental impact of this product has not been fully investigated.

Chemical name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
Citric acid	-	96h LC50: = 1516 mg/L (Lepomis macrochirus)	-	72h EC50: = 120 mg/L (Daphnia magna)
Isopropyl alcohol	96h EC50: > 1000 mg/L (Desmodesmus subspicatus) 72h EC50: >	96h LC50: = 11130 mg/L (Pimephales promelas) 96h LC50: = 9640 mg/L	-	48h EC50: = 13299 mg/L (Daphnia magna)

	1000 mg/L (Desmodosmus subspicatus)	(Pimephales promelas) 96h LC50: > 1400000 µg/L (Lepomis macrochirus)		
--	---	---	--	--

**Persistence and Degradability** No information available.

**Bioaccumulation**

**Component Information**

Chemical name	Log Pow
Citric acid	-1.72
Isopropyl alcohol	0.05

**Mobility** No information available.

**Other adverse effects** No information available.

**13. DISPOSAL CONSIDERATIONS**

Waste treatment methods

**Waste from residues/unused products** Should not be released into the environment. Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

**Contaminated packaging** Empty containers pose a potential fire and explosion hazard. Do not cut, puncture or weld containers.

**California Waste Codes** 331

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical name	California Hazardous Waste
Isopropyl alcohol 67-63-0	Toxic Ignitable

**14. TRANSPORT INFORMATION**

DOT

**UN-No.** UN1993  
**Proper Shipping Name** FLAMMABLE LIQUID, N.O.S.  
**Hazard Class** 3  
**Packing Group** III  
**Description** UN1993, FLAMMABLE LIQUID, N.O.S. (ISOPROPYL ALCOHOL), 3, III  
**Emergency Response Guide Number** 128  
**Packaging exceptions** When packaged in containers of 5L (1.3 gallons) or less, this product may be shipped under the 49 CFR 173.150 packaging exemption for Limited Quantity

---

**TDG**

**UN-No.** UN1993  
**Proper Shipping Name** FLAMMABLE LIQUID, N.O.S.  
**Hazard Class** 3  
**Packing Group** III  
**Description** UN1993, FLAMMABLE LIQUID, N.O.S. (ISOPROPYL ALCOHOL), 3, III

**MEX**

**UN-No.** UN1993  
**Proper Shipping Name** FLAMMABLE LIQUID, N.O.S.  
**Hazard Class** 3  
**Packing Group** III  
**Description** UN1993, FLAMMABLE LIQUID, N.O.S. (ISOPROPYL ALCOHOL), 3, III

**ICAO**

**UN-No.** UN1993  
**Proper Shipping Name** FLAMMABLE LIQUID, N.O.S.  
**Hazard Class** 3  
**Packing Group** III  
**Description** UN1993, FLAMMABLE LIQUID, N.O.S. (ISOPROPYL ALCOHOL), 3, III

**IATA**

**UN-No.** UN1993  
**Proper Shipping Name** FLAMMABLE LIQUID, N.O.S.  
**Hazard Class** 3  
**Packing Group** III  
**ERG Code** 3L  
**Description** UN1993, FLAMMABLE LIQUID, N.O.S. (ISOPROPYL ALCOHOL), 3, III

**IMDG/IMO**

**UN-No.** UN1993  
**Proper Shipping Name** FLAMMABLE LIQUID, N.O.S.  
**Hazard Class** 3  
**Packing Group** III  
**EmS-No.** F-E, S-E  
**Description** UN1993, FLAMMABLE LIQUID, N.O.S. (ISOPROPYL ALCOHOL), 3, III, (55°C C.C.)

**RID**

**UN-No.** UN1993  
**Proper Shipping Name** FLAMMABLE LIQUID, N.O.S.  
**Hazard Class** 3  
**Packing Group** III  
**Classification code** F1  
**Description** UN1993, FLAMMABLE LIQUID, N.O.S. (ISOPROPYL ALCOHOL), 3, III  
**ADR/RID-Labels** 3

**ADR**

**UN-No.** 1993  
**Proper Shipping Name** FLAMMABLE LIQUID, N.O.S.  
**Hazard Class** 3  
**Packing Group** III  
**Classification code** F1  
**Tunnel restriction code** (D/E)  
**Description** 1993, FLAMMABLE LIQUID, N.O.S. (ISOPROPYL ALCOHOL), 3, III, (D/E)

**ADN**

---

<b>UN-No.</b>	UN1993
<b>Proper Shipping Name</b>	FLAMMABLE LIQUID, N.O.S.
<b>Hazard Class</b>	3
<b>Packing Group</b>	III
<b>Classification code</b>	F1
<b>Special Provisions</b>	274, 601
<b>Description</b>	UN1993, FLAMMABLE LIQUID, N.O.S. (ISOPROPYL ALCOHOL), 3, III
<b>Hazard Labels</b>	3
<b>Limited Quantity</b>	5 L
<b>Ventilation</b>	VE01

## 15. REGULATORY INFORMATION

### Safety, health and environmental regulations/legislation specific for the substance or mixture

#### International Regulations

**The Montreal Protocol on Substances that Deplete the Ozone Layer** Not applicable

**The Stockholm Convention on Persistent Organic Pollutants** Not applicable

**The Rotterdam Convention** Not applicable

#### International Inventories

<b>TSCA</b>	Contact supplier for inventory compliance status.
<b>DSL/NDSL</b>	Contact supplier for inventory compliance status.
<b>EINECS/ELINCS</b>	Contact supplier for inventory compliance status.
<b>ENCS</b>	Contact supplier for inventory compliance status.
<b>KECL</b>	Contact supplier for inventory compliance status.
<b>PICCS</b>	Contact supplier for inventory compliance status.
<b>AICS</b>	Contact supplier for inventory compliance status.

#### Legend

- TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory
- DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List
- EINECS/ELINCS** - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances
- ENCS** - Japan Existing and New Chemical Substances
- KECL** - Korean Existing and Evaluated Chemical Substances
- PICCS** - Philippines Inventory of Chemicals and Chemical Substances
- AICS** - Australian Inventory of Chemical Substances

#### US Federal Regulations

##### SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical name	CAS No.	Weight-%	SARA 313 - Threshold Values %
Isopropyl alcohol - 67-63-0	67-63-0	1.485	1.0

##### SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications. Under the amended regulations at 40 CFR 370, EPCRA 311/312 Tier II reporting for the 2017 calendar year will need to be consistent with updated hazard classifications.

##### CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

**CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

Chemical name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	RQ
Citric acid 77-92-9			RQ Section number 180.950

**US State Regulations**

**California Proposition 65**

This product does not contain any Proposition 65 chemicals.

**U.S. State Right-to-Know Regulations**

Chemical name	New Jersey	Massachusetts	Pennsylvania	Rhode Island	Illinois
Isopropyl alcohol 67-63-0	X	X	X	X	

**16. OTHER INFORMATION**

<b><u>NFPA</u></b>	Health hazards 2	Flammability 2	Instability 0	Physical and Chemical Properties -
<b><u>HMIS</u></b>	Health hazards 2	Flammability 2	Physical hazards 0	Personal Protection X

**Prepared By** Regulatory Specialist, WorkLife Brands, (508) 253-5000

Always follow label directions carefully when using this or any other chemical product. If information about this product is required, please contact Coastwide Professional at 800-270-9167 or visit our website at [www.coastwideprofessional.com](http://www.coastwideprofessional.com). Keep Safety Data Sheets filed and organized in an area accessible to workers according to all applicable regulations.

*All information contained in this SDS is provided to the best of Suppliers' knowledge. No warranty is made with respect to this information expressed or implied, including warranties of merchantability or fitness for a particular purpose. Users are responsible for verifying the information under their own operating conditions to determine whether the products listed in the SDS are suitable for their intended use. Users are responsible for compliance with all laws and regulations as may be required by their receipt of the information and use of the products provided with this SDS.*