

# Clax® Assist® Booster-fatty soils, low waterhardness

**Revision:** 2020-07-10 **Version:** 02.0

## 1. IDENTIFICATION

Product name: Clax® Assist®

Product Code: Booster-fatty soils, low waterhardness 93418761, 93418779, 93418787

**SDS** #: MS0800367

Recommended use: • Industrial/Institutional

· Laundry care

Uses advised against: Uses other than those identified are not recommended

Manufacturer, importer, supplier:

US Headquarters Diversey, Inc. 1300 Altura Rd., Suite 125 Fort Mill, SC 29708 Phone: 1-888-352-2249

SDS Internet Address: https://sds.diversey.com

Canadian Headquarters Diversey Canada, Inc. 6150 Kennedy Road Unit 3 Mississauga, Ontario L5T 2J4 Phone: 1-800-668-7171

**Emergency telephone number:** 1-800-851-7145; 1-651-917-6133 (Int'l)

# 2. HAZARDS IDENTIFICATION

## Classification for the undiluted product

Skin corrosion/irritation
Serious eye damage/eye irritation
Specific target organ toxicity (repeated exposure)

Metal Corrosion:

Category 1
Category 2
Category 1



Signal word: Danger.

#### Hazard Statements

CAUSES SEVERE SKIN BURNS AND SERIOUS EYE DAMAGE. MAY CAUSE DAMAGE TO ORGANS THROUGH PROLONGED OR REPEATED EXPOSURE. MAY BE CORROSIVE TO METALS.

# **Precautionary Statements**

Causes burns/ serious damage to mouth, throat and stomach. Keep container tightly closed. Keep only in original container. Avoid contact with eyes, skin and clothing. Wash affected areas thoroughly after handling. Wear protective gloves, protective clothing and eye or face protection. IF SWALLOWED: Rinse mouth. DO NOT induce vomiting unless directed to do so by medical personnel. Drink a cupful of milk or water. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water for at least 15 minutes. Wash contaminated clothing before reuse. IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes. Immediately call a Poison Center (1-800-851-7145) or physician. Get medical attention or advice if you feel unwell. Absorb spillage to prevent material damage. Store in corrosive-resistant container with a resistant inner liner. Dispose of in accordance with all federal, state and local applicable regulations. SUPPLEMENTAL INFORMATION:. DO NOT MIX WITH AMMONIA, BLEACH OR OTHER CHLORINATED COMPOUNDS. Mix only with water. Can react to release hazardous gases. May vigorously

react with strong alkaline products resulting in spattering and excessive heat.

Health hazards not otherwise classified (HHNOC) - Not applicable Physical hazards not otherwise classified (PHNOC) - Not applicable

## Classification for the diluted product @ 1:200

This product, when diluted as stated on the label, is not classified as hazardous according to OSHA 29CFR 1910.1200 (HazCom 2012-GHS) and Canadian Hazardous Products Regulations (HPR) (WHMIS 2015-GHS).

## **Hazard and Precautionary Statements**

None required.

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

## Classified Ingredients

Ingredient(s)	CAS#	Weight %
Sodium hydroxide	1310-73-2	10 - 30%
Tetrasodium salt of EDTA	64-02-8	3 - 7%

<sup>\*</sup>Exact percentages are being withheld as trade secret information

# 4. FIRST AID MEASURES

## **Undiluted Product:**

Eyes: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes.

Skin: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water for at least 15 minutes.

Inhalation: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Ingestion: IF SWALLOWED: Rinse mouth. DO NOT induce vomiting unless directed to do so by medical personnel. Drink a cupful of milk or water.

Most Important Symptoms/Effects: No information available.

Immediate medical attention and special treatment needed Not applicable.

## **Diluted Product:**

**Eyes:** Rinse with plenty of water.

Skin: No specific first aid measures are required Inhalation: No specific first aid measures are required

Ingestion: IF SWALLOWED: Call a Poison Center (1-800-851-7145) or doctor/physician if you feel unwell.

# 5. FIRE-FIGHTING MEASURES

Specific methods: No special methods required

Suitable extinguishing media: The product is not flammable. Extinguish fire using agent suitable for surrounding fire.

Corrosive material (See sections 8 and 10). Specific hazards:

Special protective equipment for firefighters: As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

Extinguishing media which must not be used for safety reasons: No information available.

# 6. ACCIDENTAL RELEASE MEASURES

Put on appropriate personal protective equipment (see Section 8.). Personal precautions:

**Environmental precautions** Clean-up methods - large spillage. Absorb spill with inert material (e.g. dry sand or earth), then place in and clean-up methods:

a chemical waste container. Use a water rinse for final clean-up.

# 7. HANDLING AND STORAGE

Handling: Can react to release hazardous gases. May vigorously react with acids resulting in spattering and excessive heat. Do not mix with other products or chemicals except as directed on the label. Mix only with water. Avoid contact with skin, eyes and clothing. Wash thoroughly after

handling. Do not taste or swallow. Product residue may remain on/in empty containers. All precautions for handling the product must be used in handling the empty container and residue. Avoid breathing vapors or mists. Use only with adequate ventilation. Remove and wash contaminated clothing and footwear before re-use. Absorb spillage to prevent material damage. FOR COMMERCIAL AND INDUSTRIAL USE ONLY.

**Storage:** Store in corrosive-resistant container with a resistant inner liner.

Aerosol Level (if applicable): Not applicable.

# 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

## **Exposure Guidelines:**

Ingredient(s)	CAS#	ACGIH	OSHA
Sodium hydroxide	1310-73-2	2 mg/m³ (Ceiling)	2 mg/m³ (TWA)

#### **Undiluted Product:**

## Engineering measures to reduce exposure:

Good general ventilation should be sufficient to control airborne levels.

#### Personal Protective Equipment

It is the responsibility of the employer to determine the potential risk of exposure to hazardous chemicals for employees in the workplace in order to determine the necessity, selection, and use of personal protective equipment.

**Eye protection:** Chemical-splash goggles. **Hand protection:** Chemical-resistant gloves.

**Skin and body protection:** Protective footwear. Wear suitable protective clothing.

Respiratory protection: In case of insufficient ventilation wear suitable respiratory equipment. A respiratory protection program

that meets OSHA's 29 CFR 1910.134 and ANSI Z88.2 requirements must be followed whenever

workplace conditions warrant a respirator's use.

Hygiene measures: Handle in accordance with good industrial hygiene and safety practice.

## **Diluted Product:**

# Engineering measures to reduce exposure:

Good general ventilation should be sufficient to control airborne levels.

Personal Protective Equipment

Eye protection:

Hand protection:

No personal protective equipment required under normal use conditions.

No personal protective equipment required under normal use conditions.

Skin and body protection:

No personal protective equipment required under normal use conditions.

No personal protective equipment required under normal use conditions.

No personal protective equipment required under normal use conditions.

Hygiene measures:

Handle in accordance with good industrial hygiene and safety practice.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State: Liquid Color: Clear Light Amber

Evaporation Rate: No information available Odor: Characteristic

Odor threshold: No information available.

Boiling point/range: Not determined

Melting point/range: Not determined

Autoignition temperature: No information available

Solubility: no other solvents: No information available

Solubility: Density (relative to water): 1,2938

Solubility in other solvents: No information available

Density: Specific gravity: 1.2938 Kg/L

Bulk density: No information available

Relative Density (relative to water): 1.2938

Vapor density: No information available

Vapor pressure: No information available.

Flash point (°F): > 200 °F > 93.3 °C Partition coefficient (n-octanol/water): No information available

Viscosity: No information available Elemental Phosphorus: 0.00 % by wt.

VOC: 0 %\* pH: > 11

Flammability (Solid or Gas): Not applicable Corrosion to metals: Metal corrosive Sustained combustion: Not applicable

Explosion limits: - upper: Not determined - lower: Not determined

Dilution pH:

12.6

Dilution Flash Point (°F): > 200 °F > 93.3 °C

VOC % by wt. at use dilution: 0 %

## 10. STABILITY AND REACTIVITY

<sup>\* -</sup> Title 17, California Code of Regulations, Division 3, Chapter 1, Subchapter 8.5, Article 2, Consumer Products, Sections 94508

Reactivity: Not Applicable
Stability: The product is stable

Possibility of hazardous reactions: May vigorously react with acids resulting in spattering and excessive heat.

Hazardous decomposition products: None reasonably foreseeable.

Materials to avoid: Acids. Strong acids. Do not mix with any other product or chemical unless specified in the use

directions.

Conditions to avoid: None known.

# 11. TOXICOLOGICAL INFORMATION

## Information on likely routes of exposure:

Skin contact, Inhalation, Ingestion, Eye contact

Delayed, immediate, or chronic effects and symptoms from short and long-term exposure

**Skin contact:** Unlikely to be irritant in normal use.

Eye contact: Corrosive. Causes serious eye damage. Symptoms may include pain, burning sensation, redness, watering, blurred

vision or loss of vision.

**Ingestion:** Causes burns/ serious damage to mouth, throat and stomach. Symptoms may include stomach pain and nausea. **Inhalation:** May cause irritation and corrosive effects to nose, throat and respiratory tract. Symptoms may include coughing and

difficulty breathing.

**Sensitization:** No known effects. **Target Organs (SE):** None known

Target Organs (RE): No information available

Numerical measures of toxicity

ATE - Oral (mg/kg): >5000 ATE - Inhalatory, mists (mg/l): >20

# 12. ECOLOGICAL INFORMATION

**Ecotoxicity:** No information available.

Persistence and Degradability: No information available.

**Bioaccumulation:** No information available.

# 13. DISPOSAL CONSIDERATIONS

Waste from residues / unused products (undiluted product): This product, as sold, if discarded or disposed, is a hazardous waste according to Federal regulations (40 CFR 261.4 (b)(4)). Under RCRA, it is the responsibility of the user of the product to determine, at the time of disposal, whether the waste solution meets RCRA criteria for hazardous waste. Dispose in compliance with all Federal, state, provincial, and local laws and regulations.

Waste from residues / unused products (diluted product): This product, when diluted as stated on this SDS, is a hazardous waste according to Federal regulations (40 CFR 261.4 (b)(4)). Under RCRA, it is the responsibility of the user of the product to determine, at the time of disposal, whether the waste solution meets RCRA criteria for hazardous waste. Dispose in compliance with all Federal, state, provincial, and local laws and regulations.

RCRA Hazard Class (undiluted product): D002 Corrosive Waste RCRA Hazard Class (diluted product): D002 Corrosive Waste Contaminated Packaging: Do not re-use empty containers.

# 14. TRANSPORT INFORMATION

<u>DOT/TDG/IMDG:</u> The information provided below is the full transportation classification for this product. This description does not account for the package size(s) of this product, that may fall under a quantity exception, according to the applicable transportation regulations. When shipping dangerous goods, please consult with your internal, certified hazardous materials specialist to determine if any exceptions can be applied to your shipment.

Clax® Assist® Booster-fatty soils, low waterhardness

DOT (Ground) Bill of Lading Description: UN1824, SODIUM HYDROXIDE SOLUTION, 8, II

IMDG (Ocean) Bill of Lading Description: UN1824, SODIUM HYDROXIDE SOLUTION, 8, II

# 15. REGULATORY INFORMATION

## International Inventories at CAS# Level

TSCA All components are listed or otherwise exempt
DSL All components are listed or otherwise exempt

## **RIGHT TO KNOW (RTK)**

Ingredient(s)	CAS#	MARTK:	NJRTK:	PARTK:	RIRTK:
Water	7732-18-5	-	-	-	-
Sodium hydroxide	1310-73-2	X	X	X	Х
Tetrasodium salt of EDTA	64-02-8	-	-	-	-
Sodium polyacrylate	9003-04-7	-	-	-	-
Sodium chloride	7647-14-5	-	-	-	=

## **CERCLA/ SARA**

	Ingredient(s)	CAS#	Weight %	CERCLA/SARA RQ (lbs)	Section 302 TPQ (lbs)	Section 313
Ī	Sodium hydroxide	1310-73-2	10 - 30%	1000		

# **16. OTHER INFORMATION**

## NFPA (National Fire Protection Association)

Rating Scale: (Low Hazard) 0 - 4 (Extreme Hazard)

Health 3 Flammability 0 Instability 0 Special Hazards -

# **Diluted Product:**

Health 0 Flammability 0 Instability 0 Special Hazards -

**Revision:** 2020-07-10 **Version:** 02.0

Reason for revision: Not applicable

Prepared by:

Additional advice:

North American Regulatory Affairs

Does not contain an added fragrance

Notice to Reader: This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained within. Actual conditions of use and handling are beyond seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.