



# Safety Data Sheet

Date Issued: 12/1/2023

## SECTION 1: IDENTIFICATION OF THE PREPARATION AND THE COMPANY

**PRODUCT NAME:** OurFresh + BATTERY      **MANUFACTURER:** Fresh Products, LLC, 30600 Oregon Rd. Perrysburg, Ohio 43551 USA  
**RECOMMENDED USE:** Deodorizer      **TELEPHONE:** +1-419-531-9741  
**RESTRICTIONS ON USE:** For intended use only      **FAX:** +1-419-531-8472  
**ITEM NUMBER:** OF      **EMERGENCY CONTACT (spill/release):** 800-424-9300

## Section 2: HAZARDS IDENTIFICATION

**General:** Contains small amounts of chemicals that are hazardous to health and the environment

but in quantities too small to constitute any practical risks to health or the environment.

**Classification:** **WARNING**

Acute Toxicity Oral 4

Skin Sensitization 1



**Hazard Phrases:**

**Precautionary Phrases:**

P301+310: If swallowed, call physician

H302: Harmful if swallowed.

P102: Keep out of reach of children.

P302+P352: If on skin, wash with plenty of water.

H317: May cause allergic skin reaction.

P264: Wash hands thoroughly after handling.

P332+P313: If rash occurs, seek medical attention.

P280: Wear suitable gloves.

P501: Dispose of contents to an approved waste disposal plant.

## SECTION 3: INGREDIENT INFORMATION

**Chemical Identification:** Solid plastic slow-release deodorizing preparation in the form of an air freshener. It is made from pigmented thermoplastic infused with a fragrance composition and color to represent the fragrance. For institutional use only.

**Form/Shape:** Air Freshener weighs approximately 72g.

**CAS Number:** Not applicable since the product is a preparation.

**EINECS/ELINCS #:** Not applicable since the product is a preparation.

The product is a complex mixture of substances of which the following have been classified as presenting a health or environmental hazard or as having an occupational exposure limit within the meaning of the Directive 67/548/EEC or 1999/45/EC

Level (%)	CAS NR	EC NR	Substance
60-80%	24937-78-8	N/A	ETHYLENE-VINYL ACETATE COPOLYMER
20-40%	N/A	N/A	FRAGRANCE
<b>BATTERY:</b>			
40%	1313-13-9	N/A	MANGANESE DIOXIDE
16%	7440-66-6	N/A	ZINC
8%	1310-58-3	N/A	POTASSIUM HYDROXIDE
10%	7732-18-5	N/A	WATER
17%	7439-89-6	N/A	IRON
1%	RR-01108-5	N/A	PAPER
3%	7440-50-8	N/A	COPPER
2%	9008-75-7	N/A	NYLON
3%	7782-42-5	N/A	GRAPHITE

\*Exact percentage and chemical identity has been withheld as a trade secret.

## SECTION 4: FIRST AID MEASURES

**General:** No specific acute effects or symptoms are known.

**Inhalation:** No acute effects expected. If person is feeling unwell, remove to fresh air.

**Ingestion:** Possibility of ingestion limited due to product form and difficulty to chew and ingest. In the event of ingestion, rinse mouth thoroughly with water.

Skin: Wash off with soap and water.

Eyes: Possibility of eye contact limited. In the event, wash thoroughly with water or approved eyewash.

**BATTERY:**

Under normal conditions of use, the battery is hermetically sealed.

Ingestion: Swallowing a battery can be harmful. Contents of an open battery can cause serious chemical burns of mouth, esophagus, and gastrointestinal tract.

Do not induce vomiting. Get medical attention.

Inhalation: Contents of an open battery can cause respiratory irritation.

Remove victim to fresh area. Administer artificial respiration if breathing is difficult. Seek medical attention.

Skin Contact: Contents of an open battery can cause skin irritation and/or chemical burns.

Remove contaminated clothing and shoes. Immediately wash with water and soap and rinse thoroughly. Wash clothing and shoes before reuse. If irritation occurs, get medical attention.

Eye Contact: Contents of an open battery can cause severe irritation and chemical burns.

Flush eyes with plenty of water for several minutes while holding eyelids open. Get medical attention if irritation persists.

**Information for Doctor:**

Indication of any immediate medical attention and special treatment needed

No further relevant information available.

## **SECTION 5: FIRE FIGHTING MEASURES**

Extinguishing Media: Use extinguishing media appropriate for the surrounding fire. Water spray, fog or mist. Dry chemicals, sand etc.

Exposure Hazards : Thermal decomposition or burning may release a variety of products ranging from simple hydrocarbons to toxic/irritating gases including carbon monoxide and carbon dioxide. Full protective clothing should be worn before a confined fire space is entered. Self-contained breathing apparatus should be worn.

**BATTERY:**

**Flammability:** Not available.

**Extinguishing media**

**Suitable extinguishing agents**

CO<sub>2</sub> , dry chemical.

**Special hazards arising from the substance or mixture**

When exposed to fire or extreme heat, batteries may emit toxic fumes.

**Advice for firefighters**

**Protective equipment:** Wear self-contained respirator. Wear fully protective impervious suit.

## **SECTION 6: ACCIDENTAL RELEASE MEASURES**

No special requirements for accidental release required. Apply good housekeeping practices.

**BATTERY:**

**Personal precautions, protective equipment and emergency procedures**

Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation

**Environmental precautions**

Do not allow material to be released to the environment without proper governmental permits.

**Steps to be taken in case material is spilled or released**

Remove ignition sources, evacuate area. Sweep up using a method that does not generate dust. Collect as much of the spilled material as possible, placed the spilled material into a suitable disposal container. Keep spilled material out of sewers, ditches and bodies of water.

**Waste disposal method**

All waste must refer to the United Nations, the national and local regulations for disposal.

## SECTION 7: HANDLING AND STORAGE

Usage Precautions: Follow normal good-housekeeping practices. Keep away from direct flames.

Storage Precautions: Keep in cool, dry conditions in original containers at no more than 30° C

### BATTERY:

Batteries may explode or cause burns, if disassembled, crushed or exposed to fire or high temperatures. Do not short or install with incorrect polarity.

Keep away from heat, avoiding the long time of sunlight.

## SECTION 8: EXPOSURE CONTROL AND PERSONAL PROTECTION

Occupational Exposure limit: Not Established

Respiratory Protection: None required under normal usage

Protection: Although unexpected, avoid prolonged skin contact. Use chemically resistant gloves as needed.

Eye Protection: None required

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Thermoplastic infused with fragrance oil.

Flash pt: Not applicable.

Relative Density: Not determined

Odor: Various

Evaporation Rate: Not applicable.

Solubility in water: Insoluble.

Odor Threshold: Not determined

Flammability: Not determined/applicable

Partition Coefficient: Not determined

Color: Various

UEL: Not determined

Autignition Temperature: Not applicable

pH value: Not determined/applicable

LEL: Not determined

Decomposition Temperature:

Melting Pt: Estimated 60° C

Vapor Pressure: Not determined/applicable

Not determined/applicable

Boiling Pt: Not applicable.

Vapor Density: Not determined/applicable

RVOC: <3%

### BATTERY:

Boiling Point @ 760 mm Hg (°C): N/A

Evaporation Rate (Butyl Acetate = 1): N/A

Vapor Pressure (mm Hg @ 25°C): N/A

Physical State: Solid

Vapor Density (Air = 1): N/A

Solubility in Water (% by weight): N/A

Density (g/cm<sup>3</sup>): 2.0-3.0

pH: N/A

Percent Volatile by Volume (%): N/A

Appearance and Odor: Solid Object / No Odor

## SECTION 10: STABILITY AND REACTIVITY

Stability: Normally stable.

Conditions to avoid: Avoid extreme heat and naked flames.

Materials to avoid: Strong oxidizing agents.

Decomposition Products: None under normal storage conditions.

### BATTERY:

Reactivity: N/A

Incompatibilities: Oxidizing agents, acid, base.

Chemical Stability: Stable.

Possibility of hazardous reactions: Data not available.

Hazardous Combustible Products: Carbon monoxide, carbon dioxide, other metallic oxide fumes.

Hazardous Polymerization: N/A

Conditions to Avoid: Heating, fire, mechanical abuse and electrical abuse.

## SECTION 11: TOXICOLOGICAL INFORMATION

Acute Effects: Ingredients include a small quantity of volatile fragrance chemicals which

Chronic Effects: None are known.

may contain small amounts of substances that are harmful if swallowed and/or irritating to the eyes and skin.

Health Risks: INHALATION: Prolonged exposure to volatile ingredients is unlikely to cause irritation or other adverse health effects.

INGESTION: No practical risk of adverse health effects.

SKIN CONTACT: No practical risk of adverse health effects.

EYE CONTACT: No practical risk of adverse health effects.

**BATTERY:**

Acute toxicity: N/A

Toxicological, metabolism and distribution: N/A

Primary irritant effect: N/A

Acute effects (acute toxicity, irritation and corrosivity): N/A

Sensitization: N/A

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction): N/A

**SECTION 12: ECOLOGICAL INFORMATION**

No specific information has been established regarding the product. However according to the conventional method of Directive 99/45/EC the product is classified as harmful to aquatic organisms, or causing long-term effects in the aquatic environment.

Ecotoxicity: N/A

Bioaccumulative Potential: N/A

Persistence and Degradability: N/A

Mobility in Soil: N/A

Other Adverse Effects: N/A

**BATTERY:**

Toxicity

Behaviour in environmental systems

Aquatic toxicity: N/A

Bioaccumulative potential: N/A

Persistence and degradability: N/A

Mobility in soil: N/A

Ecological effects

Do not allow material to be released to the environment without proper governmental permits.

Other Adverse Effects: N/A

**SECTION 13: DISPOSAL CONSIDERATIONS**

Dispose of in accordance with Local Authority requirements e.g., for used product, as household waste

**SECTION 14: TRANSPORT INFORMATION**

Product is not regulated as hazardous

Transport Hazard Class: N/A

DOT Classifications: Non Hazardous

UN-Number: N/A

Packing group: N/A

UN Proper Shipping Name: N/A

Marine Pollutant: N/A

Special Precautions with Transport: N/A

**BATTERY:**

UN-Number: N/A

Packing Group: N/A

UN Proper Shipping Name: N/A

Marine Pollutant: N/A

Transport Hazard Class(es): N/A

Special Precautions for User: N/A

Power XP Alkaline batteries (sometimes referred to as "Dry cell" batteries) are not listed as dangerous goods under the IATA Dangerous Goods Regulations, ICAO technical Instructions and the U.S. hazardous materials regulations (49 CFR). These batteries are not subject to the dangerous goods regulations provided they meet the requirements contained in the following special provisions. Special Provision A123 in the IATA Dangerous Goods Regulations and ICAO Technical Instructions and Special Provision 130 in 49 CFR 172.102 of the U.S. hazardous materials regulations require alkaline batteries are packed in such a way to prevent short circuits or generating a dangerous quantity of heat. In addition, the IATA Dangerous Goods Regulations and ICAO Technical Instructions require the words "not restricted" and the Special Provision number A123 be provided on the air waybill, when an air waybill is issued.

**SECTION 15: REGULATORY INFORMATION**

Classification, Packaging and Labeling according to Directive 99/45/EC

Signal word:

Pictograms:

WARNING

Exclamation mark

**Hazard Phrases:**

H302: Harmful if swallowed.

H317: May cause allergic skin reaction.

**Precautionary Phrases:**

P102: Keep out of reach of children.

P264: Wash hands thoroughly after handling.

P280: Wear suitable gloves.

P301+310: If swallowed, call physician

P302+P352: If on skin, wash with plenty of water.

P332+P313: If rash occurs, seek medical attention.

P501: Dispose of contents to an approved waste disposal plant.

**BATTERY:**

These alkaline batteries are not classified as dangerous goods by the US Department of Transportation or the major international regulatory bodies and are therefore not regulated.

**SECTION 16: OTHER INFORMATION**

This Safety Data Sheet was prepared to comply with the current OSHA Hazard Communication Standard (HCS) adoption of the Globally Harmonized System of Classification and Labeling of Chemicals (GHS)