MSDS 823562-001 Date: Jan 08, 2004

SECTION 1 - PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: HP4600 PhotoPrecise Chemical Toner - Black

**PART NUMBER:** GB20AB Guy Brown **COMPANY:** 

9003 Overlook Blvd ADDRESS: Brentwood TN 37024

**TELEPHONE:** (800) 232-2141

#### **SECTION 2 – COMPOSITION / INFORMATION ON INGREDIENTS**

ingredient Name	CAS NO.	weight %		
Styrene-Acrylate Copolymer	58048-89-8	70 – 90	Total dust	Inhalable
Wax	Proprietary	5 - 15	15 mg/m <sup>3</sup>	10 mg/m <sup>3</sup>
Carbon Black	1333-86-4	3 - 10	Respirable	Respirable
Silica Amorphous	Proprietary	1 – 7	5 mg/m <sup>3</sup>	$3 \text{ mg/m}^3$

Maiabt 0/

**SECTION 3 – HAZARDS IDENTIFICATION** 

**PRIMARY ENTRY ROUTES:** Inhalation **TARGET ORGANS:** N/A **ACCUTE EFFECTS:** N/A

INHALATION: Minimal respiratory tract irritation may occur with exposure to large

amounts of toner.

EYE: May cause eye irritation. Unlikely to cause skin irritation. SKIN:

Ingestion is not an applicable route of entry for intended use. INGESTION:

N/A CARCINOGENICITY:

**MEDICAL CONDITIONS AGGRAVATED BY** 

**CHRONIC EFFECTS:** 

Tuesdient Neme

LONG-TERM EXPOSURE:

If these materials are used in a manner that could generate airbourne particles (dust), it is recommended that the dust be treated as a NUISANCE PARTICULATE according to the American Conference of

Accumulations of dust in the respiratory system may cause congestion.

Government Industrial Hygienists (ACGIH)(TLV=10mg/m3)

### **SECTION 4 – FIRST AID MEASURES**

INHALATION: Move to fresh air immediately. If symptoms occur, consult a

**EYE CONTACT:** In case of contact immediately flush with large amounts of

> clean, lukewarm water (low pressure) for at least 15 minutes. Remove any contact lenses to ensure thorough flushing. If

irritation persists, consult a physician.

SKIN CONTACT: Wash affected area thoroughly with soap and water. If

irritation persists, consult a physician.

Dilute stomach contents with several glasses of water. If INGESTION:

irritation persists, consult a physician.

After first aid, get appropriate in-plant paramedic or community

medical support if serious sign and symptoms persist.

**NOTE TO PHYSICIAN:** N/A

**SPECIAL PRECAUTIONS/PROCEDURES:** N/A

SECTION 5 – FIRE FIGHTING MEASURES	
FLASH POINT	N/A
FLASH POINT METHOD:	N/A
BURNING RATE:	N/A
IGNITION TEMPERATURE:	N/A
LEL:	N/A
UEL:	N/A
EXTINGUISHING MEDIA:	Water spray, dry chemical, foam, carbon dioxide, or halon type
zxiiiiooroiiiiio iiizziiiii	extinguishers.
UNUSUAL FIRE OR EXPLOSION HAZARDS:	May form flammable dust-air mixture.
HAZARDOUS COMBUSTION PRODUCTS:	Carbon monoxide, carbon dioxide, and smoke. Under certain
TIME/INDOOS COMBOSTTON TROBUCTS.	conditions some aliphatic aldehydes and carboxylic acids may
	form.
FIRE-FIGHTING INSTRUCTIONS:	Do not release runoff from fire control methods to sewers or
TIKE TIGHTING INSTRUCTIONS.	waterways.
FIRE-FIGHTING EQUIPMENT:	Because fire may produce toxic thermal decomposition products
TIRE FIGHTING EQUIT MENT.	wear a self-contained breathing apparatus (SCBA) with full
	facepiece operated in pressure-demand or positive-pressure
	mode.
	mode.
CECTION / ACCIDENTAL DELEACE MEACURES	
SECTION 6 – ACCIDENTAL RELEASE MEASURES	
CDILL /LEAK DROCEDURES	Wasan managal mastastics and income and an described in Castion O
SPILL/LEAK PROCEDURES:	Wear personal protective equipment as described in Section 8.
	Avoid breathing dust. Minimize the release of particles. Vacuum
	or sweep the materialinto a bag or other sealed container. If
	vacuum is used, the motor must be rated as dust tight. Dispose
CLEANUD	of waste toner in accordance with local requirements.
CLEANUP:	No special requirements.
REGULATORY REQUIREMENT:	Follow applicable OSHA regualtions (29 CFR 1910.120)
SECTION 7 – HANDLING AND STORAGE	
HANDLING PRECAUTIONS:	Koon containers closed at all times. Avoid creating dust Koon
HANDLING PRECAUTIONS:	Keep containers closed at all times. Avoid creating dust. Keep away from ignition sources.
STORAGE REQUIREMENTS:	Store at room temperature. Keep away from strong oxidizers.
REGULATORY REQUIREMENTS:	
REGULATURY RECHIREWIEWEN'	N/A

### SECTION 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

**ENGINEERING CONTROLS:** 

**VENTILATION:** Provide general or local exhaust ventilation systems to maintain

airbourne concentrations belowOSHA PELs (sec.2). Local exhaust ventillation is preffered because it prevents

contaminent dispersion into the work area by conrolling it at its

source.

ADMINISTRATIVE CONTROLS:

**RESPIRATORY PROTECTION:** Seek professional advise prior to respirator selection and use.

Follow OSHA respirator regulations (29 CFR 1910.134) and, if necessary, wear a MSHA/NIOSH-approved repirator. Select Respiratorbased on its suitability to provide adequate worker protection for given working conditions, level of airbourne contamination, and presence of sufficient oxygen. For emergency or nonroutine operation (cleaning spills, reactor vessels, or starage tanks), wear an SCBA. *Warning! Air-purified* 

respirators do not protect workers in oxygen-deficient atmospheres.

PROTECTIVE CLOTHING/EQUIPMENT: Wear che

Wear chemically protective gloves, boots, aprons, and gauntlets to prevent prolonged or repeated skin contact. Wear protective Eyeglasses or chemical safety goggles, per OSHA eye-and face-protection regulations (29CFR 1910.133). Contact lenses are not

eye protectiv devises. Appropriate protection must be worn instead of, or in conjuction with contact lenses.

SAFETY STATIONS: Make emergency eyewash stations and washing facilities

available in work area.

**CONTAMINATED EQUIPEMENT:** Separate containinated work clothing from street clothes.

launder before re-use. Remove this material from your shoes

and clean personal protective equipment.

**COMMENTS:** Never eat, drink, or smoke in work areas. Pratice good personal

hygiene after using this material, especially before eating,

drinking using the toilet, or applying cosmetics.

### SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL STATE:

APPEARANCE AND ODOR: Black fine powder, faint odor

ODOR THRESHOLD: N/A VAPOR PRESSURE: N/A

Vapor density (Air=1): Heavier than air

FORMULA WEIGHT: N/A DENSITY: N/A

**SPECIFIC GRAVITY:** (H2O=1, at  $4^{\circ}$ C): 1.0-1.2

Ph: N/A WATER SOLUBILITY: Negligible

OTHER SOLUBILITY: Partial soluble in Toluene & Xylene

BOILING POINT: N/A

FREEZING/MELTING POINT: 100-150°C

VISCOSITY:

REFRACTIVE INDEX:

SURFACE TENSION:

%VOLATILE:

EVAPORATION RATE:

N/A

SECTION 10 – STABILITY AND REACTIVITY

**STABILITY:** This is a stable product.

POLYMERIZATION: Will not occur

CHEMICAL INCOMPATIBLITIES None CONDITIONS TO AVOID: N/A

HAZARDOUS DECOMPOSITION PRODUCTS: Combustion will produce carbon dioxide and possibly chemicals

such as carbon monoxide.

SECTION 11 – TOXICOLOGICAL INFORMATION

EYE EFFECTS: N/A TOXICITY DATA:\* No acute toxicity

SKIN EFFECTS: N/A ACUTE INHALATION EFFECTS: N/A

ACUTE ORAL EFFECTS: N/A
CHRONIC EFFECTS: N/A
CARCINOGENICITY: N/A

MUTAGENICITY: AMES Test - Negative

TERATOGENCITY: N/A

\* See NIOSH, RTECS for additional toxicity data.

**SECTION 12 - ECOLOGICAL INFORMATION** 

ECOTOXICITY: N/A
ENVIRONMENTAL FATE: N/A
ENVIRONMENTAL DEGRADITION: N/A
SOIL ABSORBTION/MOBILITY N/A

**SECTION 13 – DISPOSAL CONSIDERATIONS** 

**DISPOSAL:** Waste material may be disposed of in accordance with

applicable federal, state and local environmental regulations.

DISPOSAL REGULATORY REQUIREMENTS: N/A CONTAINER CLEANING AND DISPOSAL: N/A

**SECTION 14 – TRANSPORT INFORMATION** 

DOT TRANSPORTATION DATA (49 CFR 172.101): Not specifically listed

SHIPPING NAME: N/A SHIPPING SYMBOL: N/A

HAZARD CLASS: N/A ID NO.: N/A

PACKING GROUP: N/A LABEL: N/A

LABEL: N/A SPECIAL PROVISIONS: N/A

PACKAGING AUTHORZATIONS

a) Exceptions: N/A

b) Non-bulk Packaging: N/A

c) Bulk Packaging: N/A

**QUANTITY LIMITATIONS** 

a) Passenger, Aircraft, or Railcar: N/A

VESSEL STOWAGE REQUIREMENTS

a) vessel stowage: N/A

b) Other: N/A

## **SECTION 15 - REGULATORY INFORMATION**

### **EPA REGUALTIONS:**

RCRA Hazardous Waste Number: Not Listed (40 CFR 261.33)
RCRA Hazardous Waste Classification (40 CFR 261): Not classified

CERCLA Hazardous Substance (40 CFR 302.4) listed/unlisted specified per RCRA, sec. 3001;CWA sec.311 (b)(4);

CWA, Sec. 307(a),CAA,Sec.112 CERCLA Reportable Quantity(RQ), Not listed

SARA 311/312 Codes: N/A

SARA toxic chemical (40 CFR 372.65):Not Listed

SARA EHS (Extremely Hazardous Substance) (40 CFR 355): Not Listed, Threshold Planning Quantity (TPQ)

TSCA:

All chemical substances in this product comply with all applicable rules and orders under TSCA

#### **OSHA REGULATIONS:**

Air Contaminant (29 CFR 1910.1000<Table Z-1-A): Particulates not otherwise regulated.

#### **STATE REGULATIONS:**

Check your states regulations that may specifically list copy machine toner.

SECTION 16 – OTHER INFORMATION		
PREPARED BY:	N/A	
REVISION NOTES:	N/A	
ADDITIONAL HAZARD RATING SYSTEM:	N/A	

The above information is believed to be accurate and represents the best information currently available Guy Brown. No warranty or representations with respect to such information is made, and no liability is assumed resulting from its use. Users should make their own investigation to determine the suitability of the information for their particular purposes.