MATERIAL SAFETY DATA SHEET

For Medical Emergencies call: 1-800-328-5274 For Transport/Spill Emergencies call: Chemtrec 1-800-424-9300 (USA) or 1-202-483-7616 (Outside USA)

Effective Date: 10/13/2006 Supercedes:

CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

MATERIAL TYPE: Toner Cartridges MSDS ID: 21-2617-5 ITEM NUMBER: 66000095944 PRODUCT NAME: Imation EarthWise HP Laser Jet 5200 series Q7516A (with chip) Black BRAND: Imation MANUFACTURER/PRODUCT DESCRIPTION: Static Control Component/MN.C46K12 Toner - HP2500CHMK10KG

The information in this Material Safety Data sheet (MSDS), provided by the manufacturer, is believed to be correct as the date issued. IMATION ENTERPRISES CORP. MAKES NO WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. User is responsible for determining whether the Imation Enterprises Corp. product is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of an Imation Enterprises Corp. product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the Imation Enterprises Corp. product to determine whether it is fit for a particular purpose and suitable for the user's method of use or application.

Imation Enterprises Corp. provides information in electronic form as a service to its customers. Due to the remote possibility that electronic transfer may have resulted in errors, omissions or alteration in this information, Imation Enterprises Corp. make no representations as to its completeness or accuracy.

						and the second		
MATERIAL SAFETY	DATA SHEET	Static	Control Com	oonent				
MAY BE USED TO COMPLY WITH OSHA'S			P.O. BOX 152					
HAZARD COMMUNICATION STANDARD		Sanford North Carolina 27331						
29CFR 1910.1200								
20011(1010.1200		Emergency	telephone nur	nber 1-800-356-	2728			
			one number 1-9					
	DATE PREPARED			F PREPARER (OP	(IONAL)			
SECTION 1 CHEMIC					,			
Product/Chemical Nam		r use in the H	P 5200 printe	r				
CAS Number:	Mixture	use in the n	1 0200 printe	•				
Other Designations:	N/A							
General Use:	Laser Printer							
General Ose.	Laser Finter							
SECTION 2 COMPO	SITION / INFORMATI	ON ON INGR	EDIENTS					
		CAS	%	OSHA	ACGI	H OTHER		
Ingredient Name:		NUMBER		PEL	TLV	LIMITS		
ingreatent Name.		Hombert						
			Ton	er is regulated under		ulate not		
	·	05000 40 0	40 50		regulated:			
Styrene-Acrylate Cope	olymer	25036-16-2	43 - 53	NA	NA			
		1017 01 0	10 50	NIA	NA			
Magnetite		1317-61-9	40 - 50	NA	NA			
	anana kasasara	0040 70 4	4 5	NA	NA			
Ethylene Propylene C	opolymer	9010-79-1	1 - 5	NA	NA			
		04744 55 0	01.1	NA	NA			
Metal-Complex Dye		31714-55-3	0.1 - 1	NA	NA			
NDA = NO DATA AVAI								
N/A = NOT APPLICABL								
SECTION 3 HAZAR		N						
Primary Entry Routes:	Inhalation					HMIS		
Target Organs:	N/A					H 1		
Acute Effects:	N/A					F 1		
Inhalation:	Slight irritation of respire	atory tract				R 1		
	Dust may cause irritation		al abrasion			PPE		
Eye: Skin:	Slight irritation.	in by meenamee				Sec.8		
Ingestion:	None known					000.0		
	N/A							
Carcinogenicity: Medical Conditions Ag		rnosure.	Accumulation o	f dust in the respirate	orv system			
medical Conditions Ag	gravated by Long-Term E	posule.	may cause cong	Concernation of the second				
Chronic Effortes	If these materials are used	in a manner that			st) it is recomme	nded that		
Chronic Effects:	If these materials are used in a manner that could generate airborne particles (dust), it is recommended that the dust be treated as a NUISANCE PARTICULATE according to the American Conference of Government							
	Industrial Hygienists (ACGIH)(TLV=10mg/m ³).							
SECTION & EIDET	AID MEASURES		,					
the second s	Remove to fresh air. Tr	aat any irritation	symptomatical	ly. Call a physicia	n if condition of	ersists		
Inhalation:	In case of contact imme							
Eye Contact:	15 minutes. Remove ar				aticast			
Okin Contosti				ough nuannig.				
Skin Contact:	Wash well with soap an							
Ingestion:	Dilute stomach contents				support			
	After first aid, get appro			minumity methodical	sappon			
Nata ta Dhualalana	if serious sign and symp	sions persist.						
Note to Physicians:	N/A	NI/A						
Special Precautions / p	roceaures:	N/A						

Section 5 FIRE FIGH		SIDES
	the second s	30RE3
Flash Point:	N/A	
Flash Point Method:	N/A	
Burning Rate:	N/A	Net Determined
Auto Ignition Tempera	ture:	Not Determined
LEL: N/A		
UEL: N/A		
Flammability Classifica	ation:	1 Slight (HMIS, NFPA)
Extinguishing Media:		Water spray, dry chemical, foam, carbon dioxide, or halon type extinguishers.
Unusual Fire or explos		May form flammable dust-air mixture.
Hazardous combustion	n products:	Carbon monoxide, carbon dioxide, nitrogen oxide and smoke.
Fire-Fighting Instructions:		Do not release runoff from fire control methods to sewers or waterways.
Fire-Fighting Equipment:		Because fire may produce toxic thermal decomposition products, wear a
		self-contained breathing apparatus (SCBA) with full facepiece operated
		in pressure-demand or positive-pressure mode.
SECTION 6 ACCID	and the second se	
Spill / Leak Procedures	S:	N/A
Small Spills:	Scoop into	container for disposal, suction up remaining material with high efficiency
	vacuum cle	
Large Spills:	Scoop into	container for disposal, suction up remaining material with high efficiency
	vacuum cle	
Containment:	For large s	pills, avoid suspending particles, collect for later disposal. Do not release
		s or waterways.
Cleanup:	No special	requirements.
REGULATORY REQUIRE	MENT:	N/A
SECTION 7 HANDL	ING AND S	TORAGE
Handling Precautions:		iners closed at all times. Avoid creating dust. Keep away from ignition sources.
Handling Precautions:		iners closed at all times. Avoid creating dust. Keep away from ignition sources. ool, dry location. Do not store near strong oxidizers.
Handling Precautions: Storage Requirements Regulatory Requireme	: Store in a c nts:	ool, dry location. Do not store near strong oxidizers. N/A
Handling Precautions: Storage Requirements Regulatory Requireme	: Store in a c nts:	ool, dry location. Do not store near strong oxidizers.
Handling Precautions: Storage Requirements Regulatory Requireme	: Store in a c nts: JRE CONTF	ool, dry location. Do not store near strong oxidizers. N/A ROLS / PERSONAL PROTECTION
Handling Precautions: Storage Requirements Regulatory Requireme SECTION 8 EXPOSU	: Store in a conts: JRE CONTR Provide gen	ool, dry location. Do not store near strong oxidizers. N/A ROLS / PERSONAL PROTECTION neral or local exhaust ventilation systems to maintain airborne concentrations
Handling Precautions: Storage Requirements Regulatory Requireme SECTION 8 EXPOSU Engineering Controls:	: Store in a conts: JRE CONTR Provide gen	ool, dry location. Do not store near strong oxidizers. N/A ROLS / PERSONAL PROTECTION
Handling Precautions: Storage Requirements Regulatory Requireme SECTION 8 EXPOSU Engineering Controls:	: Store in a conts: JRE CONTF Provide gen below OSH	ool, dry location. Do not store near strong oxidizers. N/A ROLS / PERSONAL PROTECTION neral or local exhaust ventilation systems to maintain airborne concentrations
Handling Precautions: Storage Requirements Regulatory Requireme SECTION 8 EXPOSU Engineering Controls:	: Store in a c nts: JRE CONTR Provide gen below OSH, dispersion in	and, dry location. Do not store near strong oxidizers. N/A ROLS / PERSONAL PROTECTION meral or local exhaust ventilation systems to maintain airborne concentrations A PELs (sec.2). Local exhaust ventilation is preferred because it prevents contaminant into the work area by controlling it at its source.
Handling Precautions: Storage Requirements Regulatory Requireme SECTION 8 EXPOSU Engineering Controls: Ventilation:	: Store in a conts: JRE CONTR Provide gen below OSH, dispersion in s:	bool, dry location. Do not store near strong oxidizers. N/A ROLS / PERSONAL PROTECTION meral or local exhaust ventilation systems to maintain airborne concentrations A PELs (sec.2). Local exhaust ventilation is preferred because it prevents contaminant into the work area by controlling it at its source. Seek professional advise prior to respirator selection and use.
Handling Precautions: Storage Requirements Regulatory Requireme SECTION 8 EXPOSU Engineering Controls: Ventilation: Administrative Control	: Store in a conts: JRE CONTR Provide gen below OSH, dispersion in s:	bool, dry location. Do not store near strong oxidizers. N/A ROLS / PERSONAL PROTECTION neral or local exhaust ventilation systems to maintain airborne concentrations A PELs (sec.2). Local exhaust ventilation is preferred because it prevents contaminant not the work area by controlling it at its source. Seek professional advise prior to respirator selection and use. Follow OSHA respirator regulations (29 CFR 1910.134) and, if necessary, wear
Handling Precautions: Storage Requirements Regulatory Requireme SECTION 8 EXPOSU Engineering Controls: Ventilation: Administrative Control	: Store in a conts: JRE CONTR Provide gen below OSH, dispersion in s:	bool, dry location. Do not store near strong oxidizers. N/A ROLS / PERSONAL PROTECTION meral or local exhaust ventilation systems to maintain airborne concentrations A PELs (sec.2). Local exhaust ventilation is preferred because it prevents contaminant into the work area by controlling it at its source. Seek professional advise prior to respirator selection and use.
Handling Precautions: Storage Requirements Regulatory Requireme SECTION 8 EXPOSU Engineering Controls: Ventilation: Administrative Control	: Store in a conts: JRE CONTR Provide gen below OSH, dispersion in s:	A PELs (sec.2). Local exhaust ventilation systems to maintain airborne concentrations A PELs (sec.2). Local exhaust ventilation is preferred because it prevents contaminant not the work area by controlling it at its source. Seek professional advise prior to respirator selection and use. Follow OSHA respirator regulations (29 CFR 1910.134) and, if necessary, wear a MSHA/NIOSH-approved respirator. select respirator based on its suitability to provide adequate worker protection for given working conditions, level of
Handling Precautions: Storage Requirements Regulatory Requireme SECTION 8 EXPOSU Engineering Controls: Ventilation: Administrative Control	: Store in a conts: JRE CONTR Provide gen below OSH, dispersion in s:	A PELs (sec.2). Local exhaust ventilation systems to maintain airborne concentrations A PELs (sec.2). Local exhaust ventilation is preferred because it prevents contaminant not the work area by controlling it at its source. Seek professional advise prior to respirator selection and use. Follow OSHA respirator regulations (29 CFR 1910.134) and, if necessary, wear a MSHA/NIOSH-approved respirator. select respirator based on its suitability
Handling Precautions: Storage Requirements Regulatory Requireme SECTION 8 EXPOSU Engineering Controls: Ventilation: Administrative Control	: Store in a conts: JRE CONTR Provide gen below OSH, dispersion in s:	A PELs (sec.2). Local exhaust ventilation systems to maintain airborne concentrations A PELs (sec.2). Local exhaust ventilation is preferred because it prevents contaminant not the work area by controlling it at its source. Seek professional advise prior to respirator selection and use. Follow OSHA respirator regulations (29 CFR 1910.134) and, if necessary, wear a MSHA/NIOSH-approved respirator. select respirator based on its suitability to provide adequate worker protection for given working conditions, level of airborne contamination, and presence of sufficient oxygen. For emergency or nonroutine operation (cleaning spills, reactor vessels, or storage tanks), wear
Handling Precautions: Storage Requirements Regulatory Requireme SECTION 8 EXPOSU Engineering Controls: Ventilation: Administrative Control	: Store in a conts: JRE CONTR Provide gen below OSH, dispersion in s:	bol, dry location. Do not store near strong oxidizers. N/A ROLS / PERSONAL PROTECTION meral or local exhaust ventilation systems to maintain airborne concentrations A PELs (sec.2). Local exhaust ventilation is preferred because it prevents contaminant not the work area by controlling it at its source. Seek professional advise prior to respirator selection and use. Follow OSHA respirator regulations (29 CFR 1910.134) and, if necessary, wear a MSHA/NIOSH-approved respirator. select respirator based on its suitability to provide adequate worker protection for given working conditions, level of airborne contamination, and presence of sufficient oxygen. For emergency or
Handling Precautions: Storage Requirements Regulatory Requireme SECTION 8 EXPOSU Engineering Controls: Ventilation: Administrative Control	: Store in a conts: JRE CONTR Provide gen below OSH, dispersion in s:	A PELs (sec.2). Local exhaust ventilation systems to maintain airborne concentrations A PELs (sec.2). Local exhaust ventilation is preferred because it prevents contaminant not the work area by controlling it at its source. Seek professional advise prior to respirator selection and use. Follow OSHA respirator regulations (29 CFR 1910.134) and, if necessary, wear a MSHA/NIOSH-approved respirator. select respirator based on its suitability to provide adequate worker protection for given working conditions, level of airborne contamination, and presence of sufficient oxygen. For emergency or nonroutine operation (cleaning spills, reactor vessels, or storage tanks), wear
Handling Precautions: Storage Requirements Regulatory Requireme SECTION 8 EXPOSL Engineering Controls: Ventilation: Administrative Control Respiratory Protection	: Store in a conts: JRE CONTR Provide gen below OSH, dispersion in s:	A PELs (sec.2). Local exhaust ventilation systems to maintain airborne concentrations A PELs (sec.2). Local exhaust ventilation is preferred because it prevents contaminant not the work area by controlling it at its source. Seek professional advise prior to respirator selection and use. Follow OSHA respirator regulations (29 CFR 1910.134) and, if necessary, wear a MSHA/NIOSH-approved respirator. select respirator based on its suitability to provide adequate worker protection for given working conditions, level of airborne contamination, and presence of sufficient oxygen. For emergency or nonroutine operation (cleaning spills, reactor vessels, or storage tanks), wear an SCBA. Warning! Air-purified respirators do not protect workers in oxygen-deficient atmospheres.
Handling Precautions: Storage Requirements Regulatory Requireme SECTION 8 EXPOSU Engineering Controls: Ventilation: Administrative Control	: Store in a conts: JRE CONTR Provide gen below OSH, dispersion in s:	A PELs (sec.2). Local exhaust ventilation systems to maintain airborne concentrations A PELs (sec.2). Local exhaust ventilation is preferred because it prevents contaminant into the work area by controlling it at its source. Seek professional advise prior to respirator selection and use. Follow OSHA respirator regulations (29 CFR 1910.134) and, if necessary, wear a MSHA/NIOSH-approved respirator. select respirator based on its suitability to provide adequate worker protection for given working conditions, level of airborne contamination, and presence of sufficient oxygen. For emergency or nonroutine operation (cleaning spills, reactor vessels, or storage tanks), wear an SCBA. Warning! Air-purified respirators do not protect workers in oxygen-deficient
Handling Precautions: Storage Requirements Regulatory Requireme SECTION 8 EXPOSL Engineering Controls: Ventilation: Administrative Control Respiratory Protection	: Store in a conts: JRE CONTR Provide gen below OSH, dispersion in s:	A PELs (sec.2). Local exhaust ventilation systems to maintain airborne concentrations A PELs (sec.2). Local exhaust ventilation is preferred because it prevents contaminant not the work area by controlling it at its source. Seek professional advise prior to respirator selection and use. Follow OSHA respirator regulations (29 CFR 1910.134) and, if necessary, wear a MSHA/NIOSH-approved respirator. select respirator based on its suitability to provide adequate worker protection for given working conditions, level of airborne contamination, and presence of sufficient oxygen. For emergency or nonroutine operation (cleaning spills, reactor vessels, or storage tanks), wear an SCBA. <i>Warning! Air-purified respirators do not protect workers in oxygen-deficient</i> <i>atmospheres.</i> Wear chemically protective gloves, boots, aprons, and gauntlets to prevent
Handling Precautions: Storage Requirements Regulatory Requireme SECTION 8 EXPOSL Engineering Controls: Ventilation: Administrative Control Respiratory Protection	: Store in a conts: JRE CONTR Provide gen below OSH, dispersion in s:	A PELs (sec.2). Local exhaust ventilation systems to maintain airborne concentrations A PELs (sec.2). Local exhaust ventilation is preferred because it prevents contaminant into the work area by controlling it at its source. Seek professional advise prior to respirator selection and use. Follow OSHA respirator regulations (29 CFR 1910.134) and, if necessary, wear a MSHA/NIOSH-approved respirator. select respirator based on its suitability to provide adequate worker protection for given working conditions, level of airborne contamination, and presence of sufficient oxygen. For emergency or nonroutine operation (cleaning spills, reactor vessels, or storage tanks), wear an SCBA. <i>Warning! Air-purified respirators do not protect workers in oxygen-deficient</i> <i>atmospheres.</i> Wear chemically protective gloves, boots, aprons, and gauntlets to prevent prolonged or repeated skin contact. Wear protective eyeglasses or
Handling Precautions: Storage Requirements Regulatory Requireme SECTION 8 EXPOSL Engineering Controls: Ventilation: Administrative Control Respiratory Protection	: Store in a conts: JRE CONTR Provide gen below OSH, dispersion in s:	A PELs (sec.2). Local exhaust ventilation systems to maintain airborne concentrations A PELs (sec.2). Local exhaust ventilation is preferred because it prevents contaminant into the work area by controlling it at its source. Seek professional advise prior to respirator selection and use. Follow OSHA respirator regulations (29 CFR 1910.134) and, if necessary, wear a MSHA/NIOSH-approved respirator. select respirator based on its suitability to provide adequate worker protection for given working conditions, level of airborne contamination, and presence of sufficient oxygen. For emergency or nonroutine operation (cleaning spills, reactor vessels, or storage tanks), wear an SCBA. <i>Warning! Air-purified respirators do not protect workers in oxygen-deficient</i> <i>atmospheres.</i> Wear chemically protective gloves, boots, aprons, and gauntlets to prevent prolonged or repeated skin contact. Wear protective eyeglasses or chemical safety goggles, per OSHA eye-and face-protection regulations (29CFR 1910.133). Contact lenses are not eye protective devices. appropriate
Handling Precautions: Storage Requirements Regulatory Requireme SECTION 8 EXPOSL Engineering Controls: Ventilation: Administrative Control Respiratory Protection	: Store in a conts: JRE CONTR Provide gen below OSH, dispersion in s:	bol, dry location. Do not store near strong oxidizers. N/A ROLS / PERSONAL PROTECTION Reral or local exhaust ventilation systems to maintain airborne concentrations A PELs (sec.2). Local exhaust ventilation is preferred because it prevents contaminant nto the work area by controlling it at its source. Seek professional advise prior to respirator selection and use. Follow OSHA respirator regulations (29 CFR 1910.134) and, if necessary, wear a MSHA/NIOSH-approved respirator. select respirator based on its suitability to provide adequate worker protection for given working conditions, level of airborne contamination, and presence of sufficient oxygen. For emergency or nonroutine operation (cleaning spills, reactor vessels, or storage tanks), wear an SCBA. Warning! Air-purified respirators do not protect workers in oxygen-deficient atmospheres. Wear chemically protective gloves, boots, aprons, and gauntlets to prevent prolonged or repeated skin contact. Wear protective eyeglasses or chemical safety goggles, per OSHA eye-and face-protection regulations (29CFR 1910.133). Contact lenses are not eye protective devices. appropriate protection must be worn instead of, or in conjunction with contact le
Handling Precautions: Storage Requirements Regulatory Requireme SECTION 8 EXPOSL Engineering Controls: Ventilation: Administrative Control Respiratory Protection	: Store in a c nts: JRE CONTE Provide gen below OSH, dispersion in s: :	 bool, dry location. Do not store near strong oxidizers. N/A ROLS / PERSONAL PROTECTION ereal or local exhaust ventilation systems to maintain airborne concentrations A PELs (sec.2). Local exhaust ventilation is preferred because it prevents contaminant nto the work area by controlling it at its source. Seek professional advise prior to respirator selection and use. Follow OSHA respirator regulations (29 CFR 1910.134) and, if necessary, wear a MSHA/NIOSH-approved respirator. select respirator based on its suitability to provide adequate worker protection for given working conditions, level of airborne contamination, and presence of sufficient oxygen. For emergency or nonroutine operation (cleaning spills, reactor vessels, or storage tanks), wear an SCBA. Warning! Air-purified respirators do not protect workers in oxygen-deficient atmospheres. Wear chemically protective gloves, boots, aprons, and gauntlets to prevent prolonged or repeated skin contact. Wear protection regulations (29CFR 1910.133). Contact lenses are not eye protective devices. appropriate protection must be worn instead of, or in conjunction with contact lenses. Make emergency eyewash stations and washing facilities available in work area.
Handling Precautions: Storage Requirements Regulatory Requireme SECTION 8 EXPOSL Engineering Controls: Ventilation: Administrative Control Respiratory Protection	: Store in a c nts: JRE CONTE Provide gen below OSH, dispersion in s: :	 bool, dry location. Do not store near strong oxidizers. N/A ROLS / PERSONAL PROTECTION A PELs (sec.2). Local exhaust ventilation is preferred because it prevents contaminant into the work area by controlling it at its source. Seek professional advise prior to respirator selection and use. Follow OSHA respirator regulations (29 CFR 1910.134) and, if necessary, wear a MSHA/NIOSH-approved respirator. select respirator based on its suitability to provide adequate worker protection for given working conditions, level of airborne contamination, and presence of sufficient oxygen. For emergency or nonroutine operation (cleaning spills, reactor vessels, or storage tanks), wear an SCBA. Warning! Air-purified respirators do not protect workers in oxygen-deficient atmospheres. Wear chemically protective gloves, boots, aprons, and gauntlets to prevent prolonged or repeated skin contact. Wear protective eyeglasses or chemical safety goggles, per OSHA eye-and face-protection regulations (29CFR 1910.133). Contact lenses are not eye protective devices. appropriate protection must be worn instead of, or in conjunction with contact lenses. Make emergency eyewash stations and washing facilities available in work area. Separate contaminated work clothing from street clothes. Launder before
Handling Precautions: Storage Requirements Regulatory Requireme SECTION 8 EXPOSL Engineering Controls: Ventilation: Administrative Control Respiratory Protection	: Store in a c nts: JRE CONTE Provide gen below OSH, dispersion in s: :	bol, dry location. Do not store near strong oxidizers. N/A ROLS / PERSONAL PROTECTION Areral or local exhaust ventilation systems to maintain airborne concentrations A PELs (sec.2). Local exhaust ventilation is preferred because it prevents contaminant https://www.area.ust.com/outling it at its source. Seek professional advise prior to respirator selection and use. Follow OSHA respirator regulations (29 CFR 1910.134) and, if necessary, wear a MSHA/NIOSH-approved respirator. select respirator based on its suitability to provide adequate worker protection for given working conditions, level of airborne contamination, and presence of sufficient oxygen. For emergency or nonroutine operation (cleaning spills, reactor vessels, or storage tanks), wear an SCBA. Warning! Air-purified respirators do not protect workers in oxygen-deficient atmospheres. Wear chemically protective gloves, boots, aprons, and gauntlets to prevent prolonged or repeated skin contact. Wear protective eyeglasses or chemical safety goggles, per OSHA eye-and face-protection regulations (29CFR 1910.133). Contact lenses are not eye protective devices. appropriate protection must be worn instead of, or in conjunction wi
Handling Precautions: Storage Requirements Regulatory Requireme SECTION 8 EXPOSE Engineering Controls: Ventilation: Administrative Control Respiratory Protection Protective Clothing/Eq Safety Stations: Contaminated Equipme	: Store in a conts: JRE CONTE Provide gen below OSH, dispersion in s: : uipment:	 bol, dry location. Do not store near strong oxidizers. N/A ROLS / PERSONAL PROTECTION Reral or local exhaust ventilation systems to maintain airborne concentrations A PELs (sec.2). Local exhaust ventilation is preferred because it prevents contaminant into the work area by controlling it at its source. Seek professional advise prior to respirator selection and use. Follow OSHA respirator regulations (29 CFR 1910.134) and, if necessary, wear a MSHA/NIOSH-approved respirator. select respirator based on its suitability to provide adequate worker protection for given working conditions, level of airborne contamination, and presence of sufficient oxygen. For emergency or nonroutine operation (cleaning spills, reactor vessels, or storage tanks), wear an SCBA. Warning! Air-purified respirators do not protect workers in oxygen-deficient atmospheres. Wear chemically protective gloves, boots, aprons, and gauntlets to prevent prolonged or repeated skin contact. Wear protection eyelalations (29CFR 1910.133). Contact lenses are not eye protection equilations (29CFR 1910.133). Contact lenses are not eye protective devices. appropriate protection must be worn instead of, or in conjunction with contact lenses. Make emergency eyewash stations and washing facilities available in work area. Separate contaminated work clothing from street clothes. Launder before re-use. Remove this material from your shoes and clean personal protective equipment.
Handling Precautions: Storage Requirements Regulatory Requireme SECTION 8 EXPOSL Engineering Controls: Ventilation: Administrative Control Respiratory Protection	: Store in a conts: JRE CONTE Provide gent below OSH, dispersion in s: : uipment: ent: Never eat, contents	bol, dry location. Do not store near strong oxidizers. N/A ROLS / PERSONAL PROTECTION Areral or local exhaust ventilation systems to maintain airborne concentrations A PELs (sec.2). Local exhaust ventilation is preferred because it prevents contaminant https://www.area.ust.com/outling it at its source. Seek professional advise prior to respirator selection and use. Follow OSHA respirator regulations (29 CFR 1910.134) and, if necessary, wear a MSHA/NIOSH-approved respirator. select respirator based on its suitability to provide adequate worker protection for given working conditions, level of airborne contamination, and presence of sufficient oxygen. For emergency or nonroutine operation (cleaning spills, reactor vessels, or storage tanks), wear an SCBA. Warning! Air-purified respirators do not protect workers in oxygen-deficient atmospheres. Wear chemically protective gloves, boots, aprons, and gauntlets to prevent prolonged or repeated skin contact. Wear protective eyeglasses or chemical safety goggles, per OSHA eye-and face-protection regulations (29CFR 1910.133). Contact lenses are not eye protective devices. appropriate protection must be worn instead of, or in conjunction wi

	CAL AND CHEMICAL PR		
Physical State:		Water Solubility: Insoluble	
Appearance and Odo	r: Black, free flowing powder, fa		
Odor Threshold:	N/A	Boiling Point: N/A	
/apor Pressure:	N/A	Freezing/Melting Point: N/A	
/apor Density (Air=1)		Viscosity: N/A	
Formula Weight:	N/A	Refractive Index: N/A	
Density:	N/A	Surface Tension: N/A	
Specific Gravity:	(H ₂ O=1, at 4 ⁰ C): 1.3 - 1.8	%Volatile: N/A	
oH:	N/A	Evaporation Rate: N/A	
SECTION 10 STAB	ILITY AND REACTIVITY		
STABILITY:	Stable		
POLYMERIZATION:	N/A		
CHEMICAL INCOMPA	TIBILITIES: N/A		
CONDITIONS TO AVC			
HAZARDOUS DECOM	POSITION PRODUCTS:	Toxic decomposition products formed on combustion	
SECTION 11 TOXIC	OLOGICAL INFORMATIO	DN	
Acridity: Eye: Non		Chronic toxicity: None	
Skin: Nor	10		
Corrosion: None		Carcinogenicity: None	
Sensitizing property:	None	Mutagenicity: Ames test - Negative	
Acute Toxicity:	None		
Subacute:	None		
	ed as intended, does not pres	sent a health or safety hazard.	
SECTION 12 ECOL	OGICAL INFORMATION	ent a health or safety hazard.	
SECTION 12 ECOL Ecotoxicity:	OGICAL INFORMATION N/A	ent a health or safety hazard.	
SECTION 12 ECOL Ecotoxicity: Environmental Fate:	OGICAL INFORMATION N/A N/A	ent a health or safety hazard.	
SECTION 12 ECOL Ecotoxicity: Environmental Fate: Environmental Degra	OGICAL INFORMATION N/A N/A dation: N/A	ent a health or safety hazard.	
SECTION 12 ECOL Ecotoxicity: Environmental Fate: Environmental Degra Soil Absorption / Mot	OGICAL INFORMATION N/A N/A dation: N/A pility: N/A		
SECTION 12 ECOL Ecotoxicity: Environmental Fate: Environmental Degra Soil Absorption / Mot SECTION 13 DISP	OGICAL INFORMATION N/A N/A dation: N/A pility: N/A OSAL CONSIDERATION	S	
SECTION 12 ECOL Ecotoxicity: Environmental Fate: Environmental Degra Soil Absorption / Mot SECTION 13 DISP Disposal: Waste ma	OGICAL INFORMATION N/A N/A dation: N/A pility: N/A OSAL CONSIDERATION	S recycled for its Iron Oxide under conditions which meet	
SECTION 12 ECOL Ecotoxicity: Environmental Fate: Environmental Degra Soil Absorption / Mot SECTION 13 DISP Disposal: Waste ma all federal,	OGICAL INFORMATION N/A N/A dation: N/A pility: N/A OSAL CONSIDERATION terial may be incinerated / or , state and local environment	S recycled for its Iron Oxide under conditions which meet	
SECTION 12 ECOL Ecotoxicity: Environmental Fate: Environmental Degra Soil Absorption / Mot SECTION 13 DISP Disposal: Waste ma all federal, Disposal Regulatory I	OGICAL INFORMATION N/A dation: N/A bility: N/A OSAL CONSIDERATION terial may be incinerated / or , state and local environment Requirements:	S recycled for its Iron Oxide under conditions which meet al regulations.	
SECTION 12 ECOL Ecotoxicity: Environmental Fate: Environmental Degra Soil Absorption / Mot SECTION 13 DISP Disposal: Waste ma all federal, Disposal Regulatory I Container Cleaning an	OGICAL INFORMATION N/A N/A dation: N/A oility: N/A OSAL CONSIDERATION terial may be incinerated / or , state and local environment Requirements: nd Disposal:	S recycled for its Iron Oxide under conditions which meet al regulations. N/A N/A	
SECTION 12 ECOL Ecotoxicity: Environmental Fate: Environmental Degra Soil Absorption / Mot SECTION 13 DISP Disposal: Waste ma all federal, Disposal Regulatory I Container Cleaning an SECTION 14 TRAM	OGICAL INFORMATION N/A dation: N/A bility: N/A OSAL CONSIDERATION terial may be incinerated / or , state and local environment Requirements: nd Disposal:	S recycled for its Iron Oxide under conditions which meet al regulations. N/A N/A	
SECTION 12 ECOL Ecotoxicity: Environmental Fate: Environmental Degra Soil Absorption / Mot SECTION 13 DISP Disposal: Waste ma all federal, Disposal Regulatory I Container Cleaning at SECTION 14 TRAN DOT Transportation E Shipping Name:	OGICAL INFORMATION N/A N/A dation: N/A bility: N/A OSAL CONSIDERATION terial may be incinerated / or , state and local environment Requirements: nd Disposal: ISPORT INFORMATION Data (49 CFR 172.101): No	S recycled for its Iron Oxide under conditions which meet al regulations. N/A N/A t specifically listed Packaging Authorizations Quantity Limitations	
SECTION 12 ECOL Ecotoxicity: Environmental Fate: Environmental Degra Soil Absorption / Mot SECTION 13 DISP Disposal: Waste ma all federal, Disposal Regulatory I Container Cleaning at SECTION 14 TRAN DOT Transportation E Shipping Name: Shipping Symbol:	OGICAL INFORMATION N/A N/A dation: N/A oility: N/A OSAL CONSIDERATION terial may be incinerated / or , state and local environment Requirements: nd Disposal: ISPORT INFORMATION Data (49 CFR 172.101): No N/A N/A	S recycled for its Iron Oxide under conditions which meet al regulations. N/A N/A t specifically listed Packaging Authorizations a) Exceptions: N/A a) Passenger, Aircraft, or	Ν/Λ
SECTION 12 ECOL Ecotoxicity: Environmental Fate: Environmental Degra Soil Absorption / Mot SECTION 13 DISP Disposal: Waste ma all federal, Disposal Regulatory I Container Cleaning at SECTION 14 TRAN DOT Transportation I Shipping Name: Shipping Symbol: Hazard Class:	OGICAL INFORMATION N/A N/A dation: N/A oility: N/A OSAL CONSIDERATION terial may be incinerated / or , state and local environment Requirements: nd Disposal: ISPORT INFORMATION Data (49 CFR 172.101): No N/A N/A N/A	S recycled for its Iron Oxide under conditions which meet al regulations. N/A N/A t specifically listed Packaging Authorizations Quantity Limitations a) Exceptions: N/A a) Passenger, Aircraft, or b) Non-bulk Packaging: N/A Railcar:	N/A
SECTION 12 ECOL Ecotoxicity: Environmental Fate: Environmental Degra Soil Absorption / Mot SECTION 13 DISP Disposal: Waste ma all federal, Disposal Regulatory I Container Cleaning al SECTION 14 TRAN DOT Transportation I Shipping Name: Shipping Symbol: Hazard Class: D No.:	OGICAL INFORMATION N/A N/A dation: N/A oility: N/A OSAL CONSIDERATION terial may be incinerated / or , state and local environment Requirements: nd Disposal: NSPORT INFORMATION Data (49 CFR 172.101): No N/A N/A N/A N/A N/A	S recycled for its Iron Oxide under conditions which meet al regulations. N/A N/A N/A t specifically listed Packaging Authorizations Quantity Limitations a) Exceptions: N/A a) Passenger, Aircraft, or b) Non-bulk Packaging: N/A Railcar: c) Bulk Packaging: N/A	
SECTION 12 ECOL Ecotoxicity: Environmental Fate: Environmental Degra Soil Absorption / Mot SECTION 13 DISP Disposal: Waste ma all federal, Disposal Regulatory I Container Cleaning al SECTION 14 TRAN DOT Transportation D Shipping Name: Shipping Symbol: Hazard Class: D No.: Packing Group:	OGICAL INFORMATION N/A N/A dation: N/A oility: N/A OSAL CONSIDERATION terial may be incinerated / or , state and local environment Requirements: nd Disposal: ISPORT INFORMATION Data (49 CFR 172.101): No N/A	S recycled for its Iron Oxide under conditions which meet al regulations. N/A N/A N/A t specifically listed Packaging Authorizations Quantity Limitations a) Exceptions: N/A a) Passenger, Aircraft, or b) Non-bulk Packaging: N/A Railcar: c) Bulk Packaging: N/A Vessel Stowage Requirer	ments
SECTION 12 ECOL Ecotoxicity: Environmental Fate: Environmental Degra Soil Absorption / Mot SECTION 13 DISP Disposal: Waste ma all federal, Disposal Regulatory I Container Cleaning at SECTION 14 TRAN DOT Transportation I Shipping Name: Shipping Symbol: Hazard Class:	OGICAL INFORMATION N/A N/A dation: N/A oility: N/A OSAL CONSIDERATION terial may be incinerated / or , state and local environment Requirements: nd Disposal: NSPORT INFORMATION Data (49 CFR 172.101): No N/A N/A N/A N/A N/A	S recycled for its Iron Oxide under conditions which meet al regulations. N/A N/A N/A t specifically listed Packaging Authorizations Quantity Limitations a) Exceptions: N/A a) Passenger, Aircraft, or b) Non-bulk Packaging: N/A Railcar: c) Bulk Packaging: N/A	

SECTION 15 REGULATORY INFORMATION

EPA Regulations:

RCRA Hazardous Waste Number: Not listed (40 CFR 261.33)

RCRA Hazardous Waste Classification: (40 CFR 261): Not classified

CERCLA Hazardous Substance (40 CFR 302.4) listed/unlisted specific per RCRA, sec. 3001;

CWA sec.311 (b)(4);

CWA, Sec. 307(a),CAA,Sec.112

CERCLA Reportable Quantity(RQ), Not listed

SARA 311/312 Codes: N/A

SARA Toxic Chemical (40 CFR 372.65): Not listed

SARA EHS (Extremely Hazardous Substance) (40 CFR 355): Not listed, Threshold Planning Quantity (TPQ)

OSHA Regulations:

Air Contaminant (29 CFR 1910.1000< Table Z-1-A): Particulates not otherwise regulated.

State Regulations: Check your states regulations that may specifically list copy machine toner.

All Ingredients are listed on the TSCA inventory.

SECTION 16 OTHER INFORMATION

Prepared By: N/A

Revision Notes: N/A Additional Hazard Rating System: N/A

> THIS INFORMATION IN THIS MSDS WAS OBTAINED FROM SOURCES WHICH WE BELIEVE ARE RELIABLE. HOWEVER, THE INFORMATION IS PROVIDED WITHOUT ANY WARRANTY EXPRESS OR IMPLIED, REGARDING IT'S CORRECTNESS.

THE CONDITIONS OR METHODS OF HANDLING, STORAGE, USE AND DISPOSAL OF THE PRODUCT ARE BEYOND OUR CONTROL AND MAY BE BEYOND OUR KNOWLEDGE. FOR THIS AND OTHER REASONS, WE DO NOT ASSUME RESPONSIBILITY AND EXPRESSLY DISCLAIM LIABILITY FOR LOSS, DAMAGE OR EXPENSE ARISING OUT OF OR IN ANY WAY CONNECTED WITH THE HANDLING, STORAGE, USE OR DISPOSAL OF THE PRODUCT.