Product Name		Innovera Duster
Synonym(s)		Model # IVR51501 Model #: IVR51505 Model #: IVR51508 Model #: IVR10031 Model # IVR10035
CAS #		Mixture
Product use		Dust control
Manufacturer		Falcon Safety Products, Inc. 25 Imclone Drive Branchburg, NJ 08876 US Phone: 1-800-498-7192
Supplier		United Stationers One Pkwy North, Suite 100 Deerfield, IL 60015 Phone 1-847-627-7000
LEGEND HMIS/NFPA		Health / 1
Severe	4	Flammability 4
Serious Moderate Slight	3 2 1	Physical Hazard 1
Minimal	0	Personal Protection X

1. Product and Company Identification

2. Hazards Identification

Emergency overview	DANGER Flammable gas. Contents under pressure. Containers may explode when heated.
Potential short term health effects	
Routes of exposure	Eye, Skin contact, Inhalation.
Eyes	Contact with liquid may cause frostbite.
Skin	Contact with liquid may cause frostbite.
Inhalation	Excessive intentional inhalation may cause respiratory tract irritation and central nervous system effects (headache, dizziness). Vapors may cause dizziness or suffocation.
Ingestion	Not a normal route of exposure.
Target organs	Eyes. Skin. Respiratory system.
Chronic effects	Prolonged or repeated exposure can cause drying, defatting and dermatitis.
Signs and symptoms	Symptoms may include redness, edema, drying, defatting and cracking of the skin.

3. Composition / Information on Ingredients

Ingredient(s)	CAS #	Percent
Ethane, 1,1-difluoro-	75-37-6	60 - 100

4. First Aid Measures

First aid procedures	
Eye contact	Immediately flush with cool water. Remove contact lenses, if applicable, and continue flushing for 15 minutes. Obtain medical attention immediately.
Skin contact	Flush with cool water. Wash with soap and water. Obtain medical attention if irritation persists.

Inhalation	If symptoms develop, move victim to fresh air. If symptoms persist, obtain medical attention. If breathing has stopped, trained personnel should administer CPR immediately.
Ingestion	Do not induce vomiting. Never give anything by mouth if victim is unconscious, or is convulsing. Obtain medical attention.
General advice	Do not puncture or incinerate container. If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Avoid contact with eyes and skin. Keep out of reach of children.
	5. Fire Fighting Measures
Flammable properties Extinguishing media	Flammable by WHMIS/OSHA criteria. Containers may explode when heated.
• •	
Suitable extinguishing media	Do not extinguish burning gas if flow cannot be shut off immediately. Use water spray or

	Small Fires: Dry chemical. Carbon dioxide. Water spray. Fog.
Unsuitable extinguishing media	Not available
Protection of firefighters	
Specific hazards arising from the chemical	Contents under pressure. Pressurized container may explode when exposed to heat or flame. Cool containers with flooding quantities of water until well after fire is out.
Protective equipment for firefighters	Firefighters should wear full protective clothing including self contained breathing apparatus.
Hazardous combustion products	May include and are not limited to: Oxides of carbon. Fluoride gases.
Explosion data	
Sensitivity to mechanical impact	Not available
Sensitivity to static discharge	Not available

fog nozzle to keep cylinder cool

6. Accidental Release Measures

Methods for containmentEliminate all ignition sources (no smoking, flares Stop leak if you can do so without risk. Prevent basements or confined areas.Methods for cleaning upBefore attempting clean up, refer to hazard data	
Methods for cleaning up Before attempting clean up, refer to bazard data	entry into waterways, sewers,
ignition. Although the chance of a significant sp containers, in the event of such an occurrence, a non-flammable absorbent such as sand or verm	bsorb spilled material with a

7. Handling and Storage

Avoid breathing mists or aerosols of this product. Use good industrial hygiene practices Handling in handling this material. Keep out of reach of children. Do not store at temperatures above 49 °C (120.2°F). Keep away from heat, open flames or other sources of ignition. Storage

8. Exposure Controls / Personal Protection

Exposure limits			
Ingredient(s)	Exposure Limits		
Ethane, 1,1-difluoro-	ACGIH-TLV		
	Not established		
	OSHA-PEL		
	Not established		
Engineering controls	Use only under good ventilation conditions or with respiratory protection.		ion.
Personal protective equipment			
Eye / face protection	Wear safety glasses with side shields.		
#19638	Page 2 of 6	Issue date	1-Sept-2011

Hand protection	If there is constant skin contact, rubber gloves are recommended.
Skin and body protection	As required by employer code.
Respiratory protection	Where exposure guideline levels may be exceeded, use an approved NIOSH respirator.
General hygiene considerations	Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. Wash hands and face before breaks and immediately after handling the product.

	r nyolear and onennoar r operace
Appearance	Clear.
Color	Colorless
Form	Liquefied gas
Odor	Slight ethereal.
Odor threshold	Not available
Physical state	Gas
рН	Not applicable
Melting point	Not available
Freezing point	Not available
Boiling point	-25 °C (-13.00 °F)
Flash point	-50 °C (-58.00 °F)
Pour point	Not available
Evaporation rate	Not available
Flammability limits in air, lower, % by volume	3.9
Flammability limits in air, upper, % by volume	16.9
Vapor pressure	599.43 kPa @25°C
Vapor density	2.4 @25°C (air=1)
Specific gravity	0.91
Relative density	0.9 g/cc @25°C
Octanol/water coefficient	Not available
Solubility (H2O)	Slightly
Auto-ignition temperature	454 °C (849.20 °F)
Percent volatile	100

9. Physical and Chemical Properties

10. Stability and Reactivity

Chemical stability	Stable under recommended storage conditions.
Conditions to avoid	Aerosol containers are unstable at temperatures above 49°C (120.2°F).
Incompatible materials	Alkaline materials. Alkaline earth metals.
Hazardous decomposition products	May include and are not limited to: Oxides of carbon. Fluoride gases.
Possibility of hazardous reactions	Hazardous polymerization does not occur.

11. Toxicological Information

Component analysis - LC50		
Ingredient(s)	LC50	
Ethane, 1,1-difluoro-	> 64000 ppm rat	
Component analysis - Oral LD50		
Ingredient(s)	LD50	
Ethane, 1,1-difluoro-	1500 mg/kg rat	
Effects of acute exposure		
Eye	Contact with liquid may cause frostbite.	
Skin	Contact with liquid may cause frostbite.	

Inhalation	Excessive intentional inhalation may cause respiratory tract irritation and central nervous system effects (headache, dizziness). Vapors may cause dizziness or suffocation.
Ingestion	Not a normal route of exposure.
Sensitization	Non-hazardous by WHMIS/OSHA criteria.
Chronic effects	Non-hazardous by WHMIS/OSHA criteria.
Carcinogenicity	Non-hazardous by WHMIS/OSHA criteria.
Mutagenicity	Non-hazardous by WHMIS/OSHA criteria.
Reproductive effects	Non-hazardous by WHMIS/OSHA criteria.
Teratogenicity	Non-hazardous by WHMIS/OSHA criteria.
Synergistic Materials	Not available

12. Ecological Information

Ecotoxicity	Not available
Environmental effects	Not available
Aquatic toxicity	Not available
Persistence / degradability	Not available
Bioaccumulation / accumulation	Not available
Partition coefficient	Not available
Mobility in environmental media	Not available
Chemical fate information	Not available
Other adverse effects	Not available

13. Disposal Considerations

Waste codes	Not available
Disposal instructions	Review federal, state/provincial, and local government requirements prior to disposal.
Waste from residues / unused products	Not available
Contaminated packaging	Not available

14. Transport Information

U.S. Department of Transportati	on (DOT)	
Basic shipping requirement	s:	
Proper shipping name	1,1-Difluoroethane	
Hazard class	2.1	
UN number	1030	
Additional information:		
Packaging exceptions	ORM-D (applicable to containers up to 1 L)	FLAMMABLE

2

Transportation of Dangerous Goods (TDG - Canada) Basic shipping requirements:		
Proper shipping name	1,1-Difluoroethane	
Hazard class	2.1	
UN number	1030	
Additional information:		
Packaging exceptions	Limited quantity (containers up to 125mL)	



IATA/ICAO (Air) Basic shipping requirements:	
Proper shipping name	1,1-Difluoroethane
Hazard class	2.1
UN number	1030
Additional information:	
Maximum net quantity packaging	Cargo aircraft only – 150 kg maximum (Forbidden on passenger aircraft)



15. Regulatory Information			
Canadian federal regulations	Product	This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations.	
Canada - CEPA - Schedule I - Lis	st of Toxic Subs	stances	
Ethane, 1,1-difluoro-	75-37-6	Totally halogenated chlorofluorocarbons that have the molecular formula CnClxF(2n+2-x): (a) quantities that may be manufactured or imported; (b) Prohibition on manufacture, use, sale, offer for sale, import or export except for authorized uses [SOR/89-351, s. 16; 90-453, s. 5; 94-408, s. 24; 92-507, s. 17; 96-237, s. 5]	
US Federal regulations	Commu	This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200. All components are on the U.S. EPA TSCA Inventory List.	
	CERCL	A/SARA Hazardous Substances - Not applicable.	
Occupational Safety and Health	Administratio	on (OSHA)	
29 CFR 1910.1200 hazardou chemical	s Yes		
CERCLA (Superfund) reportable None	quantity		
Superfund Amendments and Re	authorization	Act of 1986 (SARA)	
Hazard categories	Immedia Delayed Fire Haz Pressur	Immediate Hazard - Yes Delayed Hazard - No Fire Hazard - Yes Pressure Hazard - Yes Reactivity Hazard - No	
Section 302 extremely hazardous substance	No		
Section 311 hazardous cher	nical Yes		
Clean Air Act (CAA)	Not ava	ilable	
Clean Water Act (CWA)	Not ava	ilable	



State regulations This product does not contain a chemical known to the State of California to cause cancer, birth defects or other reproductive harm. U.S. - Louisiana - Reportable Quantity List for Pollutants Ethane, 1,1-difluoro-75-37-6 5000 Lb final RQ; 2270 kg final RQ U.S. - Massachusetts - Right To Know List Ethane, 1,1-difluoro-75-37-6 Present U.S. - New Jersey - Right to Know Hazardous Substance List Ethane, 1,1-difluoro-75-37-6 sn 0715 Inventory name On inventory (yes/no)* Country(s) or region Inventory name Canada Domestic Substances List (DSL) Yes Canada Non-Domestic Substances List (NDSL) No United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory Yes A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

California V.O.C. Data: This product contains 0 grams total VOC per liter.

16. Other Information

Disclaimer	Information contained herein was obtained from sources considered technically accurate and reliable. While every effort has been made to ensure full disclosure of product hazards, in some cases data is not available and is so stated. Since conditions of actual product use are beyond control of the supplier, it is assumed that users of this material have been fully trained according to the requirements of all applicable legislation and regulatory instruments. No warranty, expressed or implied, is made and supplier will not be liable for any losses, injuries or consequential damages which may result from the use of or reliance on any information contained in this document.
Issue date	1-Sept-2011
Effective date	1-Sept-2011
Expiry date	1-Sept-2014
Prepared by	Dell Tech Laboratories Ltd. (519) 858-5021
Other information	For an updated MSDS, please contact the supplier/manufacturer listed on the first page of the document.