

Katun Corporation
10951 Bush Lake Road
Minneapolis, MN USA 55438
(952) 941-9505

Effective: August 20, 2004
 Replaces edition dated: June 26, 1996

Section 1 - IDENTITY OF PRODUCT

Katun Organic Photoconductor Drum (OPC) for use in: DCP 1000, IntelliFAX 2800/2900/3800, MFC 4800, MFC 6800

Katun PN: 28191

Note: Photoreceptors are considered "articles" under OSHA definitions, and as such are exempt from the requirements of the Federal Hazard Communication Standard. 29 CFR 1910.1200 defines an article as "a manufactured item: i) which is formed to a specific shape or design during manufacture; ii) which has end use function(s) dependent in whole or in part upon its shape or design during end use; and iii) which does not release, or otherwise result in exposure to, a hazardous chemical under normal conditions of use."

Section 2 - COMPOSITION / INFORMATION INGREDIENTS

Chemical Name	CAS #	OSHA PEL TWA	ACHIH TLV TWA	NIOSH REL TWA	NIOSH STEL	NIOSH IDLH
Substrate (>97%)						
Aluminum Alloy	7429-90-5	N/A	N/A	N/A	N/A	N/A
Coating (<3%)						
Polycarbonates	Proprietary	N/A	N/A	N/A	N/A	N/A
Polyvinyl Butyral	Proprietary	N/A	N/A	N/A	N/A	N/A
Pigments	Proprietary	N/A	N/A	N/A	N/A	N/A

SECTION 3 - HAZARD IDENTIFICATION

**** EMERGENCY OVERVIEW ****

Primary Entry Routes: N/A Ingestion: N/A
 Target Organs: N/A Carcinogenicity: No
 Acute Effects: N/A Medical Conditions Aggravated by Long-Term Exposure: N/A
 Inhalation: N/A Chronic Effects: Aluminum dusts and hylar are considered nuisance dusts.
 Eye: N/A
 Skin: N/A

HMIS
H 1
F 0
R 0
PPE
Sec.8

SECTION 4 - FIRST AID MEASURES

Inhalation: If irritation or pulmonary symptoms develop, consult a physician.
Eyes: Flush dust from eyes, if irritation occurs consult a physician.
Skin: Wash dust off skin.
Ingestion: N/A

N/A = Not Applicable



