

IVR FX2

Katun Corporation
10951 Bush Lake Road
Minneapolis, MN USA 55438
(952) 941-9505

Effective: August 30, 2004
Replaces edition dated: May 1997

PRODUCT IDENTIFICATION

Katun Toner Cartridge for use in: Canon L500, 550, 600, LC5000, 5500, 7000, 7500

Katun PN: 023928

SECTION 1 - IDENTITY OF PRODUCT

I – TONER

II – Organic Photoconductor Drum (OPC)
See Pages 4~ 6

Section 2 - COMPOSITION / INFORMATION INGREDIENTS

<u>Chemical Name</u>	<u>CAS #</u>	<u>%</u>	Toner is regulated under OSHA as particulate not otherwise regulated: OSHA PEL: 15mg/m3
Styrene Acrylate Copolymer	25036-16-2	43-53%	
Magnetite	1309-38-2	40-50%	
Polypropylene Wax	9003-07-0	1-5%	ACGIH TWA: 10mg/m3
Amorphous Silica	67762-90-70	.5-3%	for nuisance particulate

SECTION 3 - HAZARD IDENTIFICATION

Inhalation: Irritation of respiratory tract may occur in heavy dust conditions
Eye/Skin: Irritation of eyes.
Ingestion: None known or determined for the product.
Acute and Chronic: None known health hazard when used as intended in a copy machine
Chronic: None known or determined for the product.

SECTION 4 - FIRST AID MEASURES

Swallowed: Drink water if ingested.
Skin Contact: Wash contaminated areas with soap and water.
Eye Contact: Flush eyes thoroughly with water. Seek medical attention if irritation persists.
Inhaled: Remove victim to fresh air.

SECTION 5 - FIRE-FIGHTING MEASURES

Flash Point and Method: NA
Flammable Limits In Air: NA
Fire Extinguishing Media: Water fog, foam, dry chemical, CO2
Unusual Fire and Explosion Hazards: None

SECTION 6 - ACCIDENTAL RELEASE MEASURES

Steps to be taken in case material is released or spilled: Vacuum or sweep up as with any non-toxic powder.

SECTION 7 - HANDLING AND STORAGE

Storage Temperature: Standard room temperature (68°F). Avoid excessive heat.
Special Sensitivity: Do not store next to strong oxidizers.
Precautions: Eye protection and respirators may be required for bulk handling.

SECTION 8 - EXPOSURE CONTROLS

Respiratory Protection: Not necessary.
Ventilation: Mechanical ventilation is acceptable.
Protective Gloves: None required when product is used as intended.
Eye Protection: None required when product is used as intended.
Other Protective Clothing or Equipment: None required when product is used as intended.
Work/Hygienic Practices: Avoid breathing dust if sample is spilled

SECTION 9 - PHYSICAL & CHEMICAL PROPERTIES

Boiling Point:	NA
Specific Gravity (H₂O=1):	1.3-1.8
Relative Vapor Density (Air=1):	NA
Relative Evaporation Rate (Butyl Acetate=1):	NA
Physical State:	Solid
Odor:	Faint
Solubility in Water:	Insoluble

SECTION 10 - STABILITY AND REACTIVITY

Stability: Stable
Conditions to Avoid: Avoid open flame.
Incompatibility (Materials to Avoid): None with common materials with which the product may reasonably come into contact.
Hazardous Decomposition or Byproducts: Toxic decomposition products formed on combustion.
Hazardous Polymerization: None

SECTION 11 - TOXICOLOGICAL INFORMATION

No information available.

SECTION 12 - ECOLOGICAL INFORMATION

No information available.

SECTION 13 - DISPOSAL CONSIDERATIONS

Waste Disposal Method: Dispose of in accordance with local, state or federal regulations.

SECTION 14 - TRANSPORT INFORMATION

D.O.T. Shipping Name: Not regulated.

SECTION 15 - REGULATORY INFORMATION

OSHA Status: Not regulated

TSCA Status: This product meets the requirements of the Toxic Substances Control Act.

SARA Title III: Product not listed. SARA listed ingredients at or above De Minim reporting levels are noted in paragraph 2, if any.

RCRA Hazardous waste number/status: If discarded in its purchased form, this product would not be a federal hazardous waste either by listing or by characteristic. States, however, often have stricter criteria. Users should check with their state regulatory agencies for current hazardous waste criteria. Under RCRA it is the responsibility of the product user to determine at the time of disposal whether a material containing the product or derived from the product should be classified as a hazardous waste (40CFR261.20-24).

SECTION 16 - OTHER INFORMATION

All information appearing herein is based upon data obtained from the manufacturer and/or recognized technical sources. This information is believed to be correct, but does not purport to be all inclusive and shall be used only as a guide. It is the user's responsibility to determine the suitability of this information for the adoption of necessary safety precautions and/or compliance with federal, state, and local laws and regulations.
