

**Data Sheet** 

TECHNICAL CONCEPTS Date of issue: 27/10/2015 Revision date: : Version: 1.0

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name : ENRICHED FOAM ALCOHOL HAND SANITIZER

Product code : RHG 4560

Type of product : Alcohol Hand Sanitizer

SKU # : FG750591

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Industrial/Professional use spec : For professional use only

#### 1.2.2. Uses advised against

No additional information available

### 1.3. Details of the supplier of the safety data sheet

Rubbermaid Commercial Products LLC 3124 Valley Avenue VA 22601-2694 Winchester - USA T (540) 6678700 www.rubbermaidcommercial.com

### 1.4. Emergency telephone number

Emergency number : 24-Hour Emergency: INFOTRAC: 1-800535-5063

### **SECTION 2: Hazards identification**

This product is considered flammable. Mixture of water, mild surfactants, preservative and alcohol. This is a consumer care product that is safe for consumers when used according to the label directions. Potential hazards that may occur if product is not used according to the consumer label are as follows: Direct contact with the eye may cause irritation. This product is not hazardous according to OSHA 29CFR 1910.1200. Information on the composition may be found in the ingredients declaration on the packaging.

### **SECTION 3: Composition/information on ingredients**

#### 3.1. Substance

Not applicable

### 3.2. Mixture

### Component

ALCOHOL AQUA

ISOPROPYL ALCOHOL

DEA-C8-18 Perfluoroalkylethyl Phosphate

**GLYCERIN** 

ALOE BARBADENSIS LEAF JUICE

POTASSIUM SORBATE

SODIUM BENZOATE

CITRIC ACID

### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

First-aid measures after skin contact

: None under normal use.

First-aid measures after eye contact

: Rinse cautiously with water for several minutes. If eye irritation persists: Get medical advice/attention. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical advice/attention.

20/11/2015 EN (English) 1/7

### **Data Sheet**

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EC) No. 453/2010

First-aid measures after ingestion : Get medical advice/attention if you feel unwell. Drink plenty of water. Do NOT induce vomiting.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries : Not applicable.

Symptoms/injuries after eye contact : Causes serious eye irritation.

4.3. Indication of any immediate medical attention and special treatment needed

Not applicable.

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

Suitable extinguishing media : Carbon dioxide. Dry powder. Foam. Sand. Water spray.

### 5.2. Special hazards arising from the substance or mixture

Fire hazard : Flammable liquid and vapour.

Explosion hazard : May form flammable/explosive vapour-air mixture.

Hazardous decomposition products in case of : Not applicable.

fire

5.3. Advice for firefighters

Other information : Not applicable.

#### **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Take up liquid spill into absorbent material. Remove ignition sources. Use special care to avoid

static electric charges. No open flames. No smoking.

#### 6.1.1. For non-emergency personnel

No additional information available

### 6.1.2. For emergency responders

No additional information available

### 6.2. Environmental precautions

No additional information available

### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material.

Other information : Can be slippery on hard, smooth walking area.

### 6.4. Reference to other sections

For further information refer to section 13.

### SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Additional hazards when processed : Handle empty containers with care because residual vapours are flammable.

Precautions for safe handling : Not applicable. No open flames. No smoking. Take precautionary measures against static

discharge. Use only non-sparking tools.

Hygiene measures : None under normal use.

### 7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Comply with applicable regulations. Proper grounding procedures to avoid static electricity

should be followed. Ground/bond container and receiving equipment.

Storage conditions : Keep only in original container. Keep cool. Keep container tightly closed.

Incompatible materials : Heat sources.

#### 7.3. Specific end use(s)

Not applicable.

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

ISOPROPYL ALCOHOL (67-63-0)			
USA - ACGIH	Local name	2-Propanol	
USA - ACGIH	ACGIH TWA (ppm)	200 ppm	
USA - ACGIH	ACGIH STEL (ppm)	400 ppm	

20/11/2015 EN (English) 2/7

### **Data Sheet**

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EC) No. 453/2010

ISOPROPYL ALCOHOL (67-63-0)		
USA - ACGIH	Remark (ACGIH)	Eye & URT irr; CNS impair
USA - OSHA	Local name	Isopropyl alcohol
USA - OSHA	OSHA PEL (TWA) (mg/m³)	980 mg/m³
USA - OSHA	OSHA PEL (TWA) (ppm)	400 ppm
Alcohol (64-17-5)		
USA - ACGIH	Local name	Ethanol
USA - ACGIH	ACGIH STEL (ppm)	1000 ppm
USA - ACGIH	Remark (ACGIH)	URT irr
USA - OSHA	Local name	Ethyl alcohol (Ethanol)
USA - OSHA	OSHA PEL (TWA) (mg/m³)	1900 mg/m³
USA - OSHA	OSHA PEL (TWA) (ppm)	1000 ppm

Additional information : Not applicable

8.2. Exposure controls

Eye protection : None under normal use Respiratory protection : None under normal use

### **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

: Liquid Physical state Appearance : Transparent. Colour : clear. Odour : odourless. Odour threshold : No data available No data available Relative evaporation rate (butylacetate=1) : No data available Melting point : No data available Freezing point : No data available

Boiling point : > 78 °C Flash point : 25 °C

Auto-ignition temperature : No data available Decomposition temperature : No data available

Flammability (solid, gas) : Flammable liquid and vapour

Vapour pressure : No data available Relative vapour density at 20 °C : No data available Relative density : 0.879 - 0.889 Solubility : No data available Log Pow : No data available

Viscosity, kinematic : 10 - 12 seconds (DIN 53211)

Viscosity, dynamic : No data available
Explosive properties : No data available
Oxidising properties : No data available
Explosive limits : No data available

### 9.2. Other information

No additional information available

### **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

Not applicable.

### 10.2. Chemical stability

Not applicable. Flammable liquid and vapour. May form flammable/explosive vapour-air mixture.

20/11/2015 EN (English) 3/7

### **Data Sheet**

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EC) No. 453/2010

### Possibility of hazardous reactions

Not applicable.

#### **Conditions to avoid**

Not applicable. Open flame. Overheating. Direct sunlight. Heat. Sparks.

### Incompatible materials

Not applicable.

#### **Hazardous decomposition products**

Not applicable. May release flammable gases.

### **SECTION 11: Toxicological information**

#### Information on toxicological effects

: Not classified Acute toxicity

ISOPROPYL ALCOHOL (67-63-0)		
LD50 oral rat	2000 mg/kg	
LD50 oral	4396 mg/kg bodyweight	
LD50 dermal rat	2000 mg/kg	
LD50 dermal	12800 mg/kg bodyweight	
LC50 inhalation rat (Dust/Mist - mg/l/4h)	46600 mg/m³	
Alcohol (64-17-5)		

Alcohol (64-17-5)		
LD50 oral rat	7060 mg/kg	
LD50 oral	10470 mg/kg bodyweight	
LD50 dermal rabbit	> 16000 mg/kg	
LD50 dermal	15800 mg/kg bodyweight	
LC50 inhalation rat (mg/l)	> 20 mg/l/4h	
LC50 inhalation rat (Dust/Mist - mg/l/4h)	> 99999 mg/m³	

Skin corrosion/irritation : Not classified

Serious eye damage/irritation : Causes serious eye irritation.

Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Reproductive toxicity : Not classified Specific target organ toxicity (single exposure) : Not classified Specific target organ toxicity (repeated : Not classified

exposure)

Aspiration hazard : Not classified

### **SECTION 12: Ecological information**

### **Toxicity**

Ecology - general : The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.

ISOPROPYL ALCOHOL (67-63-0)		
LC50 fish 1	100 mg/l	
EC50 Daphnia 1	100 mg/l	
EC50 other aquatic organisms 1	13299 mg/l EC50 waterflea (48 h)	
EC50 other aquatic organisms 2	> 1000 mg/l IC50 algea (72 h) mg/l	
Alcohol (64-17-5)		
LC50 fish 1	13000 mg/l	
EC50 Daphnia 1	9300 mg/l	
EC50 other aquatic organisms 1	5012 mg/l EC50 waterflea (48 h)	
EC50 other aquatic organisms 2	275 mg/l IC50 algea (72 h) mg/l	

### Persistence and degradability

ENRICHED FOAM ALCOHOL HAND SANITIZER	
Persistence and degradability	Not applicable.

20/11/2015 EN (English) 4/7

### **Data Sheet**

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EC) No. 453/2010

Alcohol (64-17-5)		
Persistence and degradability	Not established.	
12.3. Bioaccumulative potential		
ENRICHED FOAM ALCOHOL HAND SANITIZER		
Bioaccumulative potential	Not applicable.	
ISOPROPYL ALCOHOL (67-63-0)		
Log Pow	0.14	
Alcohol (64-17-5)		
Log Pow	-0.3	
Bioaccumulative potential	Not established.	
12.4. Mobility in soil		
ENRICHED FOAM ALCOHOL HAND SANITIZER		
Ecology - soil	Not applicable.	

#### Results of PBT and vPvB assessment 12.5.

No additional information available

#### Other adverse effects 12.6.

Other adverse effects : Not applicable.

### **SECTION 13: Disposal considerations**

#### Waste treatment methods

Waste disposal recommendations : Refer to manufacturer/supplier for information on recovery/recycling. Dispose of

contents/container to an approved waste disposal plant.

Additional information : Handle empty containers with care because residual vapours are flammable.

### **SECTION 14: Transport information**

In accordance with DOT

Transport document description : UN1170 Ethanol solutions, 3, II

UN-No.(DOT) : UN1170

: Ethanol solutions Proper Shipping Name (DOT)

: 3 - Class 3 - Flammable and combustible liquid 49 CFR 173.120 Transport hazard class(es) (DOT)

Hazard labels (DOT) : 3 - Flammable liquid



Packing group (DOT)

: II - Medium Danger

DOT Special Provisions (49 CFR 172.102) 24 - Alcoholic beverages containing more than 70 percent alcohol by volume must be transported as materials in Packing Group II. Alcoholic beverages containing more than 24 percent but not more than 70 percent alcohol by volume must be transported as materials in

Packing Group III.

IB2 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110

kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized.

T4 - 2.65 178.274(d)(2) Normal...... 178.275(d)(3)

TP1 - The maximum degree of filling must not exceed the degree of filling determined by the following: Degree of filling = 97 / (1 + a (tr - tf)) Where: tr is the maximum mean bulk

temperature during transport, and tf is the temperature in degrees celsius of the liquid during filling.

DOT Packaging Exceptions (49 CFR 173.xxx) : 4b;150 DOT Packaging Non Bulk (49 CFR 173.xxx) : 202 DOT Packaging Bulk (49 CFR 173.xxx) : 242 DOT Quantity Limitations Passenger aircraft/rail : 5 L

(49 CFR 173.27)

DOT Quantity Limitations Cargo aircraft only (49 : 60 L

CFR 175.75)

**DOT Vessel Stowage Location** : A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a

passenger vessel.

20/11/2015 EN (English) 5/7

### **Data Sheet**

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EC) No. 453/2010

#### **Additional information**

Other information : No supplementary information available.

**ADR** 

Transport document description : UN 1170 ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION), 3, II, (D/E)

Packing group (ADR) : II

Class (ADR) : 3 - Flammable liquid

Hazard identification number (Kemler No.) : 33 Classification code (ADR) : F1

Danger labels (ADR) : 3 - Flammable liquids



Orange plates

33 1170

Tunnel restriction code (ADR) : D/E LQ : 11 Excepted quantities (ADR) : E2

Transport by sea

UN-No. (IMDG) : 1170

Proper Shipping Name (IMDG) : ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)

Class (IMDG) : 3 - Flammable liquids

Packing group (IMDG) : II - substances presenting medium danger

Air transport

UN-No. (IATA) : 1170

Proper Shipping Name (IATA) : Ethanol solution

Class (IATA) : 3 - Flammable Liquids

Packing group (IATA) : II - Medium Danger

### **SECTION 15: Regulatory information**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### 15.1.1. 15.1. US Federal regulations

Occupational safety and health act: Hazard Communication Standard, 29 CFR 1910.1200(g) Appendix D: The Occupational Safety and Health Administration (OSHA) require that the Safety Data Sheets (SDSs) are readily accessible to employees for all hazardous chemicals in the workplace. Since the use pattern and exposure in the workplace are generally not consistent with those experienced by consumers, this SDS may contain health hazard information not relevant to consumer use.

#### **United States Regulatory Information:**

TSCA 8 (b) Inventory Status: All components are listed or are exempt from listing on the Toxic Substances Control Act

Inventory.

TSCA 12 (b) Export Notification None above reporting de minimis CERCLA/SARA Section 302: None above reporting de minimis

CERCLA/SARA Section 311/312 Not available.

CERCLA/SARA Section 313: None above reporting de minimis

California Proposition 65: No California Proposition 65 listed chemicals are known to be present.

Canada Regulatory Information:

the information required by the CPR

CEPA DSL/NDSL Status: This product has been classified in accordance with the hazard criteria of the CPR and the SDS contains all

20/11/2015 EN (English) 6/7

### **Data Sheet**

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EC) No. 453/2010

### 15.1.2. National regulations

No additional information available

### 15.2. Chemical safety assessment

No additional information available

### **SECTION 16: Other information**

cosmetic data sheet US alcohol

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product

20/11/2015 EN (English) 7/7