

Version 2.0 Revision Date 04/25/2017 Print Date 11/03/2017

## SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Material name	:	A07733 TM CHERRY 30DAY 12n5.3
Material number	:	0000000001042700
Manufacturer or supplier's o	deta	nils
Company	:	Zep Inc.
Address	:	1310 Seaboard Industrial Blvd., NW Atlanta, GA 30318
Telephone	:	404-352-1680

## Emergency telephone numbers

For SDS Information	:	Compliance Services 1-877-428-9937
For a Medical Emergency	:	877-541-2016 Toll Free - All Calls Recorded
For a Transportation	:	CHEMTREC: 800-424-9300 - All Calls Recorded.
Emergency		In the District of Columbia 202-483-7616

## Recommended use of the chemical and restrictions on use

Recommended use

: Air Care

## SECTION 2. HAZARDS IDENTIFICATION

### **Emergency Overview**

Appearance	Aerosol containing a liquefied gas
Colour	colourless
Odour	characteristic

### **GHS** Classification

Flammable aerosols Gases under pressure Eye irritation Respiratory sensitisation Skin sensitisation Specific target organ toxicity - single exposure	<ul> <li>Category 1</li> <li>Liquefied gas</li> <li>Category 2A</li> <li>Category 1</li> <li>Category 1</li> <li>Category 3 (Central nervous system)</li> </ul>
GHS label elements	
Hazard pictograms	
Signal word	: Danger
Hazard statements	<ul> <li>H222 Extremely flammable aerosol.</li> <li>H280 Contains gas under pressure; may explode if heated.</li> <li>H317 May cause an allergic skin reaction.</li> <li>H319 Causes serious eye irritation.</li> <li>H334 May cause allergy or asthma symptoms or breathing</li> </ul>



sion 2.0	Revision Date 04/25/2017	Print Date 11/03/201
	difficulties if inhaled. H336 May cause drowsiness or o	dizziness.
Precautionary statements		surfaces, sparks, open flame noking. ame or other ignition source. not pierce or burn, even afte / gas/ mist/ vapours/ spray. handling. vell-ventilated area. g should not be allowed out of e protection/ face protection. lation wear respiratory with plenty of soap and wate D: Remove person to fresh a ng. Call a POISON I. S: Rinse cautiously with wate ttact lenses, if present and ash occurs: Get medical ists: Get medical advice/ piratory symptoms: Call a
	P410 + P412 Protect from sunlig temperatures exceeding 50 °C/ 1 P403 Store in a well-ventilated pl <b>Disposal:</b> Dispose of contents/container in regulation.	22 °F. lace.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture :

: Mixture

## Hazardous components

Chemical name	CAS-No.	Concentration [%]
acetone	67-64-1	>= 70 - < 90
propane	74-98-6	>= 20 - < 30
benzaldehyde	100-52-7	>= 1 - < 5
pentyl acetate	628-63-7	>= 1 - < 5
eugenol	97-53-0	>= 0.1 - < 1
cinnamaldehyde	104-55-2	>= 0.1 - < 1

The exact percentages of disclosed substances are withheld as trade secrets.



Version 2.0

Revision Date 04/25/2017

Print Date 11/03/2017

## SECTION 4. FIRST AID MEASURES

General advice	:	Move out of dangerous area. Show this safety data sheet to the doctor in attendance. Do not leave the victim unattended.	
lf inhaled	:	If unconscious place in recovery position and seek medical advice. Consult a physician after significant exposure.	
In case of skin contact	:	In case of contact, immediately flush skin with soap and plenty of water. If skin irritation persists, call a physician.	
In case of eye contact	:	Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist. Rinse immediately with plenty of water for at least 15 minut	
If swallowed	:	Keep respiratory tract clear. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Take victim immediately to hospital.	
Most important symptoms and effects, both acute and delayed	:	Effects are immediate and delayed. Symptoms may include irritation, redness, pain, and rash. Symptoms of overexposure may include disorientation; dizziness; and confusion. May progress to unconsciousness, paralysis, and convulsions.	
		Effects are dependent on exposure (dose, concentration, contact time). Causes serious eye irritation. May cause drowsiness or dizziness. Review section 2 of SDS to see all potential hazards.	
Notes to physician	:	Treat symptomatically. Symptoms may be delayed.	

## SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	: Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical
Unsuitable extinguishing media	: High volume water jet
Specific hazards during firefighting	: Do not allow run-off from fire fighting to enter drains or water courses.
Hazardous combustion	: Carbon dioxide (CO2)



Version 2.0		Revision Date 04/25/2017	Print Date 11/03/2017
products		Carbon monoxide Smoke	
Specific extinguishing methods	:	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.	
Further information	:	For safety reasons in case of fire, ca separately in closed containments. Fire residues and contaminated fire be disposed of in accordance with lo Collect contaminated fire extinguishi must not be discharged into drains.	extinguishing water must ocal regulations.
Special protective equipment for firefighters	:	Wear self-contained breathing appare	ratus for firefighting if

## SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	<ul> <li>Use personal protective equipment. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.</li> </ul>
Environmental precautions	: Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.
Methods and materials for containment and cleaning up	: Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Sweep up or vacuum up spillage and collect in suitable container for disposal.

## SECTION 7. HANDLING AND STORAGE

Advice on safe handling	<ul> <li>Avoid exposure - obtain special instructions before use. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Take precautionary measures against static discharges. Provide sufficient air exchange and/or exhaust in work rooms. Dispose of rinse water in accordance with local and national regulations. Always replace cap after use.</li> </ul>
Conditions for safe storage	<ul> <li>BEWARE: Aerosol is pressurized. Keep away from direct sun exposure and temperatures over 50 °C. Do not open by force or throw into fire even after use. Do not spray on flames or red-hot objects. No smoking.</li> <li>Observe label precautions. Keep in a dry, cool and well-ventilated place.</li> </ul>



Version 2.0	Revision Date 04/25/2017	Print Date 11/03/2017
	Electrical installations / working mater the technological safety standards.	ials must comply with
Materials to avoid	: Oxidizing agents Do not store near acids.	

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
acetone	67-64-1	TWA	250 ppm	ACGIH
		STEL	500 ppm	ACGIH
		TWA	250 ppm 590 mg/m3	NIOSH REL
		TWA	1,000 ppm 2,400 mg/m3	OSHA Z-1
		TWA	750 ppm 1,800 mg/m3	OSHA P0
		STEL	1,000 ppm 2,400 mg/m3	OSHA P0
		STEL	750 ppm 1,780 mg/m3	CAL PEL
		С	3,000 ppm	CAL PEL
		PEL	500 ppm 1,200 mg/m3	CAL PEL
propane	74-98-6	TWA	1,000 ppm	ACGIH
		TWA	1,000 ppm 1,800 mg/m3	NIOSH REL
		TWA	1,000 ppm 1,800 mg/m3	OSHA Z-1
		TWA	1,000 ppm 1,800 mg/m3	OSHA PO
		PEL	1,000 ppm 1,800 mg/m3	CAL PEL
benzaldehyde	100-52-7	TWA	2 ppm	US WEEL
		STEL	4 ppm	US WEEL
pentyl acetate	628-63-7	TWA	100 ppm 525 mg/m3	NIOSH REL
		TWA	100 ppm 525 mg/m3	OSHA Z-1
		TWA	100 ppm 525 mg/m3	OSHA P0

## **Biological occupational exposure limits**

Component	CAS-No.	Control	Biological	Sampling	Permissible	Basis
		parameters	specimen	time	concentration	
2-PROPANONE	67-64-1	Acetone	Urine	End of shift (As soon as possible after	25 mg/l	ACGIH BEI

## SAFETY DATA SHEET



# A07733 TM CHERRY 30DAY 12n5.3

sion 2.0	Revision Date 04/25/2017	Print Date 11/03/2017
		xposure ceases)
Engineering measures	: effective ventilation in all process	sing areas
Personal protective equip	ment	
Respiratory protection	: No personal respiratory protectivi required.	e equipment normally
Hand protection Remarks	: Skin should be washed after cor	ntact.
Eye protection	: Always wear eye protection whe eye contact with the product can	
	Eye wash bottle with pure water Tightly fitting safety goggles Wear face-shield and protective problems.	
Skin and body protection	: No special protection is required	
Hygiene measures	: When using do not eat or drink. When using do not smoke. Wash hands before breaks and	at the end of workday.

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: Aerosol containing a liquefied gas
Colour	: colourless
Odour	: characteristic
Odour Threshold	: No data available
рН	: Not applicable
Melting point/freezing point	: No data available
Boiling point	: No data available
Flash point	: Not applicable
Evaporation rate	: No data available
Flammability (solid, gas)	: Extremely flammable aerosol.
Upper explosion limit	: No data available
Lower explosion limit	: No data available
Vapour pressure	: No data available
Relative vapour density	: No data available
Density	: No data available
Solubility(ies)	



Version 2.0	Revision Date 04/25/2017	Print Date 11/03/2017
Water solubility	: partly soluble	
Partition coefficient: n- octanol/water	: No data available	
Auto-ignition temperature	: not determined	
Thermal decomposition	: No data available	
Viscosity		
Viscosity, kinematic	: No data available	
Heat of combustion	: 36.31 kJ/g	

## SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Stable
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: Vapours may form explosive mixture with air. No decomposition if stored and applied as directed.
Conditions to avoid	: Heat, flames and sparks. Extremes of temperature and direct sunlight.
Incompatible materials	: Oxidizing agents Acids
Hazardous decomposition products	: Carbon oxides

## SECTION 11. TOXICOLOGICAL INFORMATION

## Potential Health Effects

Aggravated Medical Condition	: None known.
Symptoms of Overexposure	<ul> <li>Effects are immediate and delayed. Symptoms may include irritation, redness, pain, and rash. Symptoms of overexposure may include disorientation; dizziness; and confusion. May progress to unconsciousness, paralysis, and convulsions.</li> <li>Effects are dependent on exposure (dose, concentration, contact time).</li> </ul>
Carcinogenicity:	
IARC	No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.



Version 2.0	Revision Date 04/25/2017	Print Date 11/03/2017
ACGIH	No component of this product present equal to 0.1% is identified as a carcino	
OSHA	carcinogen by ACGIH. No component of this product present equal to 0.1% is identified as a carcino	
NTP	carcinogen by OSHA. No component of this product present equal to 0.1% is identified as a known by NTP.	
Acute toxicity		
Product:		
Acute oral toxicity	: Acute toxicity estimate : > 5,000 mg Method: Calculation method	g/kg
Acute dermal toxicity	: Acute toxicity estimate : > 5,000 mg Method: Calculation method	g/kg
Components:		
acetone:		
Acute oral toxicity	: LD50 Rat: 5,800 mg/kg	
Acute inhalation toxicity	: LC50 Rat: 132 mg/l Exposure time: 3 h	
	LC50 Rat: 50.1 mg/l	
Acute dermal toxicity	: LD50 Guinea pig: > 7,426 mg/kg	
	LD50 Rabbit: > 7,426 mg/kg	
cinnamaldehyde: Acute oral toxicity	: LD50 Oral Rat: 2,220 mg/kg	
kin corrosion/irritation		
Product:		
Remarks: May cause skin irri	tation and/or dermatitis.	
erious eye damage/eye irritati	on	
Product:		
Remarks: Severe eye irritatio	n	
espiratory or skin sensitisation	ı	
Product:		
Remarks: Causes sensitisati	on.	
erm cell mutagenicity		



Version 2.0

Revision Date 04/25/2017

Print Date 11/03/2017

No data available

### Carcinogenicity

No data available

### **Reproductive toxicity**

No data available

acetone: propane: benzaldehyde: pentyl acetate: eugenol: cinnamaldehyde:

### STOT - single exposure

No data available

## STOT - repeated exposure

No data available

#### Aspiration toxicity

No data available

### **Further information**

## Product:

Remarks: Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting., Concentrations substantially above the TLV value may cause narcotic effects., Solvents may degrease the skin.

### SECTION 12. ECOLOGICAL INFORMATION

#### Ecotoxicity

No data available

#### Persistence and degradability

No data available Bioaccumulative potential

Product:

: Remarks: No data available
: Pow: 1.48
: log Pow: 2.3
5



## A07733 TM CHERRY 30DAY 12n5.3

Version 2.0	Revision Date 04/25/2017	Print Date 11/03/2017
Partition coefficient: n- octanol/water	: Pow: 1.83	
Mobility in soil		
No data available		
Other adverse effects		
No data available Product:		
Regulation	40 CFR Protection of Environme Stratospheric Ozone - CAA Sect Substances	,
Remarks	This product neither contains, no with a Class I or Class II ODS as Clean Air Act Section 602 (40 C + B).	s defined by the U.S.
Additional ecological information	: No data available	

## SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods	
Waste from residues	<ul> <li>Do not dispose of waste into sewer.</li> <li>Do not contaminate ponds, waterways or ditches with chemical or used container.</li> <li>Dispose of in accordance with local regulations.</li> </ul>

Contaminated packaging	:	Empty remaining contents. Dispose of as unused product.
		Do not re-use empty containers. Do not burn, or use a cutting torch on, the empty drum.

## **SECTION 14. TRANSPORT INFORMATION**

Transportation Regulation: 49 CFR (USA): ORM-D, CONSUMER COMMODITY

Transportation Regulation: IMDG (Vessel): UN1950, AEROSOLS, FLAMMABLE, 2.1, - Limited quantity

Transportation Regulation: IATA (Cargo Air): UN1950, AEROSOLS, FLAMMABLE, 2.1, - Limited quantity

Transportation Regulation: IATA (Passenger Air): UN1950, AEROSOLS, FLAMMABLE, 2.1, - Limited quantity

Transportation Regulation: TDG (Canada): UN1950, AEROSOLS, FLAMMABLE, 2.1, - Limited quantity



Version 2.0

Revision Date 04/25/2017

Print Date 11/03/2017

The product as delivered to the customer conforms to packaging requirements for shipment by road under US Department of Transportation (DOT) regulations. Additional transportation classifications noted above are for reference only, and not a certification or warranty of the suitability of the packaging for shipment under these alternative transport regulations.

## SECTION 15. REGULATORY INFORMATION

**TSCA list** : No substances are subject to a Significant New Use Rule. No substances are subject to TSCA 12(b) export notification requirements.

## EPCRA - Emergency Planning and Community Right-to-Know Act

### **CERCLA** Reportable Quantity

Components	CAS-No.	Component RQ	Calculated product RQ
		(lbs)	(lbs)
acetone	67-64-1	5000	*

\*: Calculated RQ exceeds reasonably attainable upper limit.

### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards :	Fire Hazard Sudden Release of Pressure Hazard Acute Health Hazard
SARA 302 :	No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.
SARA 313 :	This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.
California Prop 65	This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

### The components of this product are reported in the following inventories:

TSCA	On TSCA Inventory
DSL	All components of this product are on the Canadian DSL

For information on the country notification status for other regions please contact the manufacturer's regulatory group.

### Inventory Acronym and Validity Area Legend:

TSCA (USA), DSL (Canada), NDSL (Canada)




Version 2.0

Revision Date 04/25/2017

Print Date 11/03/2017

### SECTION 16. OTHER INFORMATION



**OSHA - GHS Label Information:** 

Hazard pictograms	
Signal w ord Hazard statements	<ul> <li>Danger:</li> <li>Extremely flammable aerosol. Contains gas under pressure; may explode if heated. May cause an allergic skin reaction. Causes serious eye irritation. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause drow siness or dizziness.</li> </ul>
Precautionary statements	<ul> <li>Prevention: Keep aw ay from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use. Avoid breathing dust/fume/gas/mist/vapours/spray. Wash skin thoroughly after handling. Use only outdoors or in a w ell-ventilated area. Contaminated w ork clothing should not be allow ed out of the w orkplace. Wear protective gloves/eye protection/face protection. In case of inadequate ventilation w ear respiratory protection.</li> <li>Response: IF ON SKIN: Wash with plenty of soap and w ater. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unw ell. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If skin irritation or rash occurs: Get medical advice/ attention. If experiencing respiratory symptoms: Call a POISON CENTER/doctor. Take off contaminated clothing and w ash it before reuse.</li> <li>Storage: Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F. Store in a w ell-ventilated place.</li> <li>Disposal: Dispose of contents/container in accordance with local regulation.</li> </ul>

Vers	ion:	2.0
Revi	sion Date:	04/25/2017
Print	Date:	11/03/2017

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations



Version 2.0

Revision Date 04/25/2017

Print Date 11/03/2017

to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organization supporting this manufacturer, supplier or distributor.

Zep Inc. markets products under well recognized and established brand names such as Zep®, Zep Commercial®,Zep Professional®, Enforcer®, National Chemical<sup>™</sup>, Selig<sup>™</sup>, Misty®, Next Dimension<sup>™</sup>, Petro®, i-Chem®, TimeMist®, TimeWick<sup>™</sup>, MicrobeMax®, Country Vet®, Konk®, Original Bike Spirits®, Blue Coral®, Black Magic®, Rain-X®, Niagara National<sup>™</sup>, FC Forward Chemicals®,Rexodan®, Mykal<sup>™</sup>, and a number of private labeled brands.