

# MATERIAL SAFETY DATA SHEET

TimeMist Premium Air Freshener (L3, Group A)

## Section 1: PRODUCT AND COMPANY IDENTIFICATION

**Product Name:** TimeMist Premium Air Freshener (L3, Group A)

**Product Number:** A07705CG / 332404 (Country Garden), A07705CN / 332401 (Cinnamon), A07705FK / 332428 (French Kiss), A07705FR / 332402 (Clean 'N Fresh), A07708MA / 332460 (Mango), A07723 / 332473 (Clean 'N Fresh), A07724 / 332478 (Citrus), A07725 / 332479 (French Kiss), A07728 / 332510 (Cucumber Melon), A07729 / 332511 (Fresh Cotton), A07730 / 332512 (Baby Powder), A07731 / 332513 (Pina Colada), A07732 / 332516 (Green Apple), A07733 / 332517 (Cherry), A07734 / 332521 (Bayberry), A07736 / 332553 (Spring Flowers), A07738 / 332962 (Passion Violet), A07739 / 332965 (VooDoo Berry), A07742 / 334726 (Vanilla Cream), A07745 / 335301 (Cinnamon), A07752 / 335324 (Caribbean Waters), A07753 / 335327 (Lavender Lemonade), A07755 / 335332 (Cactus Blossom ), A07756 / 335334 (Juniper Breeze), A07757 / 335341 (Raspberry Acai Splash), A07758 / 332502 (Clean & Fresh), A07760 / 332522 (Country Garden), A07768 / 332701 (Lemon Lime), A07769 / 332960 (Mango), A07770 / 334701 (Dutch Apple), A07771 / 334709 (French Kiss).

**Product Number (discontinued products):** A07705FV / 332426 (French Vanilla), A07727 / 332509 (Herbal Spring), A07746 / 335302 (Holiday Magic), A07747 / 335303 (Candy Cane), A07748 / 335304 (Christmas Tree), A07749 / 335305 (Pumpkin Spice).

**Product Use:** Air Freshener.

**Manufacturer:** Amrep, Inc.  
990 Industrial Park Drive  
Marietta, GA 30062

**Phone Number:** (770) 422-2071 (Mon - Fri / 8am - 5pm ET)

**D.O.T. Emergency Phone:** CHEMTEL: 800-255-3924  
International: +01-813-248-0584

**Date of Preparation:** April 21, 2011 **Revision #:** 1.0

## Section 2: HAZARDS IDENTIFICATION

### EMERGENCY OVERVIEW

**HMIS:** See Section 15

#### CAUTION

IRRITATING TO EYES. MAY CAUSE SKIN IRRITATION. CONTENTS UNDER PRESSURE. CONTAINER MAY EXPLODE IF HEATED.

**Potential Health Effects:** See Section 11 for more information.

**Likely Routes of Exposure:** Skin contact, eye contact, and inhalation.

**Eye:** Irritating to eyes.

**Skin:** May cause skin irritation.

**Ingestion:** Not a normal route of exposure.

**Inhalation:** Irritating to respiratory system. May cause asphyxiation.

**Chronic Effects:** Prolonged or repeated contact may dry skin and cause irritation.

# MATERIAL SAFETY DATA SHEET

TimeMist Premium Air Freshener (L3, Group A)

**Signs and Symptoms:** Symptoms may include discomfort or pain, excess blinking and tear production, with marked redness and swelling of the conjunctiva. Symptoms may include redness, edema, drying, defatting and cracking of the skin. Vapours may cause drowsiness and dizziness.

**Medical Conditions Aggravated By Exposure:** Because of its irritating properties, product may aggravate preexisting skin, eye, and respiratory conditions.

**Target Organs:** Skin, eyes and respiratory system.

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

**Potential Environmental Effects:** May cause long-term adverse effects in the aquatic environment. See Section 12 for more information.

## Section 3: COMPOSITION / INFORMATION ON INGREDIENTS

| Ingredient                          | CAS #      | Wt. %   |
|-------------------------------------|------------|---------|
| Acetone                             | 67-64-1    | 30 - 60 |
| Diethylene glycol monoethyl ether   | 111-90-0   | 10 - 30 |
| Propane                             | 74-98-6    | 10 - 30 |
| Naphtha (petroleum), light alkylate | 64741-66-8 | 1 - 5   |

## Section 4: FIRST AID MEASURES

**Eye Contact:** In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. If easy to do, remove contact lenses, if worn. Get medical attention immediately.

**Skin Contact:** In case of contact, immediately flush skin with plenty of soap and water. Call a physician if irritation develops or persists.

**Inhalation:** If breathed in, move person into fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen.

**Ingestion:** Do not induce vomiting. If victim is conscious and alert, give 2 cupfuls of water. Never give anything by mouth to an unconscious person. Seek medical attention or call poison control.

**General Advice:** In case of accident or if you feel unwell, seek medical advice immediately (show the label or MSDS where possible).

**Note to Physicians:** Symptoms may not appear immediately.

## Section 5: FIRE FIGHTING MEASURES

**Flammability:** Not flammable by OSHA criteria.

**Means of Extinction:**

**Suitable Extinguishing Media:** Powder, water spray, foam, carbon dioxide.

**Unsuitable Extinguishing Media:** Not available.

**Products of Combustion:** May include, and are not limited to: oxides of carbon.

**Explosion Data:**

**Sensitivity to Mechanical Impact:** Not available.

**Sensitivity to Static Discharge:** Not available.

**Protection of Firefighters:** Containers may explode when heated. Keep upwind of fire. Wear full fire fighting turn-out gear (full Bunker gear) and respiratory protection (SCBA).

# MATERIAL SAFETY DATA SHEET

TimeMist Premium Air Freshener (L3, Group A)

## Section 6: ACCIDENTAL RELEASE MEASURES

**Personal Precautions:** Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel. Eliminate sources of ignition. Ruptured cylinders may rocket.

**Environmental Precautions:** Many gases are heavier than air and will spread along ground and collect in low or confined areas (sewers, basements, tanks). Keep out of drains, sewers, ditches, and waterways. Minimize use of water to prevent environmental contamination.

**Methods for Containment:** Contain and/or absorb spill with inert material (e.g. sand, vermiculite), then place in a suitable container. Do not flush to sewer or allow to enter waterways. Use appropriate Personal Protective Equipment (PPE).

**Methods for Clean-Up:** Scoop up material and place in a disposal container. Provide ventilation.

**Other Information:** Not available.

## Section 7: HANDLING AND STORAGE

### Handling:

Keep away from sources of ignition. No smoking. Avoid contact with skin and eyes. Do not breathe gas/fumes/vapor/spray. Use only in well-ventilated areas. Handle and open container with care. When using do not eat or drink. Wash hands before eating, drinking, or smoking.

### Storage:

Keep out of the reach of children. Keep container in a well-ventilated place. Do not store at temperatures above 48 °C / 118 °F.

## Section 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

### Exposure Guidelines

| Ingredient                          | Exposure Limits |                |
|-------------------------------------|-----------------|----------------|
|                                     | OSHA-PEL        | ACGIH-TLV      |
| Acetone                             | 750 ppm         | 500 ppm        |
| Diethylene glycol monoethyl ether   | Not available.  | Not available. |
| Propane                             | 1000 ppm        | 1000 ppm       |
| Naphtha (petroleum), light alkylate | Not available.  | Not available. |

**Engineering Controls:** Use ventilation adequate to keep exposures (airborne levels of dust, fume, vapor, etc.) below recommended exposure limits.

### Personal Protective Equipment:

**HMIS:** See Section 15

**Eye/Face Protection:** Safety glasses suggested during installation of new product.

**Hand Protection:** None necessary under normal conditions of use.

**Skin and Body Protection:** None necessary under normal conditions of use.

**Respiratory Protection:** None necessary under normal conditions of use.

**General Hygiene Considerations:** Handle according to established industrial hygiene and safety practices.

## Section 9: PHYSICAL AND CHEMICAL PROPERTIES

|                    |                 |
|--------------------|-----------------|
| <b>Appearance:</b> | Dry spritz.     |
| <b>Color:</b>      | Colorless.      |
| <b>Odour:</b>      | Characteristic. |

# MATERIAL SAFETY DATA SHEET

TimeMist Premium Air Freshener (L3, Group A)

|   |                                      |
|---|--------------------------------------|
| <b>Odour Threshold:</b>                       | Not available.                       |
| <b>Physical State:</b>                        | Liquid.                              |
| <b>pH:</b>                                    | Not applicable.                      |
| <b>Viscosity:</b>                             | Not available.                       |
| <b>Freezing Point:</b>                        | Not available.                       |
| <b>Boiling Point:</b>                         | Not available.                       |
| <b>Flash Point:</b>                           | < -6.6 °C (< 20°F)                   |
| <b>Evaporation Rate:</b>                      | Not available.                       |
| <b>Lower Flammability Limit:</b>              | Not available.                       |
| <b>Upper Flammability Limit:</b>              | Not available.                       |
| <b>Vapor Pressure:</b>                        | 80 PSIG @ 21°C / 70°F (can pressure) |
| <b>Vapor Density:</b>                         | Not available.                       |
| <b>Specific Gravity:</b>                      | 0.73 (Concentrate only)              |
| <b>Solubility in Water:</b>                   | Partial.                             |
| <b>Coefficient of Water/Oil Distribution:</b> | Not available.                       |
| <b>Auto-ignition Temperature:</b>             | Not available.                       |
| <b>Percent Volatile, wt. %:</b>               | > 90%                                |
| <b>VOC content, wt. %:</b>                    | ≤ 30%                                |
| <b>VOC content, g/L:</b>                      | 235 g/L                              |

## Section 10: STABILITY AND REACTIVITY

**Stability:** Stable under normal storage conditions. Contents under pressure. Container may explode if heated. Do not puncture. Do not burn. Keep in a cool place.

**Conditions of Reactivity:** Heat. Incompatible materials.

**Incompatible Materials:** Oxidizers. Acids. Alkalis. Chlorinated compounds.

**Hazardous Decomposition Products:** May include, and are not limited to: oxides of carbon.

**Possibility of Hazardous Reactions:** No dangerous reaction known under conditions of normal use.

## Section 11: TOXICOLOGY INFORMATION

### EFFECTS OF ACUTE EXPOSURE

#### Component Analysis

| <b>Ingredient</b>                   | <b>LD<sub>50</sub> (oral)</b> | <b>LC<sub>50</sub></b>          |
|-------------------------------------|-------------------------------|---------------------------------|
| Acetone                             | 5800 mg/kg, rat               | Not available.                  |
| Diethylene glycol monoethyl ether   | 1920 mg/kg, rat               | 5240 mg/m <sup>3</sup> 4hr, rat |
| Propane                             | Not available.                | 658 mg/L 4hr, rat               |
| Naphtha (petroleum), light alkylate | >7000 mg/kg, rat              | >5.04 mg/L 4hr, rat             |

**Eye:** Irritating to eyes. Symptoms may include discomfort or pain, excess blinking and tear production, with marked redness and swelling of the conjunctiva.

**Skin:** May cause skin irritation. Symptoms may include redness, edema, drying, defatting and cracking of the skin.

# MATERIAL SAFETY DATA SHEET

TimeMist Premium Air Freshener (L3, Group A)

**Ingestion:** Not a normal route of exposure.

**Inhalation:** Irritating to respiratory system. May cause asphyxiation. Vapours may cause drowsiness and dizziness.

## EFFECTS OF CHRONIC EXPOSURE

**Target Organs:** Acetone may have effects on the liver and kidney.

**Chronic Effects:** Not hazardous by OSHA criteria.

**Carcinogenicity:** Not hazardous by OSHA criteria.

## Ingredient

## Chemical Listed as Carcinogen or Potential Carcinogen \*

Acetone

G-A4

Diethylene glycol monoethyl ether

Not listed.

Propane

Not listed.

Naphtha (petroleum), light alkylate

Not listed.

\* See Section 15 for more information.

**Mutagenicity:** Not hazardous by OSHA criteria.

**Reproductive Effects:** Not hazardous by OSHA criteria.

## Developmental Effects:

**Teratogenicity:** Not hazardous by OSHA criteria.

**Embryotoxicity:** Not hazardous by OSHA criteria.

**Respiratory Sensitization:** Not hazardous by OSHA criteria.

**Skin Sensitization:** Not hazardous by OSHA criteria.

**Toxicologically Synergistic Materials:** Not available.

## Section 12: ECOLOGICAL INFORMATION

**Ecotoxicity:** May cause long-term adverse effects in the aquatic environment.

**Persistence / Degradability:** Not available.

**Bioaccumulation / Accumulation:** Not available.

**Mobility in Environment:** Not available.

## Section 13: DISPOSAL CONSIDERATIONS

### Disposal Instructions:

This material must be disposed of in accordance with all local, state, provincial, and federal regulations.

## Section 14: TRANSPORTATION INFORMATION

### DOT Classification

ORM-D

## Section 15: REGULATORY INFORMATION

### Federal Regulations

**US:** MSDS prepared pursuant to the Hazard Communication Standard (29 CFR 1910.1200).

# MATERIAL SAFETY DATA SHEET

TimeMist Premium Air Freshener (L3, Group A)

## SARA Title III

| Ingredient                          | Section<br>302 (EHS)<br>TPQ (lbs.) | Section<br>304 EHS<br>RQ (lbs.) | CERCLA<br>RQ (lbs.) | Section<br>313 |
|-------------------------------------|------------------------------------|---------------------------------|---------------------|----------------|
| Acetone                             | Not listed.                        | Not listed.                     | 5,000               | 313            |
| Diethylene glycol monoethyl ether   | Not listed.                        | Not listed.                     | Not listed.         | Not listed.    |
| Propane                             | Not listed.                        | Not listed.                     | Not listed.         | Not listed.    |
| Naphtha (petroleum), light alkylate | Not listed.                        | Not listed.                     | Not listed.         | Not listed.    |

## State Regulations

### California Proposition 65:

This product does not contain a chemical known to the State of California to cause cancer, birth defects or other reproductive harm.

## Global Inventories

| Ingredient                          | USA<br>TSCA |
|-------------------------------------|-------------|
| Acetone                             | Yes.        |
| Diethylene glycol monoethyl ether   | Yes.        |
| Propane                             | Yes.        |
| Naphtha (petroleum), light alkylate | Yes.        |

## HMIS - Hazardous Materials Identification System

Health - 1      Flammability - 3      Physical Hazard - 0      PPE – B

## NFPA - National Fire Protection Association:

Health - 1      Fire - 3      Reactivity - 0

**Hazard Rating:** 0 = minimal, 1 = slight, 2 = moderate, 3 = severe, 4 = extreme

## SOURCE AGENCY CARCINOGEN CLASSIFICATIONS:

**OSHA (O)** Occupational Safety and Health Administration.

**ACGIH (G)** American Conference of Governmental Industrial Hygienists.

- A1 - Confirmed human carcinogen.
- A2 - Suspected human carcinogen.
- A3 - Animal carcinogen.
- A4 - Not classifiable as a human carcinogen.
- A5 - Not suspected as a human carcinogen.

**IARC (I)** International Agency for Research on Cancer.

- 1 - The agent (mixture) is carcinogenic to humans.
- 2A - The agent (mixture) is probably carcinogenic to humans; there is limited evidence of carcinogenicity in humans and sufficient evidence of carcinogenicity in experimental animals.
- 2B - The agent (mixture) is possibly carcinogenic to humans; there is limited evidence of carcinogenicity in humans in the absence of sufficient evidence of carcinogenicity in experimental animals.
- 3 - The agent (mixture, exposure circumstance) is not classifiable as to its carcinogenicity to humans.
- 4 - The agent (mixture, exposure circumstance) is probably not carcinogenic to humans.

**NTP (N)** National Toxicology Program.

- 1 - Known to be carcinogens.
- 2 - Reasonably anticipated to be carcinogens.

# MATERIAL SAFETY DATA SHEET

TimeMist Premium Air Freshener (L3, Group A)

## Section 16: OTHER INFORMATION

**Disclaimer:**

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for the user's own particular use.

**Prepared by:** Nexreg Compliance Inc.

**Prepared for:** Amrep, Inc.

Phone: (770) 422-2071 (Mon - Fri / 8am - 5pm ET)