



# Safety Data Sheet

Classified in accordance 29 CFR 1910.1200

## 1. Product Identification

**Product Name:** FLEX SEAL FLOOD PROTECTION - YELLOW

**Product Codes:** RFSYELR16; RFSYELR24 AND US573YEL16

**Recommended Use:** Coating

**Manufacturer/Importer/Distributor Information:** SWIFT RESPONSE, LLC  
15499 SW 12th Street,  
SUNRISE, FL 33326

800-307-6201

**Emergency Telephone:** 1-800-424-9300

## 2. Hazard(s) identification

### Classification

Flammable Aerosol, category 1  
Compressed Gas, Gases Under Pressure  
Skin Irritation, category 2  
STOT, single exposure, category 3, NE  
Reproductive Toxicity, category 2  
STOT, repeated exposure, category 2

### Label elements

#### HAZARD PICTOGRAMS



### SIGNAL WORD

Danger

### GHS HAZARD STATEMENTS

H222 Extremely flammable aerosol.  
H280 Contains gas under pressure; may explode if heated.  
H315 Causes skin irritation.  
H336 May cause drowsiness or dizziness.  
H361 Suspected of damaging fertility or the unborn child.  
H373 May cause damage to organs through prolonged or repeated exposure.

### GHS PRECAUTIONARY STATEMENTS

#### Prevention

P201 Obtain special instructions before use.  
P202 Do not handle until all safety precautions have been read and understood.

P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P211	Do not spray on an open flame or other ignition source.
P251	Do not pierce or burn, even after use.
P260	Do not breathe fumes, mists, vapours or spray.
P264	Wash thoroughly after handling.
P271	Use only outdoors or in a well-ventilated area.
P280	Wear protective gloves and protective clothing
<b>Response</b>	
P302+P352	IF ON SKIN: Wash with plenty of soap and water.
P304+P340+P312	IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.
P308+P313	IF exposed or concerned: Get medical advice/attention.
P314	Get medical advice/attention if you feel unwell.
P332+P313	If skin irritation occurs: Get medical advice/attention.
P362+P364	Take off contaminated clothing and wash it before reuse.
<b>Storage</b>	
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P405	Store locked up.
P410+P403	Protect from sunlight. Store in a well-ventilated place.
P410+P412	Protect from sunlight. Do not expose to temperatures exceeding 50°C/ 122°F.
<b>Disposal</b>	
P501	Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

**Other Information**

None

### 3. Composition/Information on Ingredients

**Mixtures**

<u>Chemical Identity</u>	<u>CAS Number</u>	<u>Content in Percent (%)*</u>
Toluene	108-88-3	25-50
Propane	74-98-6	10-25
Isobutane	75-28-5	10-25
Distillates (petroleum), Light Distillate Hydrotreated	68410-97-9	10-25
Naphtha (petroleum), Heavy Alkylate	64741-65-7	2.5-10
2-methoxy-1-methylethyl Acetate	108-65-6	0.1-1.0
Titanium dioxide	13463-67-7	0.1-1.0
Silica, amorphous	7631-86-9	<0.1

\* All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

**Composition Comments:** Other components are not hazardous or are below required disclosure limits.

The exact concentration has been withheld as a trade secret.

### 4. First-aid Measures

**SKIN CONTACT:** Remove contaminated clothing and wash the skin thoroughly with soap and water after work. Wash skin thoroughly with soap and water for several minutes. If irritation occurs, get medical attention. Remove contaminated clothing. Launder clothing before re-use.

**EYE CONTACT:** Rinse immediately with plenty of water.

**INHALATION:** Move to fresh air. Remove victim to fresh air. If breathing is difficult, oxygen should be administered by qualified personnel. Get medical attention if you feel unwell.

**INGESTION:** Rinse mouth.

**IMPORTANT SYMPTOMS:** Inhalation may cause drowsiness or dizziness. May cause skin irritation. Prolonged or repeated exposure may cause damage to organs.

**INDICATION OF IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED:** Get medical attention if symptoms occur.

## 5. Fire-fighting Measures

**EXTINGUISHING MEDIA:** Use fire-extinguishing media appropriate for surrounding materials.

**UNSUITABLE EXTINGUISHING MEDIA:** Do not use water jet as an extinguisher, as this will spread the fire.

**UNUSUAL FIRE AND EXPLOSION HAZARDS:** Extremely flammable aerosol. Contents under pressure. Keep away from ignition sources and open flames. Prolonged exposure to temperatures above 120°F may cause cans to burst. Vapors may travel considerable distance to a source of ignition and flash back. Combustion may produce carbon dioxide and carbon monoxide.

**SPECIAL FIREFIGHTING PROCEDURES:** No data available

## 6. Accidental Release Measures

**PERSONAL PRECAUTIONS :** Ventilate closed spaces before entering them. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Keep upwind.

**METHODS AND MATERIALS FOR CONTAINMENT AND CLEANUP:** Leaking cans should be placed in a plastic bag or open pail away from ignition sources until the pressure has dissipated. Collect liquid spill with an inert absorbent material and place into a suitable container for disposal.

**ENVIRONMENTAL PRECAUTIONS:** Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Do not contaminate water sources or sewer. Environmental manager must be informed of all major spillages.

## 7. Handling and Storage

**HANDLING:** Keep away from sources of ignition - No smoking. Keep away from open flames, hot surfaces and sources of ignition. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use.

**SAFE HANDLING ADVICE:** Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use.

**STORAGE:** Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C. Do not pierce or burn, even after use.

**NFPA 30B:** Aerosol Level 2

## 8. Exposure Controls/Personal Protection

### Ingredients with Occupational Exposure Limits

<u>Chemical Name</u>	<u>TLV-TWA</u>	<u>TLV-STEL</u>	<u>PEL-TWA</u>	<u>PEL-CEILING</u>
Toluene	20 ppm	N.E.	200 ppm	300 ppm
Propane	N.E.	N.E.	1000 ppm	N.E.
Isobutane	N.E.	1000 ppm	N.E.	N.E.
Distillates (petroleum), Light Distillate Hydrotreated	N.E.	N.E.	5 mg/m <sup>3</sup>	N.E.
Naphtha (petroleum), Heavy Alkylate	N.E.	N.E.	100 ppm	N.E.
2-methoxy-1-methylethyl Acetate	N.E.	N.E.	N.E.	N.E.
Titanium dioxide	0.2 mg/m <sup>3</sup>	N.E.	15 mg/m <sup>3</sup>	N.E.
Silica, amorphous	N.E.	N.E.	50 µg/m <sup>3</sup>	N.E.

**Further Advice:** MEL = Maximum Exposure Limit OES = Occupational Exposure Standard SUP = Supplier's Recommendation  
Sk = Skin Sensitizer N.E. = Not Established

**ENGINEERING CONTROLS:** No data available

**Personal Protection**

**EYE/FACE PROTECTION:** Wear goggles/face shield.

**SKIN PROTECTION:** Wear impervious gloves to prevent skin contact.

**RESPIRATORY PROTECTION:** Seek advice from local supervisor. In case of inadequate ventilation use suitable respirator.

**HYGIENIC PRACTICES:** When using do not smoke. Observe good industrial hygiene practices.

## 9. Physical and Chemical Properties

**Appearance:**

<b>Physical State:</b>	Liquid
<b>Form:</b>	Spray Aerosol
<b>Color:</b>	Yellow
<b>Odor:</b>	No data available
<b>Odor Threshold:</b>	No data available
<b>pH:</b>	No data available
<b>Freeze Point, °C:</b>	No data available
<b>Boiling Point, °C:</b>	111
<b>Flash Point, °C:</b>	-104.0
<b>Flammability (solid, gas):</b>	No data available
<b>Evaporation Rate:</b>	No data available
<b>Combustibility:</b>	Supports Combustion
<b>Explosive Limits, %:</b>	0.6 - 12.0
<b>Vapor Pressure @20°C, PSI:</b>	55 - 75
<b>Vapor Density:</b>	No data available
<b>Relative Density:</b>	0.729
<b>Solubility in Water:</b>	No data available
<b>Partition Coefficient, n-octanol/water:</b>	No data available
<b>Auto-Ignition Temperature, °C:</b>	No data available
<b>Decomposition temperature, °C:</b>	No data available
<b>Kinematic Viscosity:</b>	4505.519 4505.52

## 10. Stability and Reactivity

**REACTIVITY:** Not reactive under normal conditions of use.

**STABILITY:** Material is stable under normal conditions.

**POSSIBILITY OF HAZARDOUS REACTIONS:** No data available

**CONDITIONS TO AVOID:** Keep away from heat, sparks, flames, and other sources of ignition. Do not puncture or incinerate containers. Dropping containers may cause bursting.

**INCOMPATIBILITY:** No data available

**HAZARDOUS DECOMPOSITION PRODUCTS:** Combustion may produce carbon dioxide and carbon monoxide.

## 11. Toxicological Information

### Information on Likely Routes of Exposure

**SKIN CONTACT EFFECTS:** May cause irritation, drying, defatting of the skin and dermatitis.

**EYE CONTACT EFFECTS:** May cause slight irritation with tearing.

**INHALATION EFFECTS:** May cause central nervous system effects with drowsiness and dizziness.

**INGESTION EFFECTS:** Ingestion may cause irritation of the mucous membranes, esophagus and stomach.

**Carcinogenicity:** contains 1 component (Titanium dioxide) present at a level greater or equal to 0.1% that have been identified as possible carcinogenic to humans by IARC (Group 2B).

The following values are calculated based on chapter 3.1 of the GHS document. The product itself has not been tested.

<u>ATE ORAL</u>	11,202 mg/kg
<u>ATE DERMAL</u>	5,630 mg/kg
<u>ATE INHALATION</u>	Not classified for acute toxicity based on available data.

### Acute Toxicity Values

The acute effects of this product have not been tested. Data on individual components are tabulated below

<u>CAS-No.</u>	<u>Chemical Name</u>	<u>Oral LD50</u>	<u>Dermal LD50</u>	<u>Vapor LC50</u>
108-88-3	Toluene	5,580 mg/kg	5,000 mg/kg	28.1 mg/l
74-98-6	Propane	5,000 mg/kg	5,000 mg/kg	100 mg/l
75-28-5	Isobutane	5,000 mg/kg	5000 mg/kg	100 mg/l
68410-97-9	Distillates (petroleum), Light Distillate Hydrotreated	5,000 mg/kg	2,000 mg/kg	100 mg/l
64741-65-7	Naphtha (petroleum), Heavy Alkylate	5,000 mg/kg	5,000 mg/kg	100 mg/l
108-65-6	2-methoxy-1-methylethyl Acetate	5,155 mg/kg	5000 mg/kg Rabbit	16.0 mg/L Rat
13463-67-7	Titanium dioxide	5,000 mg/kg	5,000 mg/kg	100 mg/l
7631-86-9	Silica, amorphous	5,000 mg/kg	5,000 mg/kg	100 mg/l

N.I. = No Information

### Skin Corrosion & Irritation:

<b>Product:</b>	No data available
<b>Components:</b>	
Toluene	108-88-3 Causes skin irritation.

### Serious Eye Damage & Irritation:

<b>Product:</b>	No data available
-----------------	-------------------

### Respiratory or Skin Sensitization:

<b>Product:</b>	No data available
-----------------	-------------------

### STOT-Single Exposure:

<b>Product:</b>	No data available
<b>Components:</b>	
Toluene	108-88-3 May cause drowsiness or dizziness.

**STOT-Repeated Exposure:**

<b>Product:</b>		No data available
<b>Components:</b>		
Toluene	108-88-3	May cause damage to organs through prolonged or repeated exposure.

**Aspiration Hazard:**

**Product:** No data available

**Carcinogenicity:**

**Product:** Contains: Titanium dioxide (CAS: 13463-67-7). Titanium dioxide is classified as carcinogenic by IARC (Group 2B). However, the Titanium dioxide used in this product is in a non-respirable form and under normal conditions of use, Titanium dioxide cannot become airborne. The carcinogenic effects of Titanium dioxide are therefore not applicable to this product.

**Reproductive Toxicity:**

<b>Product:</b>		No data available
<b>Components:</b>		
Toluene	108-88-3	Suspected of damaging fertility or the unborn child.

**Germ Cell Mutagenicity:**

**Product:** No data available

## 12. Ecological Information

**ECOLOGICAL INFORMATION:** No data available

**PERSISTENCE:** No data available

**BIOACCUMULATE:** No data available

**MOBILITY IN SOIL:** No data available

**OTHER ECOLOGICAL:** No data available

## 13. Disposal Information

**DISPOSAL INFORMATION:** Consult with your local, regional and federal agencies for information on proper disposal.

**CONTAMINATED PACKAGING :** Consult with your local, regional and federal agencies for information on proper disposal.

## 14. Transport Information

**SPECIAL TRANSPORT PRECAUTIONS:** No data available

**DOT**

<b>UN Number:</b>	UN1950
<b>Proper Shipping Name:</b>	AEROSOLS, FLAMMABLE
<b>Technical Name:</b>	N/A
<b>Hazard Class(es)</b>	
<b>Class:</b>	2.1
<b>Subsidiary Risk</b>	N/A
<b>Packing Group:</b>	N/A

**IATA**

**UN Number:** UN1950  
**Proper Shipping Name:** AEROSOLS, FLAMMABLE  
**Technical Name:** N/A  
**Hazard Class(es)**  
**Class:** 2.1  
**Subsidiary Risk:** N/A  
**Packing Group:** N/A

**IMDG**

**UN Number:** UN1950  
**Proper Shipping Name:** AEROSOLS, FLAMMABLE  
**Technical Name:** N/A  
**Hazard Class(es)**  
**Class:** 2.1  
**Subsidiary Risk:** N/A  
**Packing Group:** N/A

The classification shown in this section may be eligible for use of an exception, such as 'Limited Quantity', per the dangerous goods regulations. The shipper of this product should consult the applicable mode's regulation for the UN number displayed above to determine if any exceptions are available and may be utilized, at the shipper's discretion.

**15. Regulatory Information**

**CHEMICAL INVENTORY STATUS:**

**TSCA** On or in compliance with the inventory  
**DSL** All ingredients in this product are listed on the DSL or are exempt.

**CALIFORNIA PROPOSITION 65 CARCINOGENS AND REPRODUCTIVE TOXINS:**



**WARNING**

Warning: This product may contain ingredients known to the state of California to cause Cancer or Reproductive Harm.

<u>Chemical Name</u>	<u>CAS-No.</u>
Toluene	108-88-3
Titanium dioxide	13463-67-7
Crystalline Silica	14808-60-7
Ethyl Benzene	100-41-4
Silica, amorphous	7631-86-9
Cumene	98-82-8
Naphthalene	91-20-3
Benzene	71-43-2

## 16. Other Information

**Revision Date:** 4/21/2023

**Datasheet produced by:** Regulatory Department

### **Legend**

N/A. - Not Applicable, N.E. - Not Established, N.D. - Not Determined, N.I. - No Information

TLV - Threshold Limit Values (TLVs®), as established by the American Conference of Governmental Industrial Hygienists (ACGIH®)

PEL - Permissible Exposure Limit, as established by the U.S. Occupational Safety and Health Administration (OSHA), as amended

TSCA - U.S. Toxic Substance Control Act

DSL - Canada Environmental Protection Act: Domestic Substance List

This information is being provided in accordance with the Occupational Safety and Health Administration (OSHA) regulation (29 CFR 1910.1200). The information supplied is designed for workplaces where the product use and frequency of exposure exceeds that established for the labeled consumer use.

### **Further Information**

This document has been prepared using data from sources considered to be technically reliable. It does not constitute a warranty, expressed or implied, as to the accuracy of the information contained herein. Actual conditions of use are beyond the manufacturer's and seller's control. Purchaser and user are responsible for determining the suitability of the product for a particular purpose, adopting precautions for the protection of property and persons, and compliance with all Federal, State, Provincial, and Local laws.