

Version 1.1	Revision Date: 02/10/2015		Date of last issue: 11/05/2014 Date of first issue: 11/05/2014
SECTION	1. IDENTIFICATION		
Product name		: GOJO® NATURAL	* ORANGE™ Pumice Hand Cleaner
Manu	facturer or supplier's	etails	
	pany name of supplier	: GOJO Industries, Ir	nc.
Addre	ess	: One GOJO Plaza, Akron OH 44311	Suite 500
Telep	hone	: 1 (330) 255-6000	
Emer	gency telephone	: 1-800-424-9300 C	HEMTREC
Reco	mmended use of the o	emical and restriction	is on use
Reco	mmended use	: Skin-care	
Restr	ictions on use	consumers and oth foreseeable use. C specifically defined exempt from the re- While this material contains valuable ir proper use of the p as well as unusual spills. This SDS she employees and oth intended-use guida	care or cosmetic product that is safe for her users under normal and reasonably osmetics and consumer products, by regulations around the world, are quirement of an SDS for the consumer. is not considered hazardous, this SDS nformation critical to the safe handling and roduct for industrial workplace conditions and unintended exposures such as large ould be retained and available for er users of this product. For specific ince, please refer to the information ckage or instruction sheet.

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification Not a hazardous substance or mixture. GHS Label element

Not a hazardous substance or mixture. **Other hazards** None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous ingredients

Hazar	aous	ingr	ealei	nts

Chemical Name

CAS-No.



Version 1.1	Revision Date: 02/10/2015	MSDS Number: 28583-00002	Date of last issue: Date of first issue:	
Distil	lates (petroleum), hyd	rotreated light	64742-47-8	>= 5 - < 10
1-Me	thyl 4-(1-Methylethen	yl) Cyclohexene	5989-27-5	>= 0.1 - < 1

SECTION 4. FIRST AID MEASURES

If inhaled	: If inhaled, remove to fresh air. Get medical attention if symptoms occur.
In case of skin contact	: Wash with water and soap as a precaution. Get medical attention if symptoms occur.
In case of eye contact	: Flush eyes with water as a precaution. Get medical attention if irritation develops and persists.
If swallowed	: If swallowed, DO NOT induce vomiting. Get medical attention if symptoms occur. Rinse mouth thoroughly with water.
Most important symptoms and effects, both acute and delayed	: None known.
Protection of first-aiders	: No special precautions are necessary for first aid responders.
Notes to physician	: Treat symptomatically and supportively.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	:	Water spray Alcohol-resistant foam Dry chemical Carbon dioxide (CO2)
Unsuitable extinguishing media	:	None known.
Specific hazards during fire fighting	:	Exposure to combustion products may be a hazard to health.
Hazardous combustion prod- ucts	:	Carbon oxides
Specific extinguishing methods	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
Special protective equipment for fire-fighters	:	Wear self-contained breathing apparatus for firefighting if necessary.



Version 1.1	Revision Date: 02/10/2015		DS Number: 83-00002	Date of last issue: 11/05/2014 Date of first issue: 11/05/2014
			Use personal pro	ective equipment.
SECTION	6. ACCIDENTAL RELE	ASE	MEASURES	
prote	Personal precautions, protective equipment and emergency procedures		Follow safe handl equipment recom	ing advice and personal protective mendations.
Envir	Environmental precautions		Prevent further le Prevent spreading barriers). Retain and dispos	e environment must be avoided. akage or spillage if safe to do so. g over a wide area (e.g. by containment or oil se of contaminated wash water. should be advised if significant spillages red.
	Methods and materials for containment and cleaning up		For large spills, pi containment to ke can be pumped, s container. Clean up remainin absorbent. Local or national disposal of this m employed in the o determine which i Sections 13 and 1	a absorbent material. Tovide diking or other appropriate the material from spreading. If diked material atore recovered material in appropriate and materials from spill with suitable regulations may apply to releases and aterial, as well as those materials and items leanup of releases. You will need to regulations are applicable. 5 of this SDS provide information regarding tional requirements.

SECTION 7. HANDLING AND STORAGE

Technical measures	:	See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
Local/Total ventilation	:	Use only with adequate ventilation.
Advice on safe handling	:	Avoid prolonged or repeated contact with skin. Handle in accordance with good industrial hygiene and safety practice. Take care to prevent spills, waste and minimize release to the environment.
Conditions for safe storage	:	Keep in properly labeled containers. Store in accordance with the particular national regulations.
Materials to avoid	:	Do not store with the following product types: Strong oxidizing agents



Version	Revision Date:	MSDS Number:	Date of last issue: 11/05/2014
1.1	02/10/2015	28583-00002	Date of first issue: 11/05/2014

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Ingredients	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Distillates (petroleum), hydrotreated light	64742-47-8	TWA (Mist)	5 mg/m3	OSHA Z-1
		TWA (Mist)	5 mg/m3	NIOSH REL
		ST (Mist)	10 mg/m3	NIOSH REL

Hazardous components without workplace control parameters

Ingredients	CAS-No.	
1-Methyl 4-(1-Methylethenyl)	5989-27-5	
Cyclohexene		
Engineering measures	Minimize work Dust formation product. In ad	ate ventilation, especially in confined areas. place exposure concentrations. In may be relevant in the processing of this dition to substance-specific OELs, general

Minimize workplace exposure concentrations. Dust formation may be relevant in the processing of this product. In addition to substance-specific OELs, general limitations of concentrations of particulates in the air at workplaces have to be considered in workplace risk assessment. Relevant limits include: OSHA PEL for Particulates Not Otherwise Regulated of 15 mg/m3 - total dust, 5 mg/m3 - respirable fraction; and ACGIH TWA for Particles (insoluble or poorly soluble) Not Otherwise Specified of 3 mg/m3 - respirable particles, 10 mg/m3 inhalable particles.

Personal protective equipment

Respiratory protection :		General and local exhaust ventilation is recommended to maintain vapor exposures below recommended limits. When concentrations are above recommended limits or are unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. Protection provided by air purifying respirators against exposure to any hazardous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other circumstance where air purifying respirators may not provide adequate protection.	
Hand protection			
Remarks	:	For prolonged or repeated contact use protective gloves. Wash hands before breaks and at the end of workday.	
Eye protection	:	Wear the following personal protective equipment: Safety glasses	



Version 1.1	Revision Date: 02/10/2015	MSDS Number: 28583-00002	Date of last issue: 11/05/2014 Date of first issue: 11/05/2014
Skin a	and body protection	: Skin should be	washed after contact.
Hygie	ne measures	located close to When using do	e flushing systems and safety showers are the working place. not eat, drink or smoke. ated clothing before re-use.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: liquid
Color	: gray, opaque
Odor	: fruity
Odor Threshold	: No data available
рН	: 6-8
Melting point/freezing point	: No data available
Solidification / Setting point	11.40 °C
Initial boiling point and boiling range	: 98.00 °C
Flash point	: >100 °C
Evaporation rate	: No data available
Flammability (solid, gas)	: Not applicable
Upper explosion limit	: No data available
Lower explosion limit	: No data available
Vapor pressure	: No data available
Relative vapor density	: No data available
Density	: 1.0000 g/cm3
Solubility(ies) Water solubility	: soluble
Partition coefficient: n- octanol/water	: Not applicable
Autoignition temperature	: No data available
Decomposition temperature	: The substance or mixture is not classified self-reactive.



Version 1.1	Revision Date: 02/10/2015	MSDS Number: 28583-00002	Date of last issue: 11/05/2014 Date of first issue: 11/05/2014
Visco Vis	sity cosity, kinematic	: 10,000 - 45,00	0 mm2/s (20 °C)
Explosive properties		: Not explosive	
Oxidi	zing properties	: The substance	or mixture is not classified as oxidizing.

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Not classified as a reactivity hazard.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reac- tions	: Can react with strong oxidizing agents.
Conditions to avoid	: None known.
Incompatible materials	: Oxidizing agents
Hazardous decomposition products	: No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes Inhalation Skin contact Ingestion Eye contact	s of exposure
Acute toxicity	
Not classified based on avail	able information.
Ingredients:	
Distillates (petroleum), hyd Acute oral toxicity	rotreated light: : LD50 (Rat): > 5,000 mg/kg
Acute inhalation toxicity	 LC50 (Rat): > 5.3 mg/l Exposure time: 4 h Test atmosphere: dust/mist Assessment: The substance or mixture has no acute inhalation toxicity Remarks: Based on data from similar materials
Acute dermal toxicity	: LD50 (Rabbit): > 3,160 mg/kg Assessment: The substance or mixture has no acute dermal toxicity

1-Methyl 4-(1-Methylethenyl) Cyclohexene:

Acute oral toxicity	: LD50 (Rat): > 2,000 mg/kg	
	Assessment: The substance or mixture has no acute oral	



Version Revision Date: 1.1 02/10/2015 MSDS Number: 28583-00002

Date of last issue: 11/05/2014 Date of first issue: 11/05/2014

toxicity

Remarks: Based on data from similar materials

Skin corrosion/irritation

Not classified based on available information.

Product:

Result: No skin irritation

Ingredients:

Distillates (petroleum), hydrotreated light:

Assessment: Repeated exposure may cause skin dryness or cracking.

1-Methyl 4-(1-Methylethenyl) Cyclohexene:

Species: Rabbit Result: Skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Ingredients:

Distillates (petroleum), hydrotreated light: Species: Rabbit Result: No eye irritation

1-Methyl 4-(1-Methylethenyl) Cyclohexene:

Species: Rabbit Result: No eye irritation

Respiratory or skin sensitization

Skin sensitization: Not classified based on available information. Respiratory sensitization: Not classified based on available information.

Product:

Assessment: Does not cause skin sensitization.

Ingredients:

Distillates (petroleum), hydrotreated light:

Test Type: Maximization Test (GPMT) Routes of exposure: Skin contact Species: Guinea pig Result: negative Remarks: Based on data from similar materials

1-Methyl 4-(1-Methylethenyl) Cyclohexene:

Test Type: Local lymph node assay (LLNA) Routes of exposure: Skin contact Species: Mouse Result: positive

Assessment: Probability or evidence of skin sensitization in humans



as-

GOJO® NATURAL* ORANGE™ Pumice Hand Cleaner

ersion 1	Revision Date: 02/10/2015	MSDS Number: 28583-00002	Date of last issue: 11/05/2014 Date of first issue: 11/05/2014
	n cell mutagenicity lassified based on ava	ailable information.	
Ingre	dients:		
	l lates (petroleum), h y toxicity in vitro	-	cterial reverse mutation assay (AMES) ve
Geno	otoxicity in vivo	Species: Rat Application Re Result: negati	romosomal aberration oute: Intraperitoneal injection ve eed on data from similar materials
1-Me	thyl 4-(1-Methylethe	nvl) Cvclohexene:	
	toxicity in vitro		vitro mammalian cell gene mutation test ve
Geno	otoxicity in vivo	say Species: Rat	ansgenic rodent somatic cell gene mutation pute: Ingestion ve
	inogenicity lassified based on ava	ailable information.	
1-Me Speci	edients: thyl 4-(1-Methylethe ies: Mouse cation Route: Ingestio		

Application Route: Ingestion Exposure time: 103 weeks Result: negative

IARC	No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
OSHA	No ingredient of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.
NTP	No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

Not classified based on available information.

Ingredients:

Distillates (petroleum), hydrotreated light:



Version 1.1	Revision Date: 02/10/2015	MSDS Number: 28583-00002	Date of last issue: 11/05/2014 Date of first issue: 11/05/2014
Eff	ects on fertility	Species: Rat Application Rou Result: negative	
Eff	ects on fetal development	: Test Type: Emb Species: Rat Application Rou Result: negative	
ST	OT-single exposure		
No	t classified based on availa	able information.	
ST	OT-repeated exposure		
No	t classified based on availa	able information.	
Re	peated dose toxicity		
Di: Sp NC Ap Ex	gredients: stillates (petroleum), hyd ecies: Rat DAEL: > 10.4 mg/l plication Route: inhalation posure time: 90 d marks: Based on data fron	(vapor)	

1-Methyl 4-(1-Methylethenyl) Cyclohexene:

Species: Rat NOAEL: 600 mg/kg Application Route: Ingestion Exposure time: 13 w

Aspiration toxicity

Not classified based on available information.

Ingredients:

Distillates (petroleum), hydrotreated light:

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

1-Methyl 4-(1-Methylethenyl) Cyclohexene:

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

<u>Ingredients:</u> Distillates (petroleum), hydrotreated light:



/ersion .1	Revision Date: 02/10/2015		SDS Number: 583-00002	Date of last issue: 11/05/2014 Date of first issue: 11/05/2014
Toxicit	y to fish	:	Exposure time: 96	Vater Accommodated Fraction
	y to daphnia and other c invertebrates	:	: EL50 (Acartia tonsa): > 3,193 mg/l Exposure time: 48 h Test substance: Water Accommodated Fraction	
Toxicit	y to algae	:	EL50 (Skeletonema costatum (marine diatom)): > 3,200 m Exposure time: 72 h Test substance: Water Accommodated Fraction	
			Exposure time: 72	ema costatum (marine diatom)): 993 mg/l 2 h Vater Accommodated Fraction
aquatio	y to daphnia and other c invertebrates lic toxicity)	:	Exposure time: 8	ohnia dubia (water flea)): > 70 mg/l d Vater Accommodated Fraction
Toxicit	y to bacteria	:	EC50: > 100 mg/l Exposure time: 3	
	n yl 4-(1-Methylethenyl) y to fish			s promelas (fathead minnow)): 0.72 mg/l S h
	y to daphnia and other c invertebrates	:	EC50 (Daphnia m Exposure time: 48	agna (Water flea)): 0.36 mg/l 3 h
Toxicit	y to algae	:	Exposure time: 72 Test substance: V	smus subspicatus (green algae)): 150 mg/l 2 h Vater Accommodated Fraction on data from similar materials
M-Fac icity)	tor (Acute aquatic tox-	:	1	
Persis	tence and degradabili	ity		
Ingred				
	ates (petroleum), hydr gradability		Result: Readily bi Biodegradation: 8 Exposure time: 24	32 %
	n yl 4-(1-Methylethenyl gradability) Cy :	Result: Readily bi Biodegradation: 8 Exposure time: 28	30 %



Version	Revision Date:	MSDS Number:	Date of last issue: 11/05/2014
1.1	02/10/2015	28583-00002	Date of first issue: 11/05/2014

Bioaccumulative potential

Ingredients:

1-Methyl 4-(1-Methylethenyl) Cyclohexene: Partition coefficient: n- : log Pow: 4.38 octanol/water

Mobility in soil

No data available

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues	:	Dispose of in accordance with local regulations.
Contaminated packaging	:	Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal.

SECTION 14. TRANSPORT INFORMATION

International Regulation

UNRTDG

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

49 CFR Not regulated as a dangerous good

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.




Version 1.1	Revision Date: 02/10/2015	MSDS Number: 28583-00002				
SAR	A 304 Extremely Hazar	dous Substances Re	portable Quantity			
This	material does not contai	n any components wit	h a section 304 EHS RQ.			
SAR	A 311/312 Hazards	: No SARA Hazar	ds			
SAR	A 302		No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.			
SAR	A 313	known CAS num	: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.			
US S	tate Regulations					
Penr	sylvania Right To Kno	w				
	Water		7732-18-5	70 - 90 %		
	Pumice		1332-09-8	5 - 10 %		
	Distillates (p	etroleum), hydrotreate	ed light 64742-47-8	5 - 10 %		
New	Jersey Right To Know	,				
	Water		7732-18-5	70 - 90 %		
	Pumice		1332-09-8	5 - 10 %		
	Distillates (p	etroleum), hydrotreate	ed light 64742-47-8	5 - 10 %		
Calif	ornia Prop 65	•	es not contain any chemicals ia to cause cancer, birth, or			

reproductive defects.

SECTION 16. OTHER INFORMATION

Further information



HMIS III:

HEALTH	0
FLAMMABILITY	1
PHYSICAL HAZARD	0

0 = not significant, 1 =Slight, 2 = Moderate, 3 = High 4 = Extreme, * = Chronic

Full text of other abbreviations

NIOSH REL : USA. NIOSH Recommended Exposure Limits



Version 1.1	Revision Date: 02/10/2015	MSDS Numl 28583-0000	
OSHA	A Z-1		cupational Exposure Limits (OSHA) - Table Z-1 Lim- Contaminants
NIOS	H REL / TWA	 Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek 	
NIOS	H REL / ST	 STEL - 15-minute TWA exposure that should not be exceeded at any time during a workday 	
OSHA	A Z-1 / TWA	: 8-hour time weighted average	
	es of key data used to ile the Material Safety Sheet	eChem F	echnical data, data from raw material SDSs, OECD Portal search results and European Chemicals Agen- echa.europa.eu/
Revis	ion Date	: 02/10/20	15

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

US / Z8