

ZEP ZORBENT_BAG_EA1CU FT

Version 2.1

Revision Date 09/20/2019

Print Date 09/01/2023

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Material name : ZEP ZORBENT_BAG_EA 1CU FT

Material number : 000000000000699501

Manufacturer or supplier's details

Company : Zep Inc.

Address : 350 Joe Frank Harris Parkway, SE
Emerson, GA 30137

Telephone : 404-352-1680

Emergency telephone numbers**For SDS Information** : Compliance Services 1-877-428-9937**For a Medical Emergency** : 877-541-2016 Toll Free - All Calls Recorded**For a Transportation
Emergency** : CHEMTREC: 800-424-9300 - All Calls Recorded.
In the District of Columbia 202-483-7616**Recommended use of the chemical and restrictions on use**

Recommended use : Absorbent

SECTION 2. HAZARDS IDENTIFICATION**Emergency Overview**

Appearance	granular
Colour	white
Odour	slight, mild

GHS Classification

Not a hazardous substance or mixture.

GHS label elements

Not a hazardous substance or mixture.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous components

Chemical name	CAS-No.	Concentration [%]
silicon dioxide	7631-86-9	>= 80 - <= 100

The exact percentages of disclosed substances are withheld as trade secrets.

ZEP ZORBENT_BAG_EA1CU FT

Version 2.1

Revision Date 09/20/2019

Print Date 09/01/2023

SECTION 4. FIRST AID MEASURES

- General advice : Move out of dangerous area.
Show this safety data sheet to the doctor in attendance.
Get medical attention.
Do not leave the victim unattended.
- If inhaled : If unconscious, place in recovery position and seek medical advice.
If symptoms persist, call a physician.
- In case of skin contact : Wash off with plenty of water.
Remove contaminated clothing and shoes.
Wash contaminated clothing before reuse.
If skin irritation persists, call a physician.
- In case of eye contact : Immediately flush eye(s) with plenty of water.
Remove contact lenses.
Protect unharmed eye.
Keep eye wide open while rinsing.
If eye irritation persists, consult a specialist.
- If swallowed : If swallowed, DO NOT induce vomiting unless directed to do so by medical personnel.
Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician.
Keep respiratory tract clear.
If symptoms persist, call a physician or Poison Control Centre immediately.
- Most important symptoms and effects, both acute and delayed : Effects may be delayed, symptoms may include minor eye or skin irritation.
Overexposure may cause mild eye or skin irritation.
- Notes to physician : Treat symptomatically. Symptoms may be delayed.
-

SECTION 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
- Unsuitable extinguishing media : High volume water jet
- Specific hazards during firefighting : Do not allow run-off from fire fighting to enter drains or water courses.
Used or Contaminated Zep Zorbent retains the hazardous characteristics (such as corrosivity, flammability) of the chemical absorbed, therefore consult spilled liquid SDS for guidance on hazards.
- Hazardous combustion products : No hazardous combustion products are known
-

ZEP ZORBENT_BAG_EA1CU FT

Version 2.1

Revision Date 09/20/2019

Print Date 09/01/2023

- Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
- Further information : Standard procedure for chemical fires.
SPECIAL HAZARD POTENTIAL DURING PRODUCT USE IN CLEAN UP: Flammable liquids retain their flammable characteristics when absorbed by Zep Zorbent. Liquids absorbed into or on all loose absorbents, including Zep Zorbent, lower the flash point of the absorbed liquid (mixture). For example: Liquids that resist ignition when spilled may be ignitable when absorbed into or on a particle absorbent such as clay, diatomaceous earth, Zep Zorbent or similar loose absorbent. An example of such a liquid is waste auto oil.
- FLAMMABILITY POTENTIAL IS VARIABLE: Fresh Zep Zorbent is not flammable, however if flammable liquids are absorbed in the Zep Zorbent, the flammability characteristics of the spilled liquid remain in the used Zep Zorbent.
- Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary.

SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.
Ensure adequate ventilation.
Evacuate personnel to safe areas.
- Environmental precautions : Prevent further leakage or spillage if safe to do so.
Local authorities should be advised if significant spillages cannot be contained.
Prevent product from entering drains.
- Methods and materials for containment and cleaning up : Keep in suitable, closed containers for disposal.
Used or Contaminated Zep Zorbent retains the hazardous characteristics (such as corrosivity, flammability) of the chemical absorbed, therefore consult spilled liquid SDS for guidance on hazards.

SECTION 7. HANDLING AND STORAGE

- Advice on safe handling : Avoid contact with skin and eyes.
For personal protection see section 8.
Smoking, eating and drinking should be prohibited in the application area.
Dispose of rinse water in accordance with local and national regulations.
OTHER PRECAUTIONS: Liquids that resist ignition when spilled sometimes will ignite when picked up by Zep Zorbent or any loose absorbent. For example, spilled motor oil will not ignite with a common kitchen match but will ignite when picked up by Zep Zorbent or any other loose absorbent. (See

ZEP ZORBENT_BAG_EA1CU FT

Version 2.1

Revision Date 09/20/2019

Print Date 09/01/2023

SPECIAL HAZARD POTENTIAL DURING PRODUCT USE IN CLEAN UP in Section 5 for details.)

- Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.
Keep container closed when not in use.
Containers which are opened must be carefully resealed and kept upright to prevent leakage.
- Materials to avoid : No special restrictions on storage with other products.
Hydrofluoric acid (HF) - Zep Zorbent reacts with HF forming toxic silicon tetrafluoride gas.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION
Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
silicon dioxide	7631-86-9	TWA	6 mg/m ³	NIOSH REL
		TWA	10 mg/m ³	ACGIH

NOTES: The exposure values above associated with silicone dioxide apply only to the untreated matrix. Treated Zep Zorbent has a dust suppressant to prevent it from becoming airborne.

- Engineering measures** : effective ventilation in all processing areas

Personal protective equipment

- Respiratory protection : Use a dust mask where airborne concentrations are expected to exceed exposure limits.
- Hand protection
Material : Protective gloves
Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.
- Eye protection : Access to clean water to rinse eyes must be available, options include: eye wash stations or showers, or eye wash bottles with pure water.
Tightly fitting safety goggles
- Skin and body protection : Impervious clothing
Choose body protection according to the amount and concentration of the dangerous substance at the work place.
- Hygiene measures : When using do not eat or drink.
When using do not smoke.
Wash hands before breaks and at the end of workday.

ZEP ZORBENT_BAG_EA1CU FT

Version 2.1

Revision Date 09/20/2019

Print Date 09/01/2023

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: granular
Colour	: white
Odour	: slight, mild
Odour Threshold	: No data available
pH	: Not applicable
Melting point/freezing point	: 850 - 900 °C
Boiling point	: Not applicable
Flash point	: Not applicable
Evaporation rate	: Not applicable
Upper explosion limit	: No data available
Lower explosion limit	: No data available
Vapour pressure	: Not applicable
Relative vapour density	: Not applicable
Density	: Not applicable
Bulk density	: No data available
Solubility(ies)	
Water solubility	: negligible
Partition coefficient: n-octanol/water	: No data available
Auto-ignition temperature	: not determined
Thermal decomposition	: No data available
Viscosity	
Viscosity, dynamic	: No data available
Viscosity, kinematic	: No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Stable
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: No decomposition if stored and applied as directed.
Conditions to avoid	: Heat, flames and sparks.
Incompatible materials	: Hydrofluoric acid (HF) - Zep Zorbent reacts with HF forming toxic silicon tetrafluoride gas. Used or Contaminated Zep Zorbent retains the hazardous

ZEP ZORBENT_BAG_EA1CU FT

Version 2.1

Revision Date 09/20/2019

Print Date 09/01/2023

characteristics (such as corrosivity, flammability) of the chemical absorbed, therefore consult spilled liquid SDS for guidance on hazards.

Hazardous decomposition products : No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION**Potential Health Effects**

Aggravated Medical Condition : None known.

Symptoms of Overexposure : Effects may be delayed, symptoms may include minor eye or skin irritation.

Carcinogenicity:

IARC No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

ACGIH No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

OSHA No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Acute toxicity

No data available

Skin corrosion/irritation**Product:**

Remarks: May irritate skin.

Serious eye damage/eye irritation**Product:**

Remarks: May irritate eyes.

Respiratory or skin sensitisation

No data available

Germ cell mutagenicity

No data available

Carcinogenicity

No data available

ZEP ZORBENT_BAG_EA1CU FT

Version 2.1

Revision Date 09/20/2019

Print Date 09/01/2023

Reproductive toxicity

No data available

STOT - single exposure

No data available

STOT - repeated exposure

No data available

Aspiration toxicity

No data available

Further information**Product:**

Remarks: No data available

SECTION 12. ECOLOGICAL INFORMATION**Ecotoxicity**

No data available

Persistence and degradability

No data available

Bioaccumulative potential**Product:**

Partition coefficient: n-octanol/water : Remarks: No data available

Mobility in soil

No data available

Other adverse effects

No data available

Product:

Regulation

40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances

Remarks

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

Additional ecological information

: No data available

ZEP ZORBENT_BAG_EA1CU FT

Version 2.1

Revision Date 09/20/2019

Print Date 09/01/2023

SECTION 13. DISPOSAL CONSIDERATIONS**Disposal methods**

- Waste from residues : Dispose of in accordance with local regulations.
The product should not be allowed to enter drains, water courses or the soil.
Do not contaminate ponds, waterways or ditches with chemical or used container.
- Contaminated packaging : Empty remaining contents.
Dispose of as unused product.
Do not re-use empty containers.

SECTION 14. TRANSPORT INFORMATION

Transportation Regulation: 49 CFR (USA):
NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

Transportation Regulation: IMDG (Vessel):
NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

Transportation Regulation: IATA (Cargo Air):
NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

Transportation Regulation: IATA (Passenger Air):
NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

Transportation Regulation: TDG (Canada):
NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

The product as delivered to the customer conforms to packaging requirements for shipment by road under US Department of Transportation (DOT) regulations. Additional transportation classifications noted above are for reference only, and not a certification or warranty of the suitability of the packaging for shipment under these alternative transport regulations.

SECTION 15. REGULATORY INFORMATION

- TSCA list** : No substances are subject to a Significant New Use Rule.
- No substances are subject to TSCA 12(b) export notification requirements.

ZEP ZORBENT_BAG_EA1CU FT

Version 2.1

Revision Date 09/20/2019

Print Date 09/01/2023

EPCRA - Emergency Planning and Community Right-to-Know Act**CERCLA Reportable Quantity**

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards : No SARA Hazards

SARA 302 : No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

California Prop. 65

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

The components of this product are reported in the following inventories:

DSL All components of this product are on the Canadian DSL
TSCA On TSCA Inventory

For information on the country notification status for other regions please contact the manufacturer's regulatory group.

Inventory Acronym and Validity Area Legend:

TSCA (USA), DSL (Canada), NDSL (Canada)


SECTION 16. OTHER INFORMATION

ZEP ZORBENT_BAG_EA1CU FT

Version 2.1

Revision Date 09/20/2019

Print Date 09/01/2023

Further information
NFPA:

HMIS III:

HEALTH	0
FLAMMABILITY	0
PHYSICAL HAZARD	0

0 = not significant, 1 = Slight,
2 = Moderate, 3 = High
4 = Extreme, * = Chronic

OSHA - GHS Label Information:

Not a hazardous substance or mixture.

Version:	2.1
Revision Date:	09/20/2019
Print Date:	09/01/2023

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organization supporting this manufacturer, supplier or distributor.

Zep Inc. markets products under well recognized and established brand names such as Zep®, Zep Commercial®, Zep Professional®, Enforcer®, National Chemical™, Selig™, Misty®, Next Dimension™, Petro®, i-Chem®, TimeMist®, TimeWick™, MicrobeMax®, Country Vet®, Konk®, Original Bike Spirits®, Blue Coral®, Black Magic®, Rain-X®, Niagara National™, FC Forward Chemicals®, Rexodan®, Mykal™, and a number of private labeled brands.