

## SDS Report

No. SHATY1501250601

Date: Mar. 9, 2015

Page 1 of 1


Fengcheng Sanyou Pen Making Science and Technology limited company  
Yuandu Town Fengcheng City Jiangxi Province

SGS Ref. No. : SHTY150100001032-SH  
Sample Name : Ball pen ink (blue)  
End Uses : Writting  
Composition/Ingredient of sample (as per client submission) : See *Section 3 Composition/information on ingredients* on the SDS report  
Job Receiving Date : Jan 20, 2015  
Last Information Date : Feb 10, 2015  
SDS Preparation Period : Jan 20-Feb 10, 2015

Service Requested : Preparation of Safety Data Sheet (SDS) for the sample with submitted information.

Summary : As per request, the contents and formats of the SDS are prepared in accordance with European Commission Directives 67/548/EEC, 1999/45/EC, Regulation (EC) No 1907/2006, Regulation (EC) No 1272/2008 and Regulation (EU) No 453/2010, and is provided per attached.

Signed for and on behalf of  
SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd.



Wei WANG, Terry  
Approved Signatory



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.  
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

3<sup>rd</sup> Building, No. 889 Yishan Road Xuhui District, Shanghai China 200233 TEL: (86-21) 61402553 FAX: (86-21) 64963679 [www.sgs.com](http://www.sgs.com)  
中国·上海·徐汇区宜山路889号3号楼 邮编: 200233 HL: (86-21) 61402594 HL: (86-21) 64500353 e: [sgs.china@sgs.com](mailto:sgs.china@sgs.com)

**Safety data sheet**  
Regulation(EC) No. 1907/2006, 1272/2008

Printing date 10.02.2015

Revision: 09.02.2015

**SECTION 1: Identification of the substance/mixture and of the company/undertaking**

- **1.1 Product identifier**
- Trade name: Ball pen ink (blue)
- Article number: 1002
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**
- Application of the substance / the mixture Writing
- **1.3 Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
Fengcheng Sanyou Pen Making Science and Technology limited company  
Yuandu Town Fengcheng City Jiangxi Province  
Tel: 13979199077  
E-mail: [littlestan@163.com](mailto:littlestan@163.com)
- **Only Representative / other EU contact point**  
SENATOR GmbH & Co. KGaA  
Bahnhofstrasse Gross-Bieberau Germany  
Tel: 49-6915030  
E-mail: [great.people@senator.com](mailto:great.people@senator.com)
- **Further information obtainable from:**  
Fengcheng Sanyou Pen Making Science and Technology limited company
- **1.4 Emergency telephone number:**  
Hu Yonghui  
Tel: 13979199077

UNITED KINGDOM  
National Poisons Information Service  
Tel: +44 (0) 844 892 0111

- **1.5 Reference number:** SHTY150100001032-SH; SHATY1501250601

**SECTION 2: Hazards identification**

- **2.1 Classification of the substance or mixture**
- Classification according to Regulation (EC) No 1272/2008



GHS07

Acute Tox. 4      H302 Harmful if swallowed.  
Skin Irrit. 2      H315 Causes skin irritation.  
Eye Irrit. 2      H319 Causes serious eye irritation.  
Skin Sens. 1      H317 May cause an allergic skin reaction.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

- Classification according to Directive 67/548/EEC or Directive 1999/45/EC



Xn; Harmful

R22: Harmful if swallowed.



Xi; Irritant

R36: Irritating to eyes.



Xi; Sensitising

R43: May cause sensitisation by skin contact.

R52/53: Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

- **Information concerning particular hazards for human and environment:**

The product has to be labelled due to the calculation procedure of Regulation (EC) No 1272/2008.

(Contd. on page 2)

EU

**Safety data sheet**  
**Regulation(EC) No. 1907/2006, 1272/2008**

Printing date 10.02.2015

Revision: 09.02.2015

Trade name: Ball pen ink (blue)

(Contd. of page 1)

- **Classification system:**

The classification is according to the latest edition of the Directives 67/548/EEC, 1999/45/EC and Regulation (EC) No. 1272/2008, and extended by company and literature data.

- **2.2 Label elements**

- **Labelling according to Regulation (EC) No 1272/2008**

The product is classified and labelled according to Regulation (EC) No 1272/2008.

- **Hazard pictograms**



GHS07

- **Signal word Warning**

- **Hazard-determining components of labelling:**

Benzyl alcohol

Epoxy resins

2-Phenoxyethanol

[4-[4-(diethylamino)-alpha-[4-(ethylamino)-1-naphthyl]benzylidene]cyclohexa-2,5-dien-1-ylidene] diethylammonium chloride

- **Hazard statements**

H302 Harmful if swallowed.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction.

H412 Harmful to aquatic life with long lasting effects.

- **Precautionary statements**

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read label before use.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P321 Specific treatment (see on this label).

P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- **2.3 Other hazards**

- **Results of PBT and vPvB assessment**

- **PBT:** Not applicable

- **vPvB:** Not applicable

### SECTION 3: Composition/information on ingredients

- **3.2 Mixtures**

- **Description:**

Mixture of the substances listed below with nonhazardous additions.

For the wording of the listed risk phrases refer to section 16.

- **Composition:**

CAS: 25038-59-9	Polyethylene terephthalate	20,0%
-----------------	----------------------------	-------

(Contd. on page 3)

EU

**Safety data sheet**  
Regulation(EC) No. 1907/2006, 1272/2008

Printing date 10.02.2015

Revision: 09.02.2015

Trade name: Ball pen ink (blue)

		(Contd. of page 2)
CAS: 100-51-6 EINECS: 202-859-9 Index number: 603-057-00-5	Benzyl alcohol Xn R20/22 Acute Tox. 4, H302; Acute Tox. 4, H332	16,0%
CAS: 61788-97-4	Epoxy resins Xi R36/38; Xi R43; N R51/53 Aquatic Chronic 2, H411; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317	16,0%
CAS: 122-99-6 EINECS: 204-589-7 Index number: 603-098-00-9	2-Phenoxyethanol Xn R22; Xi R36 Acute Tox. 4, H302; Eye Irrit. 2, H319	15,0%
CAS: 1328-51-4 EINECS: 215-523-1	disulfo copper phthalocyanine amine salt	10,0%
CAS: 57-55-6 EINECS: 200-338-0	propane-1,2-diol substance with a Community workplace exposure limit	9,0%
CAS: 52080-58-7	[4-[4,4'-Bis(dimethylamino)benzhydrylidene]cyclohexa-2,5-dien-1-ylidene]methylimine	6,0%
CAS: 102-71-6 EINECS: 203-049-8	2,2',2''-nitrioltriethanol substance with a Community workplace exposure limit	3,0%
CAS: 2390-60-5 EINECS: 219-232-0	[4-[4-(diethylamino)-alpha-[4-(ethylamino)-1-naphthyl]benzylidene]cyclohexa-2,5-dien-1-ylidene]diethylammonium chloride T R25; Xi R36; N R50 Acute Tox. 3, H301; Aquatic Acute 1, H400; Eye Irrit. 2, H319	3,0%
CAS: 9003-39-8	2-Pyrrolidinone, 1-ethenyl-, homopolymer	1,0%
CAS: 112-80-1 EINECS: 204-007-1	oleic acid, pure substance with a Community workplace exposure limit	1,0%

**Remark:**

disulfo copper phthalocyanine amine salt (CAS No.1328-51-4)  
Synonym: Solvent Blue 38

[4-[4,4'-Bis(dimethylamino)benzhydrylidene]cyclohexa-2,5-dien-1-ylidene]methylimine (CAS No.52080-58-7)  
Synonym: C.I.Solvent Violet 8

2,2',2''-nitrioltriethanol (CAS No.102-71-6)  
Synonym: Tris(2-hydroxyethyl)amine

[4-[4-(diethylamino)-alpha-[4-(ethylamino)-1-naphthyl]benzylidene]cyclohexa-2,5-dien-1-ylidene]diethylammonium chloride (CAS No.2390-60-5)  
Synonym: C.I. Basic blue 7

2-Pyrrolidinone, 1-ethenyl-, homopolymer (CAS No.9003-39-8)  
Synonym: polyvinyl pyrrolidone

Benzyl alcohol (CAS No.100-51-6)  
REACH Registration Number is 17-2119488852-24-0000

2-Phenoxyethanol (CAS No.122-99-6)  
REACH Registration Number is 17-2119488853-22-0000

propane-1,2-diol (CAS No.57-55-6)  
Synonym: 1,2-Propanediol  
REACH Registration Number is 17-2119488856-16-0000

EU

(Contd. on page 4)

**Safety data sheet**  
Regulation(EC) No. 1907/2006, 1272/2008

Printing date 10.02.2015

Revision: 09.02.2015

Trade name: Ball pen ink (blue)

(Contd. of page 3)

**SECTION 4: First aid measures**

- **4.1 Description of first aid measures**
- **After inhalation:**  
Supply fresh air and to be sure call for a doctor.  
In case of unconsciousness place patient stably in side position for transportation.
- **After skin contact:**  
Immediately wash with water and soap and rinse thoroughly.  
If skin irritation continues, consult a doctor.
- **After eye contact:**  
Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- **After swallowing:**  
Rinse out mouth with water.  
Never give anything by mouth to an unconscious person.  
Call for a doctor immediately.
- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

**SECTION 5: Firefighting measures**

- **5.1 Extinguishing media**
- **Suitable extinguishing agents:** Use fire extinguishing methods suitable to surrounding conditions.
- **5.2 Special hazards arising from the substance or mixture** No further relevant information available.
- **5.3 Advice for firefighters**
- **Protective equipment:**  
Wear fully protective suit.  
Mouth respiratory protective device.

**SECTION 6: Accidental release measures**

- **6.1 Personal precautions, protective equipment and emergency procedures**  
Wear protective equipment. Keep unprotected persons away.  
Ensure adequate ventilation  
Use respiratory protective device against the effects of fumes/dust/aerosol.  
Avoid breathing vapors, mist or gas.  
Avoid contact with eyes.  
Avoid contact with skin.
- **6.2 Environmental precautions:**  
Do not allow product to reach sewage system or any water course.  
Inform respective authorities in case of seepage into water course or sewage system.  
Do not allow to enter sewers/ surface or ground water.
- **6.3 Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).  
Dispose contaminated material as waste according to item 13.  
Ensure adequate ventilation.
- **6.4 Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

EU

(Contd. on page 5)

**Safety data sheet**  
Regulation(EC) No. 1907/2006, 1272/2008

Printing date 10.02.2015

Revision: 09.02.2015

Trade name: Ball pen ink (blue)

(Contd. of page 4)

### SECTION 7: Handling and storage

- **7.1 Precautions for safe handling**  
Ensure good ventilation/exhaustion at the workplace.  
Keep receptacles tightly sealed.  
Keep away from heat and direct sunlight.  
Prevent formation of aerosols.  
Avoid contact with skin and eyes.
- **Information about fire - and explosion protection:** Normal measures for preventive fire protection.
- **7.2 Conditions for safe storage, including any incompatibilities:**
- **Requirements to be met by storerooms and receptacles:**  
Store in a cool location.  
Store only in the original receptacle.
- **Information about storage in one common storage facility:** Store away from foodstuffs.
- **Further information about storage conditions:**  
Keep container tightly sealed.  
Store in cool, dry conditions in well sealed receptacles.
- **7.3 Specific end use(s)** No further relevant information available.

### SECTION 8: Exposure controls/personal protection

#### · 8.1 Control parameters

#### · Ingredients with limit values that require monitoring at the workplace:

<b>100-51-6 Benzyl alcohol (16,0%)</b>	
MAK (Germany)	vgl.Abschn.IIb
<b>122-99-6 2-Phenoxyethanol (15,0%)</b>	
AGW (Germany)	Long-term value: 110 mg/m <sup>3</sup> , 20 ppm 2(I);DFG, H, Y, 11
<b>57-55-6 propane-1,2-diol (9,0%)</b>	
MAK (Germany)	als Dampf und Aerosol;vgl.Abschn.IIb
WEL (Great Britain)	Long-term value: 474* 10** mg/m <sup>3</sup> , 150* ppm *total vapour and particulates **particulates
<b>102-71-6 2,2',2''-nitrilotriethanol (3,0%)</b>	
MAK (Germany)	Long-term value: 5E mg/m <sup>3</sup>
<b>112-80-1 oleic acid, pure (1,0%)</b>	
MAK (Germany)	vgl.Abschn.Xc

- **DNELs:** Not applicable
- **PNECs:** Not applicable
- **Additional information:** The lists valid during the making were used as basis.
- **8.2 Exposure controls**
- **Based on composition shown in Section 3, the following measures are suggested for occupational safety measure:**
- **Appropriate engineering controls:**  
Keep away from foodstuffs, beverages and feed.  
Immediately remove all soiled and contaminated clothing  
Wash hands before breaks and at the end of work.  
Avoid contact with the eyes and skin.  
See Section 7 for information about design of technical facilities.
- **Personal protective equipment:**
- **Respiratory protection:**  
In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

(Contd. on page 6)

EU

**Safety data sheet**  
Regulation(EC) No. 1907/2006, 1272/2008

Printing date 10.02.2015

Revision: 09.02.2015

Trade name: Ball pen ink (blue)

(Contd. of page 5)

· **Protection of hands:**

Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.  
Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· **Material of gloves:**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· **Penetration time of glove material:**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye protection:**

Tightly sealed goggles

· **Environmental exposure controls:**

Control measures must be made in accordance with Community environmental protection legislation.

### SECTION 9: Physical and chemical properties

· **9.1 Information on basic physical and chemical properties**· **Appearance:**

· <b>Form:</b>	Gel
· <b>Colour:</b>	Blue
· <b>Odour:</b>	Odourless
· <b>Odour threshold:</b>	Data not available.

· **pH-value:** 6~10

· **Change in condition**

· <b>Melting point/Melting range:</b>	-50~20 °C
· <b>Boiling point/Boiling range:</b>	180~300 °C
· <b>Freezing point:</b>	Data not available

· **Flash point:** Data not available

· **Flammability (solid, gaseous):** Not applicable

· **Auto-Ignition temperature:** Data not available

· **Decomposition temperature:** Date not available.

· **Self-igniting:** Product is not selfigniting.

· **Explosive properties:** Product does not present an explosion hazard.

· **Explosion limits:**

· <b>Lower:</b>	Data not available.
· <b>Upper:</b>	Data not available.

· **Oxidising properties:** Data not available.

· **Vapour pressure at 100 °C:** 13,3 mm Hg

(Contd. on page 7)

EU



**Safety data sheet**  
Regulation(EC) No. 1907/2006, 1272/2008

Printing date 10.02.2015

Revision: 09.02.2015

Trade name: Ball pen ink (blue)

(Contd. of page 6)

· Density at 25 °C:	1,1 g/cm <sup>3</sup> (lit.)
· Relative density	Data not available.
· Vapour density	Data not available.
· Evaporation rate	Data not available.
· Solubility in / Miscibility with water:	Data not available
· Partition coefficient (n-octanol/water):	Data not available.
· Viscosity:	
Dynamic:	5000±1000 mPas
Kinematic:	Data not available.
· 9.2 Other information	No further relevant information available.

**SECTION 10: Stability and reactivity**

- 10.1 Reactivity No decomposition if used according to specification.
- 10.2 Chemical stability Stable under recommended storage conditions.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

**SECTION 11: Toxicological information**

- 11.1 Information on toxicological effects
- Acute toxicity:

· LD/LC50 values relevant for classification:

**100-51-6 Benzyl alcohol**

Oral	LD50	1360 mg/kg (mouse) 1230 mg/kg (rat) 1040 mg/kg (rabbit)
Dermal	LD50	2000 mg/kg (rabbit)

**122-99-6 2-Phenoxyethanol**

Oral	LD50	933 mg/kg (mouse) 1260 mg/kg (rat)
Dermal	LD50	5000 mg/kg (rabbit)

**2390-60-5 [4-[4-(diethylamino)-alpha-[4-(ethylamino)-1-naphthyl]benzylidene]cyclohexa-2,5-dien-1-ylidene]diethylammonium chloride**

Oral	LD50	100 mg/kg (rat)
------	------	-----------------

**57-55-6 propane-1,2-diol**

Oral	LD50	22000 mg/kg (mouse) 20000 mg/kg (rat) 18500 mg/kg (rabbit)
Dermal	LD50	20800 mg/kg (rabbit)

**25038-59-9 Polyethylene terephthalate**

Oral	LD50	>5000 mg/kg (rat)
------	------	-------------------

(Contd. on page 8)

EU



**Safety data sheet**  
Regulation(EC) No. 1907/2006, 1272/2008

Printing date 10.02.2015

Revision: 09.02.2015

Trade name: Ball pen ink (blue)

(Contd. of page 7)

<b>9003-39-8 2-Pyrrolidinone, 1-ethenyl-, homopolymer</b>		
Oral	LD50	> 40000 mg/kg (mouse) 100000 mg/kg (rat)
<b>112-80-1 oleic acid, pure</b>		
Oral	LD50	28000 mg/kg (mouse) 74000 mg/kg (rat)
<b>102-71-6 2,2',2''-nitritotriethanol</b>		
Oral	LD50	5846 mg/kg (mouse) 5530 mg/kg (rat) 2200 mg/kg (rabbit)
Dermal	LD50	>22500 mg/kg (rabbit)

- **Primary irritant effect:**
  - **on the skin:** Irritant to skin and mucous membranes.
  - **on the eye:** Irritating effect.
- **Sensitisation:**  
Sensitisation possible through skin contact.  
Sensitization possible.
- **Additional toxicological information:**  
The product shows the following dangers according to the calculation method based on the EU Directives 67/548/EEC, 1999/45/EC and Regulation 1272/2008/EC:  
Harmful  
Irritant
- **Toxicokinetics, metabolism and distribution** Data not available
- **Acute effects (acute toxicity, irritation and corrosivity)** Data not available
- **Repeated dose toxicity** Data not available
- **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)** Data not available

### SECTION 12: Ecological information

- **12.1 Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Other adverse effects** No further relevant information available.
- **12.7 Additional ecological information:**
- **General notes:**  
Water hazard class 3 (German Regulation) (Self-assessment): extremely hazardous for water  
Do not allow product to reach ground water, water course or sewage system, even in small quantities.  
Danger to drinking water if even extremely small quantities leak into the ground.  
Harmful to aquatic organisms

### SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**
- **Recommendation**  
Must not be disposed together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 9)

EU

**Safety data sheet**  
Regulation(EC) No. 1907/2006, 1272/2008

Printing date 10.02.2015

Revision: 09.02.2015

Trade name: Ball pen ink (blue)

(Contd. of page 8)

- **Uncleaned packaging:**
- **Recommendation:** Disposal must be made according to official regulations.

**SECTION 14: Transport information**

- |  |                 |
|--|-----------------|
| · 14.1 UN-Number<br>· ADR, IMDG, IATA  | Not applicable  |
| · 14.2 UN proper shipping name<br>· ADR, IMDG, IATA                            | Not applicable  |
| · 14.3 Transport hazard class(es)<br>· ADR, IMDG, IATA<br>· Class              | Not applicable  |
| · 14.4 Packing group<br>· ADR, IMDG, IATA                                      | Not applicable  |
| · 14.5 Environmental hazards<br>· Marine pollutant:                            | No              |
| · 14.6 Special precautions for user  | Not applicable. |
| · 14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code | Not applicable. |
| · UN "Model Regulation":   | -               |

**SECTION 15: Regulatory information**

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- **MAK (German Maximum Workplace Concentration)**

112-80-1	oleic acid, pure	3A
----------	------------------	----

- **National regulations:**
- **Waterhazard class:** Water hazard class 3 (Self-assessment): extremely hazardous for water.
- **Other regulations, limitations and prohibitive regulations**

- **SVHC Candidate List of REACH Regulation Annex XIV Authorisation (17/12/2014)**

None of the ingredients is listed.

- **REACH Regulation Annex XVII Restriction (8/5/2014)**

None of the ingredients is listed.

- **REACH Regulation Annex XIV Authorization List (14/8/2014)**

None of the ingredients is listed.

- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

**SECTION 16: Other information**

- **Relevant phrases**

H301 Toxic if swallowed.  
 H302 Harmful if swallowed.  
 H315 Causes skin irritation.  
 H317 May cause an allergic skin reaction.  
 H319 Causes serious eye irritation.  
 H332 Harmful if inhaled.  
 H400 Very toxic to aquatic life.

(Contd. on page 10)

EU

**Safety data sheet**  
**Regulation(EC) No. 1907/2006, 1272/2008**

Printing date 10.02.2015

Revision: 09.02.2015

Trade name: **Ball pen ink (blue)**

(Contd. of page 9)

*H411 Toxic to aquatic life with long lasting effects.**R20/22 Harmful by inhalation and if swallowed.**R22 Harmful if swallowed.**R25 Toxic if swallowed.**R36 Irritating to eyes.**R36/38 Irritating to eyes and skin.**R43 May cause sensitisation by skin contact.**R50 Very toxic to aquatic organisms.**R51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.*

\*\*\*\*\*

*The contents and format of this SDS are in accordance with REGULATION (EC) No 1272/2008, REGULATION (EC) No 1907/2006, Regulation (EU) No 453/2010 and EU Commission Directive 1999/45/EC, 67/548/EEC.*

**DISCLAIMER OF LIABILITY**

*The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.*

**Abbreviations and acronyms:**

*ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)*

*IMDG: International Maritime Code for Dangerous Goods*

*IATA: International Air Transport Association*

*GHS: Globally Harmonised System of Classification and Labelling of Chemicals*

*EINECS: European Inventory of Existing Commercial Chemical Substances*

*ELINCS: European List of Notified Chemical Substances*

*CAS: Chemical Abstracts Service (division of the American Chemical Society)*

*DNEL: Derived No-Effect Level (REACH)*

*PNEC: Predicted No-Effect Concentration (REACH)*

*LC50: Lethal concentration, 50 percent*

*LD50: Lethal dose, 50 percent*

*Acute Tox. 3: Acute toxicity, Hazard Category 3*

*Acute Tox. 4: Acute toxicity, Hazard Category 4*

*Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2*

*Eye Irrit. 2: Serious eye damage/eye irritation, Hazard Category 2*

*Skin Sens. 1: Sensitisation - Skin, Hazard Category 1*

*Aquatic Acute 1: Hazardous to the aquatic environment - AcuteHazard, Category 1*

*Aquatic Chronic 2: Hazardous to the aquatic environment - Chronic Hazard, Category 2*

*Aquatic Chronic 3: Hazardous to the aquatic environment - Chronic Hazard, Category 3*

\*\*\*\*\*

End of document



## **West Texas Lighthouse for the Blind**

2001 Austin Street  
San Angelo, TX 76903  
www.lighthousefortheblind.org  
Phone: (325) 653-4231  
Fax: (325) 657-9367

### Addendum to: SDS Report No. SHATY1501250601 Material Name: Ballpoint pen Ink – Blue

Product Name: Water bottle Retractable Pen, Ballpoint, Blue Medium Point  
National Stock Number: 7520-01-682-7167

Details for the contractor for NSN 7520-01-682-7167

West Texas Lighthouse for the Blind  
2001 Austin Street  
San Angelo, TX 76903  
USA  
Phone: (325) 653-4231  
E-Mail: [WTLB@lighthousefortheblind.org](mailto:WTLB@lighthousefortheblind.org)  
Cage Code: 6Y777

Details for the manufacturer of NSN 7520-01-682-7167

Fengcheng Sanyou Pen Making Science and Technology limited company  
Yuandu Town Fengcheng City Jiangxi Province  
Tel: 13979199077  
E-Mail: [littlestan@163.com](mailto:littlestan@163.com)