SAFETY DATA SHEET



Paper - Domtar Copy Paper

SECTION 1: Identification

Product Name: Paper - Domtar Copy Paper

Synonyms: Paper

Recommended Use: Paper is used for printed materials and packaging.

Restrictions on Use: No restrictions

Revision Date: 11-7-2019

Manufacturer: Emergency Phone Numbers:

Domtar Inc. - USA Domtar (803) 802-7500

100 Kingsley Park Dr. Fort Mill, SC 29715

Manufacturing Locations:

Ashdown(870) 898-2711Hawesville(270) 927-6961Johnsonburg(814) 965-2521Kingsport(423) 247-7111Marlboro(843) 479-0200Rothschild(715) 359-3101Windsor(819) 845-2771

SECTION 2: Hazards Identification

Signal Word: None

GHS Class: None

Hazard Statements:

H320: Causes eye irritation

H335: May cause respiratory irritation

Precautionary Statements:

P301+312: IF SWALLOWED: Call a POISON CENTER/doctor /if you feel unwell.

P302+352: IF ON SKIN: Wash with plenty of water.

P304+340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing.

Hazards Not Otherwise Classified: May form combustible dust concentrations in air.

Page 1 of 7 Date Printed: 11/11/2019 **Other Hazards:** Paper itself does not present a significant health hazard. The dust produced from manufacturing, finishing or handling may cause or aggravate respiratory problems if proper respiratory protection is not used when needed or if exposure limits are exceeded. Accumulation of dust on surfaces may result in fire or explosion in the presence of sparks or flames.

HMIS Rating (Scale 0-4): Health = 0 Flammability = 1 Reactivity = 0

NFPA Rating (Scale 0-4): Health = 0 Flammability = 1 Reactivity = 0

SECTION 3: Composition/Information on Ingredients

| CAS# | Chemical Name | Percent |
|------------|-------------------|---------|
| 65996-61-4 | Cellulose | 70-80 |
| 471-34-1 | Calcium carbonate | 15-25 |
| 9005-25-8 | Starch | 1-5 |

SECTION 4: First Aid Measures

Eyes: Flush with water for 15 minutes, including under the eyelids. Obtain medical care if necessary.

Skin: Remove contaminated clothing. Wash affected areas with soap and water immediately. Obtain medical care if necessary.

Inhalation: Move to fresh air. Initiate rescue breathing or CPR if necessary. Obtain medical care if necessary.

Ingestion: If conscious, rinse mouth with water and give water to dilute. Obtain medical care if necessary.

Effects of Acute Overexposure:

Eves: Irritation

Skin: No significant effects expected

Inhalation: Irritation

Ingestion: No significant effects expected

Effects of Chronic Overexposure: No significant effects expected

Immediate Medical Attention or Special Treatment: Not applicable

SECTION 5: Fire Fighting Measures

Extinguishing Media: Water, CO₂, foam

Control Measures: Use SCBA and full protective equipment.

Specific Hazards: Paper is combustible. Accumulation of dust on surfaces may result in fire

or explosion in the presence of sparks or flames. **Hazardous Decomposition Products:** CO, CO₂

Page 2 of 7 Date Printed: 11/11/2019

SECTION 6: Accidental Release Measures

Spills: Use personal protective equipment. Ventilate area. Vacuum or sweep up.

Releases to the air: Not applicable

SECTION 7: Handling and Storage

Handling: Avoid personal contact. Use with adequate ventilation. Wash after handling. Avoid generating excess dust and do not allow dust to accumulate on surfaces.

Storage requirements: Store paper in a cool, dry area away from open flames and other ignition sources.

SECTION 8: Exposure Controls and Personal Protection

Exposure Limits:

| Chemical Name | ACGIH TLV | OSHA PEL | OEL |
|------------------------------|---|--|---|
| Cellulose (65996-61-4) | 10 mg/m ³ total dust TWA 5 mg/m ³ resp dust TWA | 10 mg/m³ total dust TWA 5 mg/m³ resp dust TWA | 10 mg/m ³ total dust TWA 5 mg/m ³ resp dust TWA (British Columbia) 10 mg/m ³ total dust TWA (Ontario) |
| Calcium carbonate (471-34-1) | 10 mg/m ³ TWA total | 15 mg/m ³ TWA total | 10 mg/m ³ TWA (Alberta) 10 mg/m ³ TWA total (BC) 20 mg/m ³ STEL total (BC) 3 mg/m ³ TWA resp (BC) 10 mg/m ³ TWA total (Quebec) |
| Starch (9005-25-8) | 10 mg/m ³ total dust TWA 5 mg/m ³ resp dust TWA | 15 mg/m³ total dust TWA 5 mg/m³ resp dust TWA | 10 mg/m ³ TWA total (BC) 3 mg/m ³ TWA resp (BC) 10 mg/m ³ TWA (Ontario) |

Engineering Controls: Use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits.

Individual Protection Measures:

Eve / face protection: Wear safety glasses with side shields (or goggles).

Skin protection: Not required. However, cloth, canvas, or leather gloves are recommended to minimize potential mechanical irritation from handling product.

Respiratory protection: If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn.

Additional Information: Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

Page 3 of 7 Date Printed: 11/11/2019

SECTION 9: Physical and Chemical Properties

Appearance and Odor: Various colored sheet or roll, no or slight odor

Odor threshold: Not determined

Specific gravity (water = 1): Not determined

Boiling point/range: Not applicable **Melting/freezing point:** Not applicable **Decomposition temperature:** Not applicable

Flash point: Not applicable

Lower flammability/explosive limit: Not applicable Upper flammability/explosive limit: Not applicable

Auto-ignition temperature: 451 °F (232.8 °c) Flammability (solid. gas): Combustible solid

Percent volatile: Not applicable Vapor pressure: Not applicable

Vapor density (air = 1): Not applicable

Evaporation rate: Not applicable

pH: Not applicable

Solubility in water: Not applicable

Partition coefficient (n-octanol/water): Not applicable

Viscosity: Not applicable

SECTION 10: Stability and Reactivity

Reactivity: No specific test data related to reactivity is available for this material.

Chemical Stability: Material is stable under normal ambient temperature and conditions while in storage and being handled.

Possible Hazardous Reactions: Material will not react or polymerize. Dust can react to form

explosive mixtures with air in the presence of an ignition source.

Conditions to Avoid: Avoid accumulation of dust in the presence of ignition sources

Incompatibility: Strong oxidizers

Hazardous Decomposition Products: CO, CO₂

SECTION 11: Toxicological Information

Acute Toxicity Estimate (ATE): Not determined

Toxicity Data:

| Cellulose (65996-61-4) | LC50 (rat, inhalation) | 5800 mg/m3/4 hours. |
|------------------------|------------------------|--|
| Calcium carbonate | LD50 (rat, oral) | > 2000 mg/kg |
| (471-34-1) | LD50 (rat, dermal) | > 2000 mg/kg |
| | LC50 (rat, inhalation) | > 3 mg/l/4h (OECD Guideline 403) for solid substance |
| Starch (9005-25-8) | LD50 (mouse, IP) | 6600 mg/kg |
| RTECS: GM5090000 | | |

Page 4 of 7 Date Printed: 11/11/2019

Effects of Short-Term Overexposure:

Eyes: Irritation
Skin: Not applicable
Inhalation: Irritation

Ingestion: Not applicable

Effects of Chronic Overexposure: Not applicable

Routes of Entry: Contact, inhalation

Target Organs: Eyes, respiratory system, lungs

Cancer Rating: This material contains no ingredients listed by NTP, IARC or OSHA as being

carcinogenic.

SECTION 12: Ecological Information

Environmental Toxicity: No information available at this time.

Persistence and Degradability: Cellulose fiber slowly biodegrades in water (half-life range =

1 month-1 year in freshwater and coastal seawater). Cellulose fiber persists in arid soil

(landfills).

Bioaccumulation Potential: Not determined

Mobility in Soil: Not determined

Other Adverse Effects: Not applicable

SECTION 13: Disposal Procedures

Material should be disposed of in accordance with local, state and federal regulations and company policies.

SECTION 14: Transportation Information

DOT: Basic shipping requirements: Additional information:

Not regulated None

IATA: Basic shipping requirements: Additional information:

Not listed None

IMDG: Basic shipping requirements: Additional information:

Not listed None

IMDG: Basic shipping requirements: Additional information:

Not listed None

SECTION 15: Regulatory Information

This SDS was written according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015.

OSHA: Cellulose dust is a regulated hazard under the OSHA Hazard Communication Standard (29 CFR 1910.1200).

Drug Enforcement Administration (DEA) (21 CFR 1308.11-15): Not controlled

DSL: Cellulose is on the Domestic Substance List.

Page 5 of 7 Date Printed: 11/11/2019 **TSCA:** All ingredients of this material are either listed on the TSCA Inventory or are exempt from TSCA Inventory requirements under 40 CFR 720.30.

CERCLA: This material does not contain ingredients which are subject to the reporting requirements of CERCLA. **SARA 313 Information:** This material does not contain any chemical components with known CAS numbers that exceed the de minimis reporting levels established by SARA Title III, section 313 and 40 CFR section 372.

SARA 311/312 Hazard Category: This material, under applicable definitions, meets the following categories: Combustible dust

State regulations:

US - California Prop 65: This product does not contain substances identified on the Proposition 65 list at levels that pose a significant risk for purposes of Section 25249.10© or result in an observable effect for purposes of Section 25249.10© of the Act.

US - California Hazardous Substances (Director's): Listed substance

Not listed

US - Massachusetts RTK - Substance: Listed substance

Not listed

US - New Jersey Community RTK (EHS Survey): Reportable threshold

Not listed

US - New Jersey RTK - Substances: Listed substance

Not listed

US - Pennsylvania RTK - Hazardous Substances: Listed substance

Not listed

WHMIS status: Not controlled

WHMIS classification

Not applicable

WHMIS labeling Inventory status: No

REACH: Pulp cellulose is exempt from registration under the European REACH regulations. This product does not meet the criteria for classification in any hazard class according to Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. However a safety data sheet is being supplied for it upon request for information only.

Country(s) or region Inventory name on inventory (yes/no)*

| Australia Australian Inventory of Chemical Substances (AICS): | Yes |
|--|-----|
| Canada Domestic Substances List (DSL): | No |
| Canada Non-Domestic Substances List (NDSL): | Yes |
| China Inventory of Existing Chemical Substances in China (IECSC): | Yes |
| Europe European Inventory of Existing Commercial Chemical Substances (EINECS): | Yes |
| Europe European List of Notified Chemical Substances (ELINCS): | No |
| Japan Inventory of Existing and New Chemical Substances (ENCS): | Yes |
| Korea Existing Chemicals List (ECL): | Yes |
| New Zealand New Zealand Inventory: | Yes |
| Philippines Philippine Inventory of Chemicals and Chemical Substances Yes (PICCS): | Yes |
| United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory: | Yes |

^{*}A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

SECTION 16: Other Information

Date of Issue: 5-30-2015 **Revision Date:** 11-7-2019

Abbreviations:

NA - Not applicable

Page 6 of 7 Date Printed: 11/11/2019

ND - Not determined

<u>IMPORTANT:</u> The information and data herein are believed to be accurate and have been compiled from sources believed to be reliable. It is offered for your consideration, investigation and verification. Buyer assumes all risk of use, storage and handling of the product in compliance with applicable federal, state and local laws and regulations. DOMTAR MAKES NO WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, CONCERNING THE ACCURACY OR COMPLETENESS OF THE INFORMATION AND DATA HEREIN. THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR PARTICULAR PURPOSE ARE SPECIFICALLY EXCLUDED. Domtar will not be liable for claims relating to any party's use of or reliance on information and data contained herein regardless of whether it is claimed that the information and data are inaccurate, incomplete or otherwise misleading.

Domtar End of SDS

> Page 7 of 7 Date Printed: 11/11/2019