

SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

Product Identifier #008

Product Name Hand Sanitizer

Product Use Topical Skin Preparation

Manufacturer Water Jel Technologies LLC

50 Broad Street

Carlstadt, New Jersey 07072

Telephone 201-507-8300 E-mail Address www.waterjel.com **Emergency Telephone** 1-800-275-3433 **FAX Number** 201-507-8325

Issue Date: 06-01-2015

SECTION 2: COMPOSITION/INFORMATION ON INGREDIENTS

Mixtures

Chemical Name	Common Name and Synonyms	CAS Number	%
Ethyl Alcohol	Ethanol	64-17-5	62.0
Propylene Glycol	1, 2, 3, Propanetriol 2-Hydroxypropanol	57-55-6	Proprietary

SECTION 3: HAZARDS IDENTIFICATION

Emergency Overview:

This product is regulated by the US FDA as an over-the-counter, monograph drug.

For Consumers, consult the Drug Facts on the package for use directions and warnings information.

Warnings: For External Use Only.

When using this product, avoid contact with the eyes.

Do not use on large areas of the body or on broken, blistered or oozing skin.

Stop use and ask a doctor if condition worsens or symptoms persist for more than 7 days.

If swallowed, get medical help or contact a Poison Control Center immediately.

Physical Hazards: Flammable liquid Category 3.

Health Hazards: Serious eye damage/eye irritation Category 2A.

Specific target organ toxicity, single exposure Category 3 narcotic effects.

Environmental Hazards: This mixture does not meet the classification criteria according to OSHA Hazcom 2012. **OSHA Defined Hazards:** This mixture does not meet the classification criteria according to OSHA Hazcom 2012.

Name: Hand Sanitizer

Issue Date: 06-01-2015



Label Elements:



Hazard Symbol:

Signal Word: Danger

Hazard Statement: Flammable liquid and vapor. Causes serious eye irritation. May cause drowsiness or

dizziness.

Precautionary Statement:

Prevention Keep away from heat, sparks, open flames or hot surfaces. No smoking. Ground

bond container and receiving equipment. Use explosion proof electrical, ventilating and lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Use only in well ventilated area. Wear protective gloves, clothing and eye and face protection. Avoid breathing mist or vapor. Wash Hands

thoroughly after handling.

Response If on skin: Take off contaminated clothing. Rinse skin with water.

If inhaled: Remove person to fresh air and keep comfortable for breathing. Call a

Poison Center.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses

and continue rinsing. If eye irritation persists get medical attention.

Storage Store in well ventilated area. Keep container tightly closed. Keep cool.

Disposal Dispose of contents/container in accordance with local, state, federal regulations.

Hazards not otherwise

Classified (HNOC): None known.

Supplemental Information: None.

Route of Entry:

Skin Contact: May cause minor irritation, redness, inflammation or dryness.

Skin Absorption: No adverse conditions expected. Eye Contact: May cause severe eye irritation.

Inhalation: May cause irritation of the upper respiratory tract.

Ingestion: May cause irritation of the digestive tract.

SECTION 4: FIRST AID MEASURES

Skin Contact: Wash off with warm water and soap. Get medical attention if symptoms occur.

Skin Absorption: No adverse conditions expected.

Eye Contact: Flush eyes with clear running water for a minimum of 15 minutes; if irritation persists, seek medical

attention.

Inhalation: Remove to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if

symptoms persist.

Ingestion: If swallowed, rinse mouth with water. Do not induce vomiting. Get medical attention.

Name: Hand Sanitizer Issue Date: 06-01-2015



SECTION 5: FIRE-FIGHTING MEASURES

Flammable: Yes

Means of Extinction: Use extinguishing media appropriate for surrounding fire. Use water spray, foam or dry

chemical.

In fires involving large quantities of this product, the use of large streams of water should be

avoided.

Use self-contained breathing apparatus when fighting fires that involve this material.

Flash Point and Method: NA

Upper Flammable Limit (% by volume):

Lower Flammable Limit (% by volume):

NA

Autoignition Temperature (°C):

NA

Explosion Data – Sensitivity to Impact:

No unusual fire or explosion hazards noted.

Explosion Data – Sensitivity to Static Discharge:

No unusual fire or explosion hazards noted.

Hazardous Combustion Products: Carbon oxides. Nitrogen Oxides (NOx).

NFPA Health 2 Fire 3 Reactivity 0 Other NA

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, Protective equipment and

Emergency procedures: Wear appropriate personal protective equipment.

Methods and materials for containment

and clean up: Absorb spill with vermiculite or other inert material, then place in a sealed container for

chemical waste.

Large Spills: Flush with plenty of water. Prevent entry into waterways, sewer, basements or

confined areas. Dike for later disposal.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to

Page 3 of 8

remove residual contamination.

Environmental Precautions: Avoid discharge into drains and water sources.

SECTION 7: HANDLING AND STORAGE

Handling Procedures and Equipment: Keep this and other chemicals out of the reach of children.

Storage Temperature: Do not store or mix with strong acids or oxidizers. Store at room

temperature.

Name: Hand Sanitizer

Issue Date: 06-01-2015



SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Occupational Exposure Limits:

Components ACGIH-TLVs OSHA-PELs

Ethyl Alcohol (CAS 64-17-5) 1000 ppm TWA (1900 mg/m3) 1000 ppm TWA (1900 mg/m3)

Propylene Glycol (CAS 57-55-6) 10 mg/m3 NE

Aerosol Biological Limit Values: No biological Exposure limits noted for the ingredients.

Ventilation and Engineering Controls: Ensure adequate ventilation.

Personal Protective Equipment: None required under normal conditions Hand Protection: None required under normal conditions.

Eye and Face Protection: Eye protection, as necessary to prevent excessive contact.

Skin Protection: None required under normal conditions.

General Hygiene Considerations: Practice safe work habits.

Other Protective Equipment: Eye wash stations should be nearby and ready to use.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Gel.
Physical State: Gel.
Form: Gel.
Color: Clear.

Odor: Mild alcoholic.

pH: No information available.

Boiling Point: 175°F

Melting Point: No information available.

Flash Point: 72°F closed cup

Explosive Properties: No information available. Oxidizing Properties: No information available.

Specific Gravity: 0.90 Water Solubility: Soluble.

Partition Coefficient: No information available. Viscosity: No information available.

Vapor Pressure (mm Hg): 40 Vapor Density (Air=1): 1.6 Evaporation Rate: >1 % Volatile: 100

Issue Date: 06-01-2015

SECTION 10: STABILITY AND REACTIVITY

Reactivity: The product is stable and non-reactive under normal conditions of use.

Chemical Stability: Stable at normal conditions.

Possibility of Hazardous Reactions: Hazardous polymerization does not occur.

Name: Hand Sanitizer Page 4 of 8



Conditions to Avoid: Extreme heat and sources of ignition.

Materials to Avoid Strong oxidants and strong acids.

Hazardous Decomposition Products: Carbon monoxide, carbon dioxide.

Hazardous Polymerization: Will not occur.

SECTION 11: TOXICOLOGICAL INFORMATION

Symptoms of Overexposure by Route of Exposure:

The health hazard information provided is for handling this product in an occupational setting.

Effects of Acute and Chronic Exposure:

<u>Acute</u>: The primary health effect that may be experienced in an occupational setting is mild irritation of contaminated skin. Accidental ingestion may be harmful. Although unlikely, irritation can irritate the respiratory system. Eye contact will cause irritation.

Chronic: NE

Target Organs: <u>Acute</u>: Occupational exposure: Eyes.

Chronic: Occupational exposure: Skin.

Inhalation:

Vapors may slightly irritate the nose, throat and lungs. Symptoms are generally alleviated upon breathing fresh air.

Skin Contact:

Skin contact may cause burning sensation, stinging, itching and tingling.

Eye Contact:

Eye contact can cause irritation, stinging, redness and tearing.

Ingestion:

Ingestion is not a significant route of occupational overexposure. Acute ingestion of large quantities of this product or chronic ingestion may cause adverse symptoms that may include nausea, vomiting and diarrhea.

Irritancy of the Product:

This product may cause mild to moderate irritation on damaged skin.

Skin Sensitization:

Not expected.

Respiratory Sensitization:

Not likely due to form of product.

LD50/LC50:

Ethyl Alcohol:

Oral (rodent, rat): 7060 mg/kg

Inhalation: (rodent, rat): 20000 ppm/10H

Propylene Glycol (CAS 57-55-6)

• Oral (rat): 2200mg/k

• Dermal: (rabbit) 20800 mg/k

Name: Hand Sanitizer Issue Date: 06-01-2015 Page 5 of 8



Carcinogenicity: Not classified as a human carcinogen by IARC or ACGIH.

Reproductive Toxicity:

Mutagenic/Embryo Toxicity: The components of this product are not reported to cause mutagenic or embryonic effects in

humans.

Teratogenicity: Not available.

Reproductive Toxicity: Not available.

SECTION 12: ECOLOGICAL INFORMATION

No specific information is currently available on the effect of this product on plants or animals in the environment. The product may be harmful to contaminated terrestrial and aquatic plant life in large quantities. The following aquatic toxicity data currently available for components of this product:

Ethyl Alcohol:

EC50 Crustacea - Water Flea (Daphnia magna) 5012 mg/l 48 hours EC50 Green algae (Selenastrum capricomutum) 1000 mg/l 96 hours LC 50 Fathead Minnow (Pimephales promelas) 100 mg/l 96 hours

Propylene Glycol:

EC50 Green Algae (Desmodesmus subspicatus) 19000 mg/l 96 hours EC50 Water Flea (Daphnia magna) 43500 mg/l 48 hours LC 50 Fathead Minnow (Pimephales promelas) 46500 mg/l 96 hours

Environmental Exposure Controls: Controls should be engineered to prevent release to the environment, including procedures to prevent spills, atmospheric release and release to waterways.

No component of this product is known to have ozone depletion potential.

SECTION 13: DISPOSAL CONSIDERATIONS

Disposal Instructions: Collect or dispose in sealed containers at licensed waste disposal site.

Dispose in accordance with local, state and federal regulations.

SECTION 14: TRANSPORT INFORMATION

DOT Classification: UN Number: UN1170

UN Proper Shipping Name: Ethanol Solution

Transport Hazard Class: Class 3

Labels: 3

Packing Group: III

Special Provisions: 24, B1, IB3, T2, TP!

Packaging Exceptions: 4b, 150
Packaging Non Bulk: 203
Packaging Bulk: 242

Name: Hand Sanitizer Issue Date: 06-01-2015

Page 6 of 8



IATA Classification: UN Number: UN1170

UN Proper Shipping Name: Ethanol Solution

Transport Hazard Class: Class 3
Packing Group: II
Environmental Hazards: No

Environmental Hazards: No ERG Code: 3L

Passenger and cargo aircraft: Allowed.

Cargo aircraft only: Allowed.

IMDG Classification: UN Number: UN1170

UN Proper Shipping Name: Ethanol Solution Isopropanol (Isopropyl Alcohol)

Transport Hazard Class: Class 3

Packing Group: II Marine pollutant: No EmS: F-E, S-D

SECTION 15: REGULATORY INFORMATION

U.S. Federal Regulations:

TSCA (TOXIC SUBSTANCE CONTROL ACT): Not regulated.

CERCLA (COMPREHENSIVE RESPONSE COMPENSATION, AND LIABILITY ACT): Listed.

Ethanol (CAS 64-17-5)

SARA TITLE III (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT) Emergency Release Notification:

Hazard Category: Immediate Hazard Fire Hazard

SARA 304 EMERGENCY RELIEF NOTIFICATION: Not regulated.

SARA 302 EXTREMELY HAZARDOUS SUBSTANCE: Not listed.

SARA 311/312 HAZARDOUS CHEMICAL: Yes

SARA 313 REPORTABLE INGREDIENTS: Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050): Not listed.

STATE REGULATIONS:

California Prop 65:

This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

New Jersey RTK: Ethanol (CAS 64-17-5) Triethanolamine (CAS 102-71-6) Propylene Glycol (CAS 57-55-6)

Massachusetts RTK: Ethanol (CAS 64-17-5)

Triethanolamine (CAS 102-71-6)

Name: Hand Sanitizer Page 7 of 8

Issue Date: 06-01-2015



Pennsylvania RTK: Ethanol (CAS 64-17-5) Propylene Glycol (CAS 57-55-6) Triethanolamine (CAS 102-71-6)

INTERNATIONAL REGULATIONS:

Country or Region	Inventory Name	Listed
Australia	Australia Inventory of Chemical Substances	Yes
Canada	Domestic Substance List (DSL)	Yes
Canada	Non-Domestic Substance List (NDSL)	No
China:	Inventory of Existing Chemical Substances In China (IECSC)	Yes
Europe	European List of Notified Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
United States & Puerto F	Rico Toxic Substance Control Act (TSCA) Inventory	Yes

Note: A "Yes" indicates that all components comply with the inventory requirements administered by the

governing country.

A "No" indicates that one or more components of the product are not listed or exempt from listing on

the inventory administered by the governing country.

SECTION 16: OTHER INFORMATION

Issue Date: 06-15-2015

Version: 01

Disclaimer:

The information provided in this Safety Data Sheet (SDS) is accurate to the best of our knowledge. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or processes.

Name: Hand Sanitizer Issue Date: 06-01-2015

Page 8 of 8

CORPOBILION PASSION, PARTNERSHIP, POSSIBILITIES.

SAFETY DATA SHEET

SECTION 1: PRODUCT IDENTIFICATION

PRODUCT: BZK Prep Pads and Towelette
Product Label Name: BZK Prep Pads and Towelette

Company Name and Address: Dukal Corporation 2 Fleetwood Court

Ronkonkoma, NY 11779

Emergency Telephone Number: 631-656-3800

Recommended use: First Aid Antiseptic.

SECTION 2: HAZARDOUS IDENTIFICATION

Emergency overview Contact with liquid may cause eye and skin irritation.

Potential short term health effects

Routes of exposure Eye, Skin contact, Skin absorption, Inhalation, Ingestion.

Eyes May cause irritation.

Skin In case of skin irritation, discontinue use of the product.

Inhalation Not a normal route of exposure. May cause respiratory tract irritation.

Ingestion Not a normal route of exposure. May cause stomach distress, nausea or vomiting.

Target organs: Eyes. Skin.

Chronic effects Prolonged or repeated exposure can cause drying, defatting and dermatitis.

Signs and symptoms Symptoms may include redness, edema, drying, defatting and cracking of the skin.

Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting.

SECTION 3: INFORMATION ON INGREDIENTS

Ingredient list	Cas#	%
Benzalkonium Chloride	8001-54-5	0.133%
Sodium bicarbonate	144-55-8	0.05%
Purified Water	7732-18-5	QS to 100

CORPORATION PASSION. PARTNERSHIP, POSSISILITIES.

SAFETY DATA SHEET

SECTION 4: FIRST-AID MEASURES

First aid procedures

Eye contact

Flush with cool water. Remove contact lenses, if applicable, and continue flushing.

Obtain medical attention if irritation persists.

Skin contact In case of skin irritation, discontinue use of product.

Inhalation Not a normal route of exposure. If symptoms develop move victim to fresh air. If symptoms persist, obtain medical attention.

Ingestion Not a normal route of exposure. Do not induce vomiting. Never give anything by mouth if victim is unconscious, or is convulsing. Obtain medical attention.

Notes to physician Symptoms may be delayed.

General advice If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Keep out of reach of children. Avoid contact with eyes.

SECTION 5: FIRE-FIGHTING MEASURES

Flammable properties Not flammable by OSHA criteria

Extinguishing media

Suitable extinguishing media Treat for surrounding material.

Unsuitable extinguishing media Not available

Protection of firefighters

Specific hazards arising from the chemical

Not available

Protective equipment for firefighters

Firefighters should wear full protective clothing including self contained breathing apparatus.

Hazardous combustion products May include and are not limited to: Oxides of carbon. Hydrogen chloride.

Explosion data

Sensitivity to mechanical impact

Not available

Sensitivity to static discharge Not available

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautions Keep unnecessary personnel away. Do not touch or walk through spilled material. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Keep people away from and upwind of spill/leak.

Methods for containment Prevent entry into waterways, sewers, basements or confined areas. Methods for cleaning up Pick up and discard towel.

SECTION 7: HANDLING AND STORAGE

Handling Use good industrial hygiene practices in handling this material.

Storage Keep out of reach of children. Store in a closed container away from incompatible materials.

CORPOBION PASSION, PA

SAFETY DATA SHEET

SECTION 8: EXPOSURE CONTROLS

Engineering controls General ventilation normally adequate.

Personal protective equipment

Eye / face protection Follow standard industrial hygiene practices.

Hand protection Not required.

Skin and body protection As required by employer code.

Respiratory protection Where exposure guideline levels may be exceeded, use an approved NIOSH respirator.

General hygiene considerations Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Appearance Liquid saturated on wipe

Color clear liquid

Form Liquid saturated on wipe.

Odor Characteristic

Odor threshold Not available

Physical state Solid

pH Not available

Melting point Not available

Freezing point Not available

Boiling point 101.11 °C (214 °F)

Flash point Not available

Evaporation rate Not available

Flammability limits in air, lower, % by volume Not available

Flammability limits in air, upper, % by volume Not applicable

Vapor pressure Not available

Vapor density Not available

Specific gravity Not available

Octanol/water coefficient Not available

Solubility (H2O) Not available

Auto-ignition temperature Not available

VOC (Weight %) Not available

Viscosity Not available

Percent volatile Not available

SECTION 10: STABILITY AND REACTIVITY

Chemical stability Stable under recommended storage conditions.

Conditions to avoid Do not mix with other chemicals.

Incompatible materials Caustics. Acids. Oxidizers.

Hazardous decomposition products May include and are not limited to: Oxides of carbon. Hydrogen chloride.

Possibility of hazardous reactions Hazardous polymerization does not occur.

CORPORATION PASSIGNATION

SAFETY DATA SHEET

SECTION 11: TOXICOLOGICAL INFORMATION

Effects of acute exposure

Eye May cause irritation.

Skin In case of skin irritation, discontinue use of the product.

Inhalation Not a normal route of exposure. May cause respiratory tract irritation.

Ingestion Not a normal route of exposure. May cause stomach distress, nausea or vomiting.

Sensitization Non-hazardous by WHMIS/OSHA criteria.

Chronic effects Non-hazardous by WHMIS/OSHA criteria.

Carcinogenicity Non-hazardous by WHMIS/OSHA criteria.

Mutagenicity Non-hazardous by WHMIS/OSHA criteria.

Reproductive effects Non-hazardous by WHMIS/OSHA criteria.

Teratogenicity Non-hazardous by WHMIS/OSHA criteria.

SECTION 12: ECOLOGICAL INFORMATION

Ecotoxicity Not available

Environmental effects Not available

Aquatic toxicity Not available

Persistence / degradability Not available

Bioaccumulation / accumulation Not available

Partition coefficient Not available

Mobility in environmental media Not available

Chemical fate information Not available

Other adverse effects Not available

SECTION 13: DISPOSABLE INFORMATION

Waste codes Not available

Disposal instructions Discard after single use.

Review federal, state/provincial, and local government requirements prior to disposal.

Discard with solid waste. Dispose in accordance with all applicable regulations.

Waste from residues / unused products Not available

Contaminated packaging Not available\

SECTION 14: TRANSPORATION INFORMATION

U.S. Department of Transportation (DOT) Not regulated as dangerous goods.

Transportation of Dangerous Goods (TDG - Canada) Not regulated as dangerous goods.

SECTION 15: REGULATORY INFORMATION

US Federal regulations This product is not known to be a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200. All components are on the U.S. EPA TSCA Inventory List.

Canadian federal regulations: This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations.

Occupational Safety and Health Administration (OSHA)

29 CFR 1910.1200 hazardous No chemical



SECTION 16: OTHER INFORMATION

Issue Date: 6-18-14 Revision Date: 4-1-15

Disclaimer:

The information provided in this SDS is correct and is to the best of our knowledge, at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.



Safety Data Sheet

Copyright, 2014, Nortech Labs Inc.

All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing Nortech Labs Inc products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from Nortech Labs Inc, and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

Issue Date: 07/30/14

SECTION 1: Identification

1.1. Product identifier

COOL™ Instant Cold Pack Urea INST56U, INST57U, INST68U

Product Identification Numbers

INST5624U, INST5680U, INST5650BXU, INST5716U, INST5724U, INST5748U, INST6816U, INST6824U

1.2. Recommended use and restrictions on use

Recommended use

Instant cold pack for First Aid & Therapy

1.3. Supplier's details:

MANUFACTURER: Nortech Labs Inc

ADDRESS: 125 Sherwood Ave, Farmingdale NY 11735

TELEPHONE: 888-COLD-PAK (265-3725)

1.4. Emergency telephone number

CHEMTREC - (800) 424-9300

SECTION 2: Hazard identification

2.1. Hazard classification

Not classified as hazardous according to OSHA Hazard Communication Standard, 29 CFR 1910.1200.

2.2. Label elements

Signal word

Not applicable.

Symbols

Not applicable.

Pictograms

Not applicable.

2.3. Hazards not otherwise classified

None.

SECTION 3: Composition/information on ingredients

Ingredient	C.A.S. No.	% by Wt
UREA	57-13-6	42 - 52
WATER	7732-18-5	40 - 50
OUTER FILM	None	5 - 10
INNER FILM	None	1 - 3

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation:

No need for first aid is anticipated.

Skin Contact:

Wash with soap and water. If signs/symptoms develop, get medical attention.

Eye Contact:

Flush with large amounts of water. Remove contact lenses if easy to do. Continue rinsing. If signs/symptoms persist, get medical attention.

If Swallowed:

Rinse mouth. If you feel unwell, get medical attention.

4.2. Most important symptoms and effects, both acute and delayed

See Section 11.1. Information on toxicological effects.

4.3. Indication of any immediate medical attention and special treatment required

Not applicable

SECTION 5: Fire-fighting measures

5.1. Suitable extinguishing media

In case of fire: Use a fire fighting agent suitable for ordinary combustible material such as water or foam to extinguish.

5.2. Special hazards arising from the substance or mixture

None inherent in this product.

Hazardous Decomposition or By-Products

SubstanceConditionCarbon monoxideDuring CombustionCarbon dioxideDuring Combustion

5.3. Special protective actions for fire-fighters

No special protective actions for fire-fighters are anticipated.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Ventilate the area with fresh air.

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Contain spill. Working from around the edges of the spill inward, cover with bentonite, vermiculite, or commercially available inorganic absorbent material. Mix in sufficient absorbent until it appears dry. Remember, adding an absorbent material does not remove a physical, health, or environmental hazard. Collect as much of the spilled material as possible. Place in a closed container approved for transportation by appropriate authorities. Clean up residue with water. Seal the container. Dispose of collected material as soon as possible.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Do not eat, drink or smoke when using this product. Wash thoroughly after handling.

7.2. Conditions for safe storage including any incompatibilities

No special storage requirements. If possible, store in a cool dry place

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

Ingredient	C.A.S. No.	Agency	Limit type	Additional Comments
UREA	57-13-6	AIHA	TWA(as total particulates):10	
			mg/m3	

ACGIH: American Conference of Governmental Industrial Hygienists AIHA:

American Industrial Hygiene Association

CMRG: Chemical Manufacturer's Recommended Guidelines

OSHA: United States Department of Labor - Occupational Safety and Health Administration TWA:

Time-Weighted-Average

STEL: Short Term Exposure Limit CEIL:

Ceiling

8.2. Exposure controls

8.2.1. Engineering controls

Use general dilution ventilation and/or local exhaust ventilation to control airborne exposures to below relevant Exposure Limits and/or control dust/fume/gas/mist/vapors/spray. If ventilation is not adequate, use respiratory protection equipment.

8.2.2. Personal protective equipment (PPE)

Eye/face protection

None required.

Skin/hand protection

No chemical protective gloves are required.

Respiratory protection

None required.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

General Physical Form: Liquid

Odor, Color, Grade: White liquid with hazy color

Odor threshold No Data Available

pH

Boiling Point 212 °F

Flash PointNo flash pointEvaporation rateNo Data AvailableFlammability (solid, gas)Not ApplicableFlammable Limits(LEL)Not ApplicableFlammable Limits(UEL)Not ApplicableVapor Pressure760 mmHg

Density No Data Available

Specific Gravity 1.33

Solubility in Water Complete

Solubility- non-water No Data Available

Partition coefficient: n-octanol/ waterNo Data AvailableAutoignition temperatureNo Data AvailableDecomposition temperatureNo Data AvailableViscosityNo Data Available

SECTION 10: Stability and reactivity

10.1. Reactivity

This material may be reactive with certain agents under certain conditions - see the remaining headings in this section.

10.2. Chemical stability

Stable.

10.3. Possibility of hazardous reactions

Hazardous polymerization will not occur.

10.4. Conditions to avoid

Sparks and/or flames

10.5. Incompatible materials

None known.

10.6. Hazardous decomposition products

<u>Substance</u> <u>Condition</u>

None known.

Refer to section 5.2 for hazardous decomposition products during combustion.

SECTION 11: Toxicological information

The information below may not be consistent with the material classification in Section 2 if specific ingredient classifications are mandated by a competent authority. In addition, toxicological data on ingredients may not be reflected in the material classification and/or the signs and symptoms of exposure, because an ingredient may be present below the threshold for labeling, an ingredient may not be available for exposure, or the data may not be relevant to the material as a whole.

11.1. Information on Toxicological effects

Signs and Symptoms of Exposure

Based on test data and/or information on the components, this material may produce the following health effects:

Inhalation:

No health effects are expected.

Skin Contact:

Contact with the skin during product use is not expected to result in significant irritation.

Eye Contact:

Contact with the eyes during product use is not expected to result in significant irritation.

Ingestion:

Gastrointestinal Irritation: Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhea.

Toxicological Data

If a component is disclosed in section 3 but does not appear in a table below, either no data are available for that endpoint or the data are not sufficient for classification.

Acute Toxicity

Name	Route	Species	Value
Overall product	Ingestion		No data available; calculated ATE > 5,000 mg/kg

ATE = acute toxicity estimate

Skin Corrosion/Irritation

Name	Species	Value

Serious Eye Damage/Irritation

Name	Species	Value

Skin Sensitization

Name	Species	Value

Respiratory Sensitization

Name	Species	Value

Germ Cell Mutagenicity

Name	Route	Value

Carcinogenicity

Name	Route	Species	Value

Reproductive Toxicity

Reproductive and/or Developmental Effects

Name	Route	Value	Species	Test Result	Exposure
					Duration

Target Organ(s)

Specific Target Organ Toxicity - single exposure

Name	Route	Target Organ(s)	Value	Species	Test Result	Exposure Duration

Specific Target Organ Toxicity - repeated exposure

Name	Route	Target Organ(s)	Value	Species	Test Result	Exposure Duration

Aspiration Hazard

Name	Value

Please contact the address or phone number listed on the first page of the SDS for additional toxicological information on this material and/or its components.

SECTION 12: Ecological information

Eco toxicological information

Please contact the address or phone number listed on the first page of the SDS for additional ecotoxicological information on this material and/or its components.

Chemical fate information

Please contact the address or phone number listed on the first page of the SDS for additional chemical fate information on this material and/or its components.

SECTION 13: Disposal considerations

13.1. Disposal methods

Dispose of contents/ container in accordance with the local/regional/national/international regulations.

Prior to disposal, consult all applicable authorities and regulations to insure proper classification. Dispose of waste product in a permitted industrial waste facility. As a disposal alternative, incinerate in a permitted waste incineration facility. Proper destruction may require the use of additional fuel during incineration processes. Empty and clean product containers may be disposed as non-hazardous waste. Consult your specific regulations and service providers to determine available options and requirements.

EPA Hazardous Waste Number (RCRA): Not regulated

SECTION 14: Transport Information

For Transport Information, please call 888-COL-PAK (265-3725)

SECTION 15: Regulatory information

15.1. US Federal Regulations

Contact Nortech Labs Inc for more information.

311/312 Hazard Categories:

Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No Immediate Hazard - No Delayed Hazard - No

15.2. State Regulations

Contact Nortech Labs Inc for more information.

15.3. Chemical Inventories

The components of this product are in compliance with the chemical notification requirements of TSCA.

Contact Nortech Labs Inc for more information.

15.4. International Regulations

Contact Nortech Labs Inc for more information.

This SDS has been prepared to meet the U.S. OSHA Hazard Communication Standard, 29 CFR 1910.1200.

SECTION 16: Other information

NFPA Hazard Classification

Health: 1 Flammability: 1 Instability: 1 Special Hazards: None

National Fire Protection Association (NFPA) hazard ratings are designed for use by emergency response personnel to address the hazards that are presented by short-term, acute exposure to a material under conditions of fire, spill, or similar emergencies. Hazard ratings are primarily based on the inherent physical and toxic properties of the material but also include the toxic properties of combustion or decomposition products that are known to be generated in significant quantities.

DISCLAIMER: The information in this Safety Data Sheet (SDS) is believed to be correct as of the date issued. Nortech Labs Inc MAKES NO WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. User is responsible for determining whether the Nortech Labs Inc product is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of a Nortech Labs Inc product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the Nortech Labs Inc product to determine whether it is fit for a particular purpose and suitable for user's method of use or application.

Nortech Labs Inc provides information in electronic form as a service to its customers. Due to the remote possibility that electronic transfer may have resulted in errors, omissions or alterations in this information, Nortech Labs Inc makes no representations as to its completeness or accuracy. In addition, information obtained from a database may not be as current as the information in the SDS available directly from Nortech Labs Inc

Nortech Labs Inc SDSs are available at www.nortechlabs.com

May be used to comply with OSHA's Hazard Communication Standard 29 CFR 1910.1200. Standard must be consulted for specific requirements.			HMIS HAZARD RATING	
	HEALTH	1	0 = INSIGNIFICANT	3 = HIGH
	FLAMMABILITY	0	1 = SLIGHT	4 = EXTREME
	REACTIVITY	0	2= MODERATE	
SAFETEC OF AMERICA				

CAFETEC OF ANAEDICA				
SAFETEC OF AMERICA				
CECTION 4 DECEMBER / COMPANY	VIDENTIE GATION			
SECTION 1 - PRODUCT / COMPAN	Y IDENTIFICATION			
DENTITY (AS USED ON LABEL AND LIST) Safetec® First Aid Burn Cream				Page 1 of 2
MANUFACTURER'S NAME		EMERGENCY TELEPHONE NU	JMBFR (24 Hours)	
Safetec of America, Inc.		(800) 255-3924		
ADDRESS (NUMBER, STREET, P.O. BOX)		TELEPHONE NUMBER FOR II	NFORMATION	
387 Kensington Ave.		(716) 895-1822		
CITY, STATE AND ZIP CODE)		DATE PREPARED SUPERSEDES	April 2, 2014	
Buffalo, NY 14215	TION	SUPERSEDES	August 13, 2013	
SECTION 2 - HAZARDS IDENTIFICA	HON			
ROUTES OF ENTRY - SIGNS AND SYMPTOMS OF EXPOSURE KIN: No adverse conditions expected.				
NHALATION: Unlikely route of exposure.				
YES: May cause irritation, characterized by a burning sensation, redn	ness, tearing, inflamation, dryness, and	I possible other effects.		
NGESTION: May cause irritation of the digestive tract.				
IEALTH HAZARDS (ACUTE):	Acute effects are possible irritation			
MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSI			n prolonged exposure.	
SECTION 3 - COMPOSITION/INFOR	RIVIATION ON INGR			
HAZARDOUS COMPONENTS	C45 "	% (wt.)	OSHA PEL/STEL	ACGIH TLV/TWA/STEL
SPECIFIC CHEMICAL IDENTITY; COMMON NAME(S)	CAS#	(OPTIONAL)	PPM	MG/M ³
idocaine HCI	50-03-3	0.5	None Established	None Established
enzalkonium Chloride	68391-01-5	0.13	None Established	None Established
thyl Alcohol	64-17-5	Proprietary	None Established	None Established
Germaben II	No information Available	Proprietary	None Established	None Established
his product is not known to contain a substance subject to Section 3:	13 of Title III of the Superfund Amend	ments and Reauthorization Act of	1986 (SARA) and 40 CFR 372 at or above minima	al amounts.
SECTION 4 - FIRST AID MEASURES				
MACDOCINICY AND CIDET AND DROCCED FORCE				
KIN: No adverse conditions expected				
KIN: No adverse conditions expected NHALATION: None expected.	ng evelids open: if irritation persists se	ek medical attention.		
EMERGENCY AND FIRST AID PROCEDURES SKIN: No adverse conditions expected NHALATION: None expected. EYES: Flush eyes with water for a minimum of 15 minutes while holding the second of 15 minutes while holding the	ng eyelids open; if irritation persists se	ek medical attention.		
iXIN: No adverse conditions expected NHALATION: None expected. YYES: Flush eyes with water for a minimum of 15 minutes while holdir NGESTION: Contact a physician immediately.		ek medical attention.		
KIN: No adverse conditions expected NHALATION: None expected. YES: Flush eyes with water for a minimum of 15 minutes while holdir NGESTION: Contact a physician immediately. SECTION 5 - FIRE FIGHTING MEASU	JRES		omponent)	
KIN: No adverse conditions expected NHALATION: None expected. YES: Flush eyes with water for a minimum of 15 minutes while holdin NGESTION: Contact a physician immediately. SECTION 5 - FIRE FIGHTING MEASU LASH POINT (METHOD USED)		ne in Air for Lowest Flashing C	omponent) vt Applicable	UEL: Not Applicable
KIN: No adverse conditions expected NHALATION: None expected. YES: Flush eyes with water for a minimum of 15 minutes while holdin NGESTION: Contact a physician immediately. SECTION 5 - FIRE FIGHTING MEASU ELASH POINT (METHOD USED) lot applicable	JRES	ne in Air for Lowest Flashing C		UEL: Not Applicable
IXIN: No adverse conditions expected NHALATION: None expected. EYES: Flush eyes with water for a minimum of 15 minutes while holding the properties of the	URES FLAMMABLE LIMITS (% Volum	ne in Air for Lowest Flashing C		UEL: Not Applicable
IXIN: No adverse conditions expected NHALATION: None expected. YES: Flush eyes with water for a minimum of 15 minutes while holdin NGESTION: Contact a physician immediately. SECTION 5 - FIRE FIGHTING MEASU FLASH POINT (METHOD USED) Not applicable EXTINGUISHING MEDIA	URES FLAMMABLE LIMITS (% Volum	ne in Air for Lowest Flashing C		UEL: Not Applicable
KIN: No adverse conditions expected NHALATION: None expected. YES: Flush eyes with water for a minimum of 15 minutes while holding the street of the surrounding fire. Use was water of the surrounding fire. Use was not to the surrounding fire. Use was not the surrounding fire.	JRES FLAMMABLE LIMITS (% Volumenter spray, foam or dry chemicals.	ie in Air for Lowest Flashing C LEL: No	nt Applicable	
KIN: No adverse conditions expected NHALATION: None expected. YES: Flush eyes with water for a minimum of 15 minutes while holdin NGESTION: Contact a physician immediately. SECTION 5 - FIRE FIGHTING MEASU FLASH POINT (METHOD USED) Not applicable EXTINGUISHING MEDIA Use extinguishing media appropriate for the surrounding fire. Use wa PECIAL FIRE FIGHTING PROCEDURES ON NOT enter confine fire space without full bunker gear (Helmet wit	JRES FLAMMABLE LIMITS (% Volumenter spray, foam or dry chemicals.	ie in Air for Lowest Flashing C LEL: No	nt Applicable	
KIN: No adverse conditions expected NHALATION: None expected. YES: Flush eyes with water for a minimum of 15 minutes while holdin NGESTION: Contact a physician immediately. SECTION 5 - FIRE FIGHTING MEASU LASH POINT (METHOD USED) Iot applicable XTINGUISHING MEDIA Jose extinguishing media appropriate for the surrounding fire. Use wa PPECIAL FIRE FIGHTING PROCEDURES IONOT enter confine fire space without full bunker gear (Helmet with INUSUAL FIRE AND EXPLOSIVE HAZARDS	JRES FLAMMABLE LIMITS (% Volumenter spray, foam or dry chemicals.	ie in Air for Lowest Flashing C LEL: No	nt Applicable	
KIN: No adverse conditions expected NHALATION: None expected. YES: Flush eyes with water for a minimum of 15 minutes while holdin NGESTION: Contact a physician immediately. SECTION 5 - FIRE FIGHTING MEASU FLASH POINT (METHOD USED) Not applicable EXTINGUISHING MEDIA USe extinguishing media appropriate for the surrounding fire. Use water on the first FIGHTING PROCEDURES ON NOT enter confine fire space without full bunker gear (Helmet with SINUSUAL FIRE AND EXPLOSIVE HAZARDS Carbon monoxide and carbon dioxide may be generated.	FLAMMABLE LIMITS (% Volume ter spray, foam or dry chemicals.	ie in Air for Lowest Flashing C LEL: No	nt Applicable	
KIN: No adverse conditions expected NHALATION: None expected. YES: Flush eyes with water for a minimum of 15 minutes while holdin NGESTION: Contact a physician immediately. SECTION 5 - FIRE FIGHTING MEASU PLASH POINT (METHOD USED) Not applicable EXTINGUISHING MEDIA Use extinguishing media appropriate for the surrounding fire. Use water on the surrounding fire water properties for the surrounding fire. Use water properties for the surrounding f	FLAMMABLE LIMITS (% Volume ter spray, foam or dry chemicals.	ie in Air for Lowest Flashing C LEL: No	nt Applicable	
KIN: No adverse conditions expected NHALATION: None expected. YES: Flush eyes with water for a minimum of 15 minutes while holdin NGESTION: Contact a physician immediately. SECTION 5 - FIRE FIGHTING MEASU LASH POINT (METHOD USED) Iot applicable XTINGUISHING MEDIA Jose extinguishing media appropriate for the surrounding fire. Use wa PPECIAL FIRE FIGHTING PROCEDURES IONOT enter confine fire space without full bunker gear (Helmet with NUSUAL FIRE AND EXPLOSIVE HAZARDS Arbon monoxide and carbon dioxide may be generated. SECTION 6 - ACCIDENTAL RELEASE TEPS TO BE TAKEN IF MATERIAL IS SPILLED OR RELEASED pills should be collected with approved inert absorbent for disposal.	JRES FLAMMABLE LIMITS (% Volumenter spray, foam or dry chemicals. th face shield, bunker coats, gloves and the face shield with the face shield. MEASURES Use suitable disposal containers.	ie in Air for Lowest Flashing C LEL: No	nt Applicable	
KIN: No adverse conditions expected NHALATION: None expected. YES: Flush eyes with water for a minimum of 15 minutes while holdin NGESTION: Contact a physician immediately. SECTION 5 - FIRE FIGHTING MEASU LASH POINT (METHOD USED) Iot applicable XTINGUISHING MEDIA Jose extinguishing media appropriate for the surrounding fire. Use wa PPECIAL FIRE FIGHTING PROCEDURES IONOT enter confine fire space without full bunker gear (Helmet with NUSUAL FIRE AND EXPLOSIVE HAZARDS Arbon monoxide and carbon dioxide may be generated. SECTION 6 - ACCIDENTAL RELEASE TEPS TO BE TAKEN IF MATERIAL IS SPILLED OR RELEASED pills should be collected with approved inert absorbent for disposal.	JRES FLAMMABLE LIMITS (% Volumenter spray, foam or dry chemicals. th face shield, bunker coats, gloves and the face shield with the face shield. MEASURES Use suitable disposal containers.	ie in Air for Lowest Flashing C LEL: No	nt Applicable	
KIN: No adverse conditions expected NHALATION: None expected. YES: Flush eyes with water for a minimum of 15 minutes while holdin NEESTION: Contact a physician immediately. SECTION 5 - FIRE FIGHTING MEASU PLASH POINT (METHOD USED) Iot applicable EXTINGUISHING MEDIA Use extinguishing media appropriate for the surrounding fire. Use water of the surrounding fire. Us	JRES FLAMMABLE LIMITS (% Volume ter spray, foam or dry chemicals. th face shield, bunker coats, gloves and the face shield for the face shield. MEASURES Use suitable disposal containers.	ie in Air for Lowest Flashing C LEL: No drubber boots.) Wear NIOSH/MSH	nt Applicable	
KIN: No adverse conditions expected NHALATION: None expected. YES: Flush eyes with water for a minimum of 15 minutes while holding the state of the surface of the surfac	FLAMMABLE LIMITS (% Volume ter spray, foam or dry chemicals. th face shield, bunker coats, gloves and the face shield disposal containers. AGE age: Do not store or mix with strong a	ie in Air for Lowest Flashing C LEL: No d rubber boots.) Wear NIOSH/MSH	nt Applicable	
KIN: No adverse conditions expected NHALATION: None expected. YES: Flush eyes with water for a minimum of 15 minutes while holdin NEESTION: Contact a physician immediately. SECTION 5 - FIRE FIGHTING MEASU LASH POINT (METHOD USED) tot applicable XTINGUISHING MEDIA Isse extinguishing media appropriate for the surrounding fire. Use water PECIAL FIRE FIGHTING PROCEDURES O NOT enter confine fire space without full bunker gear (Helmet with NUSUAL FIRE AND EXPLOSIVE HAZARDS arbon monoxide and carbon dioxide may be generated. SECTION 6 - ACCIDENTAL RELEASE TEPS TO BE TAKEN IF MATERIAL IS SPILLED OR RELEASED SECTION 7 - HANDLING AND STOR standling: Keep this and other chemicals out of reach of children. Stor SECTION 8 - EXPOSURE CONTROLS	FLAMMABLE LIMITS (% Volume ter spray, foam or dry chemicals. th face shield, bunker coats, gloves and the face shield disposal containers. AGE age: Do not store or mix with strong a	ie in Air for Lowest Flashing C LEL: No d rubber boots.) Wear NIOSH/MSH	nt Applicable A approved self contained breathing apparatus.	
KIN: No adverse conditions expected HALATION: None expected. WES: Flush eyes with water for a minimum of 15 minutes while holdin GESTION: Contact a physician immediately. SECTION 5 - FIRE FIGHTING MEASU LASH POINT (METHOD USED) or applicable XTINGUISHING MEDIA se extinguishing media appropriate for the surrounding fire. Use way PECIAL FIRE FIGHTING PROCEDURES O NOT enter confine fire space without full bunker gear (Helmet with SINUSUAL FIRE AND EXPLOSIVE HAZARDS Sarbon monoxide and carbon dioxide may be generated. SECTION 6 - ACCIDENTAL RELEASE TEPS TO BE TAKEN IF MATERIAL IS SPILLED OR RELEASED pills should be collected with approved inert absorbent for disposal. SECTION 7 - HANDLING AND STOR andling: Keep this and other chemicals out of reach of children. Stor SECTION 8 - EXPOSURE CONTROLS ESPIRATORY PROTECTION rdinary, none required	FLAMMABLE LIMITS (% Volume ter spray, foam or dry chemicals. th face shield, bunker coats, gloves and the face shield disposal containers. AGE age: Do not store or mix with strong a	ie in Air for Lowest Flashing C LEL: No d rubber boots.) Wear NIOSH/MSH cids or oxidizers. ECTION	nt Applicable A approved self contained breathing apparatus.	Cool fire exposed containers with water. ST: None Required
KIN: No adverse conditions expected JHALATION: None expected. WES: Flush eyes with water for a minimum of 15 minutes while holding section. Contact a physician immediately. SECTION 5 - FIRE FIGHTING MEASUALSH POINT (METHOD USED) ot applicable XTINGUISHING MEDIA se extinguishing media appropriate for the surrounding fire. Use was pecial for the surrounding fire. Use was pecial fire FIGHTING PROCEDURES O NOT enter confine fire space without full bunker gear (Helmet with NUSUAL FIRE AND EXPLOSIVE HAZARDS arbon monoxide and carbon dioxide may be generated. SECTION 6 - ACCIDENTAL RELEASE poills should be collected with approved inert absorbent for disposal. SECTION 7 - HANDLING AND STOR and ling: Keep this and other chemicals out of reach of children. Stor SECTION 8 - EXPOSURE CONTROLS SECTION 9 PROTECTION rdinary, none required ROTECTIVE GLOVES	FLAMMABLE LIMITS (% Volume ter spray, foam or dry chemicals. th face shield, bunker coats, gloves and the face shield disposal containers. AGE age: Do not store or mix with strong a	ie in Air for Lowest Flashing C LEL: No drubber boots.) Wear NIOSH/MSF cids or oxidizers. ECTION VENTILATION EYE PROTECTION	Applicable IA approved self contained breathing apparatus. LOCAL EXHAU MECHANICAL (GENERA	Cool fire exposed containers with water. ST: None Required
KIN: No adverse conditions expected JHALATION: None expected. JHALATION: Sond expected. JHALATION: Sond expected. JHALATION: Sond expected. JHALATION: Contact a physician immediately. JHALATION: Contact a physician immediately. JHALATION: Sond JHALATION JHALATION: JHALATION	FLAMMABLE LIMITS (% Volume ter spray, foam or dry chemicals. th face shield, bunker coats, gloves and the face shield disposal containers. AGE age: Do not store or mix with strong a	ie in Air for Lowest Flashing C LEL: No d rubber boots.) Wear NIOSH/MSH cids or oxidizers. ECTION VENTILATION EYE PROTECTION As necessary to prevent excessive	Applicable A approved self contained breathing apparatus. LOCAL EXHAU MECHANICAL (GENERA	Cool fire exposed containers with water. ST: None Required
KIN: No adverse conditions expected JHALATION: None expected. WES: Flush eyes with water for a minimum of 15 minutes while holding seption. Contact a physician immediately. SECTION 5 - FIRE FIGHTING MEASUASH POINT (METHOD USED) ot applicable XINIGUISHING MEDIA se extinguishing media appropriate for the surrounding fire. Use was PECIAL FIRE FIGHTING PROCEDURES O NOT enter confine fire space without full bunker gear (Helmet with INUSUAL FIRE AND EXPLOSIVE HAZARDS) arbon monoxide and carbon dioxide may be generated. SECTION 6 - ACCIDENTAL RELEASE TEPS TO BE TAKEN IF MATERIAL IS SPILLED OR RELEASED bills should be collected with approved inert absorbent for disposal. SECTION 7 - HANDLING AND STOR and ling: Keep this and other chemicals out of reach of children. Stores in the surrounding section of the control of	FLAMMABLE LIMITS (% Volume ter spray, foam or dry chemicals. th face shield, bunker coats, gloves and the face shield disposal containers. AGE age: Do not store or mix with strong a	ie in Air for Lowest Flashing C LEL: No d rubber boots.) Wear NIOSH/MSH cids or oxidizers. ECTION VENTILATION EYE PROTECTION As necessary to prevent excessiv WORK/HYGIENIC PRACTICES	LOCAL EXHAU MECHANICAL (GENERA	Cool fire exposed containers with water. ST: None Required
KIN: No adverse conditions expected JHALATION: None expected. WES: Flush eyes with water for a minimum of 15 minutes while holding september of the properties of the policy of the po	JRES FLAMMABLE LIMITS (% Volume of the spray, foam or dry chemicals. The face shield, bunker coats, gloves and the shield, gloves and gloves an	ie in Air for Lowest Flashing C LEL: No d rubber boots.) Wear NIOSH/MSH cids or oxidizers. ECTION VENTILATION EYE PROTECTION As necessary to prevent excessive	LOCAL EXHAU MECHANICAL (GENERA	Cool fire exposed containers with water. ST: None Required
KIN: No adverse conditions expected JHALATION: None expected. WES: Flush eyes with water for a minimum of 15 minutes while holding seption. Contact a physician immediately. SECTION 5 - FIRE FIGHTING MEASUASH POINT (METHOD USED) ot applicable XTINIGUISHING MEDIA se extinguishing media appropriate for the surrounding fire. Use was PECIAL FIRE FIGHTING PROCEDURES O NOT enter confine fire space without full bunker gear (Helmet with NUSUAL FIRE AND EXPLOSIVE HAZARDS) arbon monoxide and carbon dioxide may be generated. SECTION 6 - ACCIDENTAL RELEASE TEPS TO BE TAKEN IF MATERIAL IS SPILLED OR RELEASED boilds should be collected with approved inert absorbent for disposal. SECTION 7 - HANDLING AND STOR and ling: Keep this and other chemicals out of reach of children. Stores SECTION 8 - EXPOSURE CONTROLS ESPIRATORY PROTECTION rdinary, none required ROTECTIVE GLOVES rdinary, none required SECTION 9 - PHYSICAL/CHEMICAL SECTION 9 - PHYSICAL/CHEMICAL	JRES FLAMMABLE LIMITS (% Volume of the spray, foam or dry chemicals. The face shield, bunker coats, gloves and the shield, gloves and gloves an	ie in Air for Lowest Flashing C LEL: No d rubber boots.) Wear NIOSH/MSH cids or oxidizers. ECTION VENTILATION EYE PROTECTION As necessary to prevent excessiv WORK/HYGIENIC PRACTICES Practice safe work habits. Use ac	LOCAL EXHAU MECHANICAL (GENERA e contact. cording to label instructions.	Cool fire exposed containers with water. ST: None Required
KIN: No adverse conditions expected HALATION: None expected. WES: Flush eyes with water for a minimum of 15 minutes while holdin KES: Flush eyes with water for a minimum of 15 minutes while holdin KESTION: Contact a physician immediately. BECTION 5 - FIRE FIGHTING MEASI LASH POINT (METHOD USED) ot applicable XTINGUISHING MEDIA se extinguishing media appropriate for the surrounding fire. Use wa PECIAL FIRE FIGHTING PROCEDURES O NOT enter confine fire space without full bunker gear (Helmet wit MUSUAL FIRE AND EXPLOSIVE HAZARDS arbon monoxide and carbon dioxide may be generated. BECTION 6 - ACCIDENTAL RELEASE TEPS TO BE TAKEN IF MATERIAL IS SPILLED OR RELEASED TIPS TO BE TAKEN IF MATERIAL IS SPILLED OR RELEASED TIPS TO BE TAKEN IF MATERIAL SOUTH OR RELEASED TON 7 - HANDLING AND STOR BECTION 8 - EXPOSURE CONTROLS ESPIRATORY PROTECTION Tridinary, none required OTHER PROTECTIVE CLOTHING OR EQUIPMENT Tridinary, none required DECTION 9 - PHYSICAL/CHEMICAL OILING POINT	JRES FLAMMABLE LIMITS (% Volume of the spray, foam or dry chemicals. The face shield, bunker coats, gloves and the shield, gloves and gloves an	ie in Air for Lowest Flashing C LEL: No d rubber boots.) Wear NIOSH/MSH cids or oxidizers. ECTION VENTILATION EYE PROTECTION As necessary to prevent excessiv WORK/HYGIENIC PRACTICES Practice safe work habits. Use ac	LOCAL EXHAU MECHANICAL (GENERA e contact. cording to label instructions.	Cool fire exposed containers with water. ST: None Required
KIN: No adverse conditions expected HALATION: None expected. WES: Flush eyes with water for a minimum of 15 minutes while holdin KESTION: Contact a physician immediately. BECTION 5 - FIRE FIGHTING MEASI LASH POINT (METHOD USED) ot applicable XTINGUISHING MEDIA se extinguishing media appropriate for the surrounding fire. Use wa PECIAL FIRE FIGHTING PROCEDURES O NOT enter confine fire space without full bunker gear (Helmet with NUSUAL FIRE AND EXPLOSIVE HAZARDS ARDON MONIMORY OF ACCIDENTAL RELEASE TEPS TO BE TAKEN IF MATERIAL IS SPILLED OR RELEASE TEPS TO BE TAKEN IF MATERIAL IS SPILLED OR RELEASE BECTION 7 - HANDLING AND STOR andling: Keep this and other chemicals out of reach of children. Stor SECTION 8 - EXPOSURE CONTROLS ESPIRATORY PROTECTION rdinary, none required ROTECTIVE GLOVES rdinary, none required DIHER PROTECTIVE CLOTHING OR EQUIPMENT rdinary, none required SECTION 9 - PHYSICAL/CHEMICAL OILING POINT 35°C 275°F	JRES FLAMMABLE LIMITS (% Volume of the spray, foam or dry chemicals. The face shield, bunker coats, gloves and the shield, gloves and gloves an	ie in Air for Lowest Flashing C LEL: No d rubber boots.) Wear NIOSH/MSH cids or oxidizers. ECTION VENTILATION EYE PROTECTION As necessary to prevent excessiv WORK/HYGIENIC PRACTICES Practice safe work habits. Use ac	LOCAL EXHAU MECHANICAL (GENERA e contact. cording to label instructions.	Cool fire exposed containers with water. ST: None Required
KIN: No adverse conditions expected WHALATION: None expected. WES: Flush eyes with water for a minimum of 15 minutes while holdin MESTION: Contact a physician immediately. SECTION 5 - FIRE FIGHTING MEASU LASH POINT (METHOD USED) lot applicable XTINGUISHING MEDIA Use extinguishing media appropriate for the surrounding fire. Use was PECIAL FIRE FIGHTING PROCEDURES ONOT enter confine fire space without full bunker gear (Helmet with MINUSUAL FIRE AND EXPLOSIVE HAZARDS arbon monoxide and carbon dioxide may be generated. SECTION 6 - ACCIDENTAL RELEASE TEPS TO BE TAKEN IF MATERIAL IS SPILLED OR RELEASED pills should be collected with approved inert absorbent for disposal. SECTION 7 - HANDLING AND STOR landling: Keep this and other chemicals out of reach of children. Stor SECTION 8 - EXPOSURE CONTROLS SECTION 8 - EXPOSURE CONTROLS SECTION 9 - PHYSICAL/CHEMICAL OILING POINT 35°C 275°F (APOR PRESSURE (mm Hg)	JRES FLAMMABLE LIMITS (% Volume of the spray, foam or dry chemicals. The face shield, bunker coats, gloves and the shield, gloves and gloves an	ie in Air for Lowest Flashing C LEL: No J rubber boots.) Wear NIOSH/MSH cids or oxidizers. ECTION VENTILATION EYE PROTECTION As necessary to prevent excessiv WORK/HYGIENIC PRACTICES Practice safe work habits. Use ac SPECIFIC GRAVITY (WATER = 0.99	LOCAL EXHAU MECHANICAL (GENERA e contact. cording to label instructions.	Cool fire exposed containers with water. ST: None Required
KIN: No adverse conditions expected WHALATION: None expected. WES: Flush eyes with water for a minimum of 15 minutes while holdin MESTION: Contact a physician immediately. SECTION 5 - FIRE FIGHTING MEASULASH POINT (METHOD USED) tot applicable XTINGUISHING MEDIA se extinguishing media appropriate for the surrounding fire. Use was PECIAL FIRE FIGHTING PROCEDURES O NOT enter confine fire space without full bunker gear (Helmet with INUSUAL FIRE AND EXPLOSIVE HAZARDS arbon monoxide and carbon dioxide may be generated. SECTION 6 - ACCIDENTAL RELEASE TEPS TO BE TAKEN IF MATERIAL IS SPILLED OR RELEASED pills should be collected with approved inert absorbent for disposal. SECTION 7 - HANDLING AND STOR standing: Keep this and other chemicals out of reach of children. Stor SECTION 8 - EXPOSURE CONTROLS ESPIRATORY PROTECTION bridinary, none required ORDITATION OF THE PROTECTIVE CLOTHING OR EQUIPMENT bridinary, none required OTHER PROTECTIVE CLOTHING OR EQUIPMENT bridinary, none required SECTION 9 - PHYSICAL/CHEMICAL LOULING POINT 35°C 275°F (APOR PRESSURE (mm Hg) to data	JRES FLAMMABLE LIMITS (% Volume of the spray, foam or dry chemicals. The face shield, bunker coats, gloves and the shield, gloves and gloves an	ie in Air for Lowest Flashing C LEL: No J rubber boots.) Wear NIOSH/MSH cids or oxidizers. ECTION VENTILATION EYE PROTECTION As necessary to prevent excessiv WORK/HYGIENIC PRACTICES Practice safe work habits. Use ac SPECIFIC GRAVITY (WATER = 0.99 MELTING POINT	LOCAL EXHAU MECHANICAL (GENERA e contact. cording to label instructions.	Cool fire exposed containers with water. ST: None Required
KIN: No adverse conditions expected WHALATION: None expected. WHALATION: None expected. WHALATION: None expected. WES: Flush eyes with water for a minimum of 15 minutes while holding SECTION 5 - FIRE FIGHTING MEASI LASH POINT (METHOD USED) Not applicable XTINIGUISHING MEDIA USE extinguishing media appropriate for the surrounding fire. Use was PECIAL FIRE FIGHTING PROCEDURES ONOT enter confine fire space without full bunker gear (Helmet with WINUSUAL FIRE AND EXPLOSIVE HAZARDS Arbon monoxide and carbon dioxide may be generated. SECTION 6 - ACCIDENTAL RELEASE TEPS TO BE TAKEN IF MATERIAL IS SPILLED OR RELEASED pills should be collected with approved inert absorbent for disposal. SECTION 7 - HANDLING AND STOR BANDING SECTION 8 - EXPOSURE CONTROLS WESPIRATORY PROTECTION WINDOWS BETTON B	JRES FLAMMABLE LIMITS (% Volume of the spray, foam or dry chemicals. The face shield, bunker coats, gloves and the shield, gloves and gloves an	cids or oxidizers. ECTION VENTILATION EYE PROTECTION As necessary to prevent excessiv WORK/HYGIENIC PRACTICES Practice safe work habits. Use ac SPECIFIC GRAVITY (WATER = 0.99 MELTING POINT 60°C (140°F) pH (1% solution in water) No data	LOCAL EXHAU MECHANICAL (GENERA e contact. cording to label instructions.	Cool fire exposed containers with water. ST: None Required
KIN: No adverse conditions expected WHALATION: None expected. WHALATION: None expected. WES: Flush eyes with water for a minimum of 15 minutes while holding SECTION 5 - FIRE FIGHTING MEASI LASH POINT (METHOD USED) tot applicable XTINIGUISHING MEDIA USE extinguishing media appropriate for the surrounding fire. Use was PECIAL FIRE FIGHTING PROCEDURES ONOT enter confine fire space without full bunker gear (Helmet with WINUSUAL FIRE AND EXPLOSIVE HAZARDS Arbon monoxide and carbon dioxide may be generated. SECTION 6 - ACCIDENTAL RELEASE TEPS TO BE TAKEN IF MATERIAL IS SPILLED OR RELEASED pills should be collected with approved inert absorbent for disposal. SECTION 7 - HANDLING AND STOR Bandling: Keep this and other chemicals out of reach of children. Stor SECTION 8 - EXPOSURE CONTROLS WINGSTORM PROTECTION COLUMN PROTECTIVE CLOTHING OR EQUIPMENT WINGSTORM PRESSURE (mm Hg) WINGSTORM PRESSURE (mm Hg) WINGSTORM PROTECTIVE (LOTHING OR EQUIPMENT WINGSTORM PRESSURE (mm Hg) WINGSTORM PRESSURE (mm Hg) WINGSTORM PROTECTIVE (LOTHING OR EQUIPMENT WINGSTORM PRESSURE (mm Hg) WINGSTORM PROTECTIVE (LOTHING OR EQUIPMENT WINGSTORM PROTECTIVE (LOTHING O	JRES FLAMMABLE LIMITS (% Volume of the spray, foam or dry chemicals. The face shield, bunker coats, gloves and the shield, gloves and gloves an	cids or oxidizers. ECTION VENTILATION EYE PROTECTION As necessary to prevent excessiv WORK/HYGIENIC PRACTICES Practice safe work habits. Use ac SPECIFIC GRAVITY (WATER = 0.99 MELTING POINT 60°C (140°F) pH (1% solution in water) No data EVAPORATION RATE (IPA = 1	LOCAL EXHAU MECHANICAL (GENERA e contact. cording to label instructions.	Cool fire exposed containers with water. ST: None Required
KIN: No adverse conditions expected NHALATION: None expected. YES: Flush eyes with water for a minimum of 15 minutes while holdin NGESTION: Contact a physician immediately. SECTION 5 - FIRE FIGHTING MEASU ELASH POINT (METHOD USED) Hot applicable EXTINGUISHING MEDIA Use extinguishing media appropriate for the surrounding fire. Use was precial fire FIGHTING PROCEDURES	JRES FLAMMABLE LIMITS (% Volume of the spray, foam or dry chemicals. The face shield, bunker coats, gloves and the shield, gloves and gloves an	cids or oxidizers. ECTION VENTILATION EYE PROTECTION As necessary to prevent excessiv WORK/HYGIENIC PRACTICES Practice safe work habits. Use ac SPECIFIC GRAVITY (WATER = 0.99 MELTING POINT 60°C (140°F) pH (1% solution in water) No data	LOCAL EXHAU MECHANICAL (GENERA e contact. cording to label instructions.	Cool fire exposed containers with water. ST: None Required

MATERIAL SAFETY DATA SHEET		1		lo 0.10
IDENTITY (AS USED ON LABEL AND LIST)		-		Page 2 of 2
Safetec® First Aid Burn Cream				Date: April 2, 2014
SECTION 10 - STABILITY AND REACT	IVITY			
STABILITY UNSTABLE:		CONDITIONS TO AVOID		
STABLE:	XXX	Extreme temperatures		
INCOMPATIBILITIES (MATERIALS TO AVOID)				
Strong oxidizing agents, strong acids				
HAZARDOUS DECOMPOSITION OR BYPRODUCTS				
Decomposition will not occur if handled / stored properly. Thermal deco	mposition may produce carbon mor	noxide, small amounts of nitro	gen oxides, halogenated	compounds or propionaldehde may also be formed.
HAZARDOUS POLYMERIZATION MAY OCCUR:		CONDITIONS TO AVOID		
WILL NOT OCCUR:	XXX	None known		
		World Known		
SECTION 11 - TOXICOLOGICAL INFO	KIVIATION			
Component analysis - LC50: N/A				
Component analysis - LD50: N/A				
Effects of acute exposure: Possible irritation and discomfort. Sensitization: Non-hazardous by WHMIS/OSHA criteria.				
Chronic Effects: possible with the ingestion of large amounts to the nerv	your system. Do not use on abraded	ckin Drolongod or ropostod ov	vnocuro may irritato ovor	
Carcinogenity: Non-hazardous by WHMIS/OSHA criteria.	ous system. Do not use on abraded	skiii. Froionged or repeated ex	xposure may irritate eyes	·
Mutagenity: Non-hazardous by WHMIS/OSHA criteria.				
Reproductive Effects: Non-hazardous by WHMIS/OSHA criteria.				
Teratogenity: Non-hazardous by WHMIS/OSHA criteria.				
SECTION 12 - ECOLOGICAL INFORM	ATION			
	ATION			
Component analysis - LC50: N/A Component analysis - LD50: N/A				
Ecotoxicity: N/A				
Environmental Effects: N/A				
Aquatic Toxicity: N/A				
Persistence / degradability: N/A				
Bioaccumulation / accumulation: N/A				
Partition coefficient: N/A				
Mobility in environmental media: N/A				
Chemical fate information: N/A				
Other adverse effects: N/A				
SECTION 13 - DISPOSAL CONSIDERA	TIONS			
Dispose of in accordance with Local, State, and Federal regulations. Proc	ducts classified as non-hazardous ma	ay become hazardous waste up	oon contact with other p	roducts. Refer to "40 CFR Protection of Environment Parts 260-299" for complete waste
disposal regulations. Consult your Local, State, or Federal Environmenta	l Protection Agency before disposing	g of any chemicals.		
Waste from residues/unused product: N/A				
Contaminated Packaging: N/A				
SECTION 14 - TRANSPORTATION IN	FORMATION			
PROPER SHIPPING NAME		First Aid Cream		
HAZARD CLASS/PKG. GRP.		Not Applicable REF.		Not Applicable
IDENTIFICATION NUMBER		Not Applicable LABI	EL	None Required Ground
SECTION 15 - REGULATORY INFORM	MATION			
Canadian Federal Regulation: N/A				
US Federal Regulation: This product is a "Hazardous Chemical" as define	d by the OSHA Hazard Communicati	ion Standard, 29 CFR 1910.120	0. All components are or	the U.S. EPA TSCA Inventory List.
Occupational Safety and Health Administration (OSHA)				
29 CFR 1910.1200 hazardous chemical- Yes				
CERCLA (Superfound) reportable quantity - N/A				
Superfound Amendments and Reauthorization Act of 1986 (SARA) - N/A				
Clean Air Act (CAA) - N/A				
Clean Water Act (CWA) - N/A				
Safe Drinking Water Act (SDWA) - N/A				
Drug Enforcement Agency (DEA) - N/A				
Food and Drug Administration (FDA) - N/A WHMIS classification - N/A				
State regulations - N/A				
Inventory Name - N/A				
SECTION 16 - OTHER INFORMATION	J			
		to confirm in advance of poor	d that information is curr	ant annicable and suited to the circumstances of use Vendor assumes no responsibility

The information contained herein is believed to be accurate but is not warranted to be so. Users are advised to confirm in advance of need that information is current, applicable and suited to the circumstances of use. Vendor assumes no responsibility for injury to vendee or third persons proximately caused by the material if reasonable safety procedures are not adhered to as stipulated in the data sheet. Furthermore, vendor assumes no responsibility for injury caused by abnormal use of this material even if reasonable safety procedures are followed.

Date Prepared: April 2, 2014

Issuing Date 05-June-2015

Revision Date 03-July-2015

Revision Number 3



The supplier identified below generated this SDS using the UL SDS template. UL did not test, certify, or approve the substance described in this SDS, and all information in this SDS was provided by the supplier or was reproduced from publically available regulatory data sources. UL makes no representations or warranties regarding the completeness or accuracy of the information in this SDS and disclaims all liability in connection with the use of this information or the substance described in this SDS. The layout, appearance and format of this SDS is © 2014 UL LLC. All rights reserved.

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier

Product Name

EYEWASH

Other means of identification

Synonyms

None

Recommended use of the chemical and restrictions on use

Recommended Use

Medicinal products

Uses advised against

No information available

Details of the supplier of the safety data sheet

Supplier Name

NIAGARA PHARMACEUTICALS INC.

Supplier Address

60 INNOVATION DRIVE

FLAMBOROUGH

ON L9H7P3

CA

Supplier Phone Number

Phone:905-690-6277

Fax:905-690-6281

Supplier Email

rjames@niagarapharmaceuticals.com

Emergency telephone number

Company Emergency Phone

905-708-7962

Number

2. HAZARDS IDENTIFICATION

Classification

The Eyewash is an approved drug by the FDA used for cleansing the eye to help irritation or burning by removing loose foreign material. This drug product is considered exempt from SDS by 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200 (b) (6) (vii).



GHS Label elements, including precautionary statements

Precautionary Statements - Prevention

For single use

Precautionary Statements - Response

If concerned get medical attention

Precautionary Statements - Storage

None

Precautionary Statements - Disposal

Dispose of contents/container in accordance with local regulations

Hazards not otherwise classified (HNOC)

Not applicable

Unknown Toxicity

0% of the mixture consists of ingredient(s) of unknown toxicity

Other information

No information available

Interactions with Other Chemicals

No information available.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%	Trade Secret
Boric acid (H3BO3)	10043-35-3	1 - 5	*
Sodium borate	1330-43-4	0.1 - 1	*

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret

4. FIRST AID MEASURES

First aid measures

Eye contact

The product is for cleansing the eye to help relieve irritation or burning by

removing loose foreign material.

Skin contact

None

Inhalation

None

Ingestion

Rinse mouth immediately and drink plenty of water. Never give anything by mouth



to an unconscious person.

Most important symptoms and effects, both acute and delayed

Most Important Symptoms and No information available. **Effects**

Indication of any immediate medical attention and special treatment needed

Notes to Physician

Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

None

Unsuitable extinguishing media

No information available

Specific hazards arising from the chemical

None

Hazardous Combustion Products

None

Explosion Data

Sensitivity to Mechanical Impact

No.

Sensitivity to Static Discharge

No.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions

None

Environmental precautions

Environmental precautions

Refer to protective measures listed in Sections 7 and 8.

Methods and material for containment and cleaning up

Methods for containment

Prevent further leakage or spillage.

Methods for cleaning up

Soak up with absorbent material.



1252153 - EYEWASH

Revision Date 03-July-2015

7. HANDLING AND STORAGE

Precautions for safe handling

Handling

Handle in accordance with good industrial hygiene and safety practice.

Conditions for safe storage, including any incompatibilities

Storage

Store as sealed bottle. Do not use if seal is missing or broken. For single use only.

Incompatible Products

None known based on information supplied.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Boric acid (H3BO3)	TWA: 2 mg/m ³ inhalable fraction		
10043-35-3	STEL: 6 mg/m³ inhalable fraction		
Sodium borate	STEL: 6 mg/m³ inhalable	(vacated) TWA: 10 mg/m ³	TWA: 1 mg/m ³
1330-43-4	fraction		
	TWA: 2 mg/m ³ inhalable fraction		

ACGIH TLV: American Conference of Governmental Industrial Hygienists - Threshold Limit Value OSHA PEL: Occupational Safety and Health Administration - Permissible Exposure Limits Immediately Dangerous to Life or Health

Other Exposure Guidelines

Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d

962 (11th Cir., 1992)

Appropriate engineering controls

Engineering Measures

Showers

Eyewash stations Ventilation systems

Individual protection measures, such as personal protective equipment

Eye/face protection

No special protective equipment required.

Skin and body protection

No special protective equipment required.

Respiratory protection

No protective equipment is needed under normal use conditions..

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical and Chemical Properties

Physical state

Liquid

Appearance

Clear, colorless. No visual impurities

Odor

None known

None known

None known

Odorless

Color

pH

No information available

Odor Threshold

Remarks Method

No information available

Property

Flash Point

Evaporation Rate

Values

7.4

No data available No data available

No data available

No data available No data available

None known None known None known

Flammability (solid, gas) Flammability Limit in Air

Melting / freezing point

Boiling point / boiling range

Upper flammability limit Lower flammability limit Vapor pressure Vapor density

Specific Gravity Water Solubility Solubility in other solvents

Partition coefficient: n-octanol/waterNo data available Autoignition temperature Decomposition temperature Kinematic viscosity Dynamic viscosity

Explosive properties Oxidizing properties

No data available No data available

No data available No data available

Completely soluble No data available No data available No data available

No data available No data available No data available No data available

None known None known

None known None known None known None known None known None known None known

None known

Other Information

Softening Point VOC Content (%) Particle Size

No data available No data available No data available

Particle Size Distribution

10. STABILITY AND REACTIVITY

Reactivity

No data available.

Chemical stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Hazardous Polymerization

Hazardous polymerization does not occur.

Conditions to avoid

None known based on information supplied.

Incompatible materials

None known based on information supplied.

Hazardous Decomposition Products

None known

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Inhalation

Specific test data for the substance or mixture is not available.

Eye contact

Specific test data for the substance or mixture is not available.

Skin contact

Specific test data for the substance or mixture is not available.

Ingestion

Specific test data for the substance or mixture is not available.

Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Boric acid (H3BO3) 10043-35-3	= 2660 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	> 2.03 mg/L (Rat) 4 h
Sodium borate 1330-43-4	= 2403 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	-

Information on toxicological effects

Symptoms

No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization

No information available.

Mutagenic Effects

No information available.

Carcinogenicity

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Reproductive toxicity

No information available.

STOT - single exposure

No information available.

STOT - repeated exposure

No information available.

Chronic Toxicity

No known effect based on information supplied.

Target Organ Effects

No information available...

Aspiration Hazard

No information available.

Numerical measures of toxicity Product Information

The following values are calculated based on chapter 3.1 of the GHS document Not applicable



12. ECOLOGICAL INFORMATION

Ecotoxicity

The environmental impact of this product has not been fully investigated.

Chemical Name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
Boric acid (H3BO3) 10043-35-3		72h LC50: = 1020 mg/L (Carassius auratus)		48h EC50: 115 - 153 mg/L
	96h EC50: = 158 mg/L (Desmodesmus subspicatus) 96h EC50: 2.6 - 21.8 mg/L (Pseudokirchneriella subcapitata)	96h LC50: = 340 mg/L (Limanda limanda)		48h LC50: 1085 - 1402 mg/L

Persistence and Degradability

No information available.

Bioaccumulation

Boric acid (H3BO3)	Chemical Name	Log Pow
10043-35-3	Boric acid (H3BO3) 10043-35-3	-0.757

Other adverse effects

No information available.

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal methods

This material, as supplied, is not a hazardous waste according to Federal regulations (40 CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local regulations for additional requirements.

Contaminated Packaging

Dispose of contents/containers in accordance with local regulations.

California Hazardous Waste Codes 561

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical Name	California Hazardous Waste
Boric acid (H3BO3) 10043-35-3	Toxic

14. TRANSPORT INFORMATION

DOT

Proper Shipping Name

NOT REGULATED NON REGULATED



Hazard Class

N/A

TDG

Not regulated

MEX

Not regulated

ICAO

Not regulated

IATA

Not regulated

Proper Shipping Name

NON REGULATED

Hazard Class

N/A

IMDG/IMO

Not regulated

Hazard Class

N/A

RID

Not regulated

ADR

Not regulated

ADN

Not regulated

15. REGULATORY INFORMATION

International Inventories

TSCA

Complies

DSL

All components are listed either on the DSL or NDSL.

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories

Acute Health Hazard No **Chronic Health Hazard** No Fire Hazard No Sudden release of pressure hazard No **Reactive Hazard** No

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

US State Regulations

California Proposition 65



1252153 - EYEWASH

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania	Rhode Island	Illinois
Sodium borate 1330-43-4		Х	X	The state of the s	
1000-40-4					

International Regulations

Component	Carcinogen Status	Exposure Limits
Sodium borate 1330-43-4 (0.1 - 1)		Mexico: TWA 1 mg/m ³

Canada

WHMIS Hazard Class

Not determined

16. OTHER INFORMATION

NFPA

Health Hazards 0

Flammability 0

Instability 0

Physical and

HMIS

Health Hazards 0

Flammability 0

Physical Hazard 0

Chemical Hazards - Personal Protection

X

Prepared By

Product Stewardship

23 British American Blvd.

Latham, NY 12110 1-800-572-6501

Revision Date

Revision Note

29-Jun-2015

No information available

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet



SECTION 1: PRODUCT IDENTIFICATION

PRODUCT: Alcohol Prep Pads

Product Label Name: Dukal Alcohol Prep Pads (private label included)

Company Name and Address: Dukal Corporation

2 Fleetwood Court Ronkonkoma, NY 11779

Emergency Telephone Number: 631-656-3800

Recommended use:

SECTION 2: HAZARDOUS INGREDIENTS

Hazardous Components OSHA PEL ACGIH TLV Other %

(optional) (Specific Chemical Identity Common Name(s))

Isopropanol: (CAS No. 67-63-0) 400ppm 400ppm

N/A 70% NFPA Health = 1 Flammability = 3 Reactivity = 0

SECTION 3: INFORMATION ON INGREDIENTS

Chemical name and Synonyms: Isopropyl Alcohol

Chemical Formula: CH3CHOHCH3

SECTION 4: FIRST-AID MEASURES

Route(s) of Entry:

Inhalation?None KnownSkin?Topically Applied

Eyes? Will sting if splashed in eyes

Ingestion? None

Health Hazards (Acute and Chronic):

Inhalation None

Skin Contact If rash or irritation develops, discontinue use.

Eye Contact Rinse with cool water.

Ingestion If ingested, seek medical attention.



Carcinogenicity

NTP? N/A LARC Monograph? N/A OSHA Regulated? N/A

Signs and Symptoms of Exposure: Coughing, dizziness and watery eyes

Medical Conditions Generally

Aggravated by Exposure:

Sensitive or inflamed skin may become irritated.

Emergency and First Aid Procedures: If large quantities are ingested, administer warm water

and contact physician. With eye contact, flush with water. If

irritation persists, contact physician.

SECTION 5: FIRE-FIGHTING MEASURES

Flash Point (Method Used): 68.5° F TOC

Flammable

 Limits:
 750 F

 LEL:
 2%

 UEL:
 12%

Extinguishing Media: Alcohol Resistant Foam, CO₂, or Dry Chemical

Handle as a Flammable

Special Fire Fighting Procedures: Liquid

Unusual Fire and Explosion Respiratory Protection Required for Firefighting

Hazards: Personnel

SECTION 6: ACCIDENTAL RELEASE MEASURES

Eliminate all sources of ignition and flush with large quantities is of water spray

Disposal should be in accordance with local, state/provincial and Federal regulations.

SECTION 7: HANDLING AND STORAGE

None

SECTION 8: EXPOSURE CONTROLS

Respiratory Protection (Specific Type): N/A

Ventilation

Local Exhaust:NoneMechanical (General):NoneSpecial:N/AOther:N/AProtective Gloves:N/A

Eye protection: Goggles; Use eye bath if eye contact occurs.

Other Protective Clothing or Equipment: N/A

Work / Hygiene Practices: Good hygienic practice

PASSION. PARTNERSHIP. POSSIBILITIES.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Physical State: Individually sealed Alcohol Prep

Packet

Boiling Point: 80.2 deg C

Vapor Pressure (mm Hg): 33mmHG @ 20 Deg C

Vapor Density: 2.1 **Specific Gravity:** 0.8405 **Melting Point:** -31.5 deg C N/A

Evaporation Rate (Butyl

Acetate=1):

Solubility in Water: Pad is not soluble in water

Appearance and Odor: White Non Woven cloth saturated

with Alcohol Solution, mild

alcohol odor

SECTION 10: STABILITY AND REACTIVITY

Stability: Stable

Incompatibility (Materials to Avoid): None Known Hazardous Decomposition or Byproducts: None Known

Hazardous Polymerization: Will Not Occur

SECTION 11: TOXICOLOGICAL INFORMATION

None

SECTION 12: ECOLOGICAL INFORMATION

None

SECTION 13: DISPOSABLE INFORMATION

SECTION 14: TRANSPORATION INFORMATION

14.1 UN Number: 3175 with special provisions: IATA A46, ADR 216 & 274, IMDG 216 & 274.

14.2 UN Proper Shipping Name: SOLIDS CONTAINING FLAMMABLE LIQUID N.O.S (propan-2-ol)

14.3 Transport hazard class(es): 4.1

14.4 Packing groups: II

14.5 Environmental hazards: Not marine pollutant/environmentally hazardous

14.6 Special precautions for user

Not applicable

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable

SECTION 15: REGULATORY INFORMATION

None



PASSION. PARTNERSHIP. POSSIBILITIES.

SECTION 16: OTHER INFORMATION

Prepared By: Kara Mckigney

Issue Date: 6-16-14 Revision Date: 11-13-14

Disclaimer:

The information provided in this SDS is correct and is to the best of our knowledge, at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.