

Version 1.2

Revision Date 02/13/2017

Print Date 05/02/2017

Zepinc

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Material name	:	A00811 MST ASPIRE DUST MOP TRMT 20N16	
Material number	:	0000000001038049	
Manufacturer or supplier's d	eta	ils	
Company	:	Zep Inc.	
Address	:	1310 Seaboard Industrial Blvd., NW Atlanta, GA 30318	
Telephone	:	404-352-1680	

Emergency telephone numbers

For SDS Information	:	Compliance Services 1-877-428-9937
For a Medical Emergency	:	877-541-2016 Toll Free - All Calls Recorded
For a Transportation	:	CHEMTREC: 800-424-9300 - All Calls Recorded.
Emergency		In the District of Columbia 202-483-7616

Recommended use of the chemical and restrictions on use

Recommended use	: Floor Care
	. Theoreane

SECTION 2. HAZARDS IDENTIFICATION

Emergency Overview

Appearance	Aerosol containing a liquefied gas
Colour	white
Odour	like fruit

GHS Classification

Gases under pressure	: Liquefied gas
GHS label elements	
Hazard pictograms	
Signal word	: Warning
Hazard statements	: H280 Contains gas under pressure; may explode if heated.
Precautionary statements	 Storage: P410 + P403 Protect from sunlight. Store in a well-ventilated place. P412 Do not expose to temperatures exceeding 50 °C/ 122 °F.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS



Version 1.2

Revision Date 02/13/2017

Print Date 05/02/2017

Substance / Mixture : Mixture

Hazardous components

SECTION 4. FIRST AID MEASURES

Chemical name	CAS-No.	Concentration [%]			
propane	74-98-6	>= 1 - < 5			
The exact percentages of disclosed substances are withheld as trade secrets.					

General advice : Do not leave the victim unattended. Show this safety data sheet to the doctor in attendance. Move out of dangerous area. If inhaled : If unconscious place in recovery position and seek medical advice. If symptoms persist, call a physician. In case of skin contact If skin irritation persists, call a physician. : Wash off immediately with plenty of water for at least 15 minutes. If on clothes, remove clothes. In case of eye contact · Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist. Rinse immediately with plenty of water for at least 15 minutes. If swallowed Keep respiratory tract clear. : Never give anything by mouth to an unconscious person. If symptoms persist, call a physician. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Take victim immediately to hospital. Most important symptoms : Effects may be delayed, symptoms may include minor eye or skin irritation. and effects, both acute and delayed Overexposure may cause mild eye or skin irritation. Notes to physician : Treat symptomatically. Symptoms may be delayed.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	: Dry chemical Water spray jet Alcohol-resistant foam Carbon dioxide (CO2)
Unsuitable extinguishing media	: High volume water jet
Specific hazards during firefighting	: Do not allow run-off from fire fighting to enter drains or water courses.



Version 1.2

Revision Date 02/13/2017



Hazardous combustion products	: Carbon dioxide (CO2) Carbon monoxide Smoke	
Specific extinguishing methods	: Standard procedure for chemical fires.	
Further information	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.	
Special protective equipment for firefighters	: Wear self-contained breathing apparatus for firefighting if necessary.	

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	:	Use personal protective equipment. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.
Environmental precautions	:	Prevent further leakage or spillage if safe to do so. Prevent product from entering drains.
		Prevent further leakage or spillage if safe to do so.
Methods and materials for containment and cleaning up	:	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Sweep up or vacuum up spillage and collect in suitable container for disposal.

SECTION 7. HANDLING AND STORAGE

Advice on safe handling	:	Avoid exposure - obtain special instructions before use. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Do not breathe vapours or spray mist. Take precautionary measures against static discharges. Provide sufficient air exchange and/or exhaust in work rooms. Dispose of rinse water in accordance with local and national regulations. Always replace cap after use.
Conditions for safe storage	:	BEWARE: Aerosol is pressurized. Keep away from direct sun exposure and temperatures over 50 °C. Do not open by force or throw into fire even after use. Do not spray on flames or red-hot objects. Observe label precautions. Keep in a dry, cool and well-ventilated place. Electrical installations / working materials must comply with the technological safety standards. No smoking.
Materials to avoid	:	No materials to be especially mentioned.



Version 1.2

Revision Date 02/13/2017

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
propane	74-98-6	TWA	1,000 ppm	ACGIH
		TWA	1,000 ppm 1,800 mg/m3	NIOSH REL
		TWA	1,000 ppm 1,800 mg/m3	OSHA Z-1
		TWA	1,000 ppm 1,800 mg/m3	OSHA P0
		PEL	1,000 ppm 1,800 mg/m3	CAL PEL

Engineering measures	: effective ventilation in all processing areas
Personal protective equipme	ıt
Respiratory protection	: In case of insufficient ventilation, wear suitable respiratory equipment.
Hand protection	
Remarks	: The suitability for a specific workplace should be discussed with the producers of the protective gloves.
Eye protection	: Ensure that eyewash stations and safety showers are close to the workstation location. Safety glasses
Skin and body protection	: Impervious clothing Choose body protection according to the amount and concentration of the dangerous substance at the work place.
Hygiene measures	: Wash hands before breaks and at the end of workday. When using do not smoke. When using do not eat or drink.
	Wash hands before breaks and at the end of workday.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: Aerosol containing a liquefied gas
Colour	: white
Odour	: like fruit
Odour Threshold	: No data available



Version 1.2

Revision Date 02/13/2017



rsion 1.2	Revisio	n Date 02/13/2017	Print Date 05/02/2017
рН	Not appl	licable	
Melting point/freezing point	No data	available	
Boiling point	No data	available	
Flash point	No data	available	
Evaporation rate	No data	available	
Flammability (solid, gas)	The pro	duct is not flammable.	
Upper explosion limit	No data	available	
Lower explosion limit	No data	available	
Vapour pressure	No data	available	
Relative vapour density	No data	available	
Density	No data	available	
Solubility(ies)			
Water solubility	soluble		
Partition coefficient: n- octanol/water	No data	available	
Auto-ignition temperature	not dete	rmined	
Thermal decomposition	No data	available	
Heat of combustion	7.54 kJ/	g	

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Stable
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: Vapours may form explosive mixture with air. No decomposition if stored and applied as directed.
Conditions to avoid	: Heat, flames and sparks. Extremes of temperature and direct sunlight.
Incompatible materials	: Oxidizing agents
Hazardous decomposition products	: Carbon oxides

SECTION 11. TOXICOLOGICAL INFORMATION

Potential Health Effects

Aggravated	Medical	:	None known.
Condition			



Symptoms of Overexposure	: Effects may be delayed, symptoms may include minor eye or
	skin irritation.
Carcinogenicity:	
IARC	No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
OSHA	No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.
NTP	No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
Acute toxicity	
Components:	
propane: Acute inhalation toxicity	: LC50 Mouse: 1,237 mg/l Exposure time: 2 h
	LC50 Rat: 658 mg/l Exposure time: 4 h
	LC50 Rat: 1,355 mg/l
Skin corrosion/irritation	
No data available	
Serious eye damage/eye irritatio	on
No data available	
Respiratory or skin sensitisation	
No data available	
Germ cell mutagenicity	
No data available	
Carcinogenicity	
No data available	
Reproductive toxicity	
No data available	
propane:	
STOT - single exposure	
No data available	
STOT - repeated exposure	
No data available	
Aspiration toxicity	

SAFETY DATA SHEET



A00811 MST ASPIRE DUST MOP TRMT 20N16

Version 1.2

Revision Date 02/13/2017

Print Date 05/02/2017

No data available

Further information

Product:

Remarks: No data available

SECTION 12. ECOLOGICAL INFORMATION		
Ecotoxicity		
No data available		
Persistence and degradability		
No data available Bioaccumulative potential		
Product:		
Partition coefficient: n- : octanol/water	Remarks: No data available	
Mobility in soil		
No data available		
Other adverse effects		
No data available <u>Product:</u>		
C	40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances	
	This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).	
Additional ecological : I information	No data available	

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods	
Waste from residues	 Do not dispose of waste into sewer. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of in accordance with local regulations.
Contaminated packaging	: Empty remaining contents. Dispose of as unused product.



Version 1.2

Revision Date 02/13/2017

Print Date 05/02/2017

Do not re-use empty containers. Do not burn, or use a cutting torch on, the empty drum.

SECTION 14. TRANSPORT INFORMATION

Transportation Regulation: 49 CFR (USA): ORM-D, CONSUMER COMMODITY

Transportation Regulation: IMDG (Vessel): UN1950, AEROSOLS, 2.2, - Limited quantity

Transportation Regulation: IATA (Cargo Air): UN1950, AEROSOLS, 2.2, - Limited quantity

Transportation Regulation: IATA (Passenger Air): UN1950, AEROSOLS, 2.2, - Limited quantity

Transportation Regulation: TDG (Canada): UN1950, AEROSOLS, 2.2, - Limited quantity

The product as delivered to the customer conforms to packaging requirements for shipment by road under US Department of Transportation (DOT) regulations. Additional transportation classifications noted above are for reference only, and not a certification or warranty of the suitability of the packaging for shipment under these alternative transport regulations.

SECTION 15. REGULATORY INFORMATION

TSCA list

: No substances are subject to a Significant New Use Rule. No substances are subject to TSCA 12(b) export notification requirements.

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards	:	Sudden Release of Pressure Hazard
SARA 302	:	No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.
SARA 313	:	This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.
California Prop 65		This product does not contain any chemicals known to State of



Version 1.2

Revision Date 02/13/2017

Print Date 05/02/2017

California to cause cancer, birth defects, or any other reproductive harm.

The components of this product are reported in the following inventories:


TSCA	On TSCA Inventory
DSL	This product contains one or more components that are listed on the
	Canadian NDSL. All other components are on the Canadian DSL.

For information on the country notification status for other regions please contact the manufacturer's regulatory group.

Inventory Acronym and Validity Area Legend:

TSCA (USA), DSL (Canada), NDSL (Canada)

SECTION 16. OTHER INFORMATION



OSHA - GHS Label Information:

Hazard pictograms	
Signal word Hazard statements Precautionary statements	 Warning: Contains gas under pressure; may explode if heated.

Storage : Protect from sunlight. Store in a w ell-ventilated place. Do not expose to temperatures exceeding 50 °C/ 122 °F.

Version:	1.2
Revision Date:	02/13/2017
Print Date:	05/02/2017



Version 1.2

Revision Date 02/13/2017

Print Date 05/02/2017

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organization supporting this manufacturer, supplier or distributor.

Zep Inc. markets products under well recognized and established brand names such as Zep®, Zep Commercial®,Zep Professional®, Enforcer®, National Chemical™, Selig™, Misty®, Next Dimension™, Petro®, i-Chem®, TimeMist®, TimeWick™, MicrobeMax®, Country Vet®, Konk®, Original Bike Spirits®, Blue Coral®, Black Magic®, Rain-X®, Niagara National™, FC Forward Chemicals®,Rexodan®, Mykal™, and a number of private labeled brands.