MATERIAL SAFETY DATA SHEET
This MSDS complies with OSHA'S Hazard Communication Standard 29 CFR 1910.1200 and OSHA Form 174

IDENTITY AND MANUFACTURER'S INFORMATION						
NFPA Rating: Health-2; Flammability-3; Reactivity-0; Special HMIS Rating: Health-1; Flammability-3; Reactivity-0; Personal Protection-B						
	DOT Hazard Classification: ORM-D					
	dentity (trade name as used on label):					
Marietta, GA 30062	MISTY ALTRASAN					
	AIR SANITIZER & DEODORIZER-HSS					
Date Prepared: 10/16/07 Prepared By: IB M	MSDS Number: A00205 FL Revision- first issue					
Information Calls: (770)422-2071	N	OTICE: JUDGEMEN	IT BASI	ED ON INDI	RECT TEST	DATA
D.O.T. EMERGENCY RESPONSE NUMBER: 1(800)255-3924						
SECTION 1 - MATERIAL IDENTIFICATION AND INFORMATION						
COMPONENTS-CHEMICAL NAMES AND COMMON NAMES		CAS Number	SARA	OSHA PEL	ACGIH	Carcinogen
(Hazardous Components 1% or greater; Carcinogens 0.1% or greater)			III LIST	(ppm)	TLV (ppm)	Ref. Source **
1,1 DIFLUOROETHANE		75-37-6	No	NE	NE	d
ETHANOL		64-17-5	No	1000	1000	d
TRIETHYLENE GLYCOL		112-27-6	No	N/E	N/E	d
ISOPROPYL ALCOHOL		67-63-0	No	400	200	d
SECTION 2 - PHYSICAL/CHEMICAL CHARACTERISTICS						
Boiling Point: N/A Specific Gravity (H2O=1): Concentrate Only = 0.88						
/apor Pressure: PSIG @ 70°F (Aerosols): Max.80 Vapor Pressure (Non-Aerosols)(mm Hg and Temperature): N/A						
apor Density (Air = 1): greater than 1 Evaporation Rate (water = 1): greater than 1						
Solubility in Water: Soluble Water Reactive: No						
Appearance and Odor: Clear liquid, fragrance of perfume and alcohol odor. Hand held spray.						
SECTION 3 - FIRE AND EXPLOSION HAZARD DATA FLAMMABILITY as per USA FLAME PROJECTION TEST Auto Ignition Temperature Flammability Limits in Air by % in Volume:						
FLAMMABILITY as per USA FLAME PROJECTION TEST (aerosols) brief 10 inch puff, no flash back, then extinguishes: USA	Auto i	gnition Temperature N/E	% LEL		% UEL	
CPSC: NOT CATEGORIZED AS FLAMMABLE		IN/ C	% LEL	IN/E	% UEL	IN/E
FLASH POINT AND METHOD USED (non-aerosols): lowest flash point of liquid components: 55°F (TCC). EXTINGUISHER MEDIA: Foam, dry chemical, carbon						
SPECIAL FIRE FIGHTING PROCEDURES: Self-contained breathing apparatus.						
Unusual Fire & Explosion Hazards: Do not expose aerosols to temperatures above 130°F or the container may rupture.						
SECTION 4 - REACTIVITY HAZARD DATA						
STABILITY [X] STABLE [] UNSTABLE HAZARDOUS POLYMERIZATION [] WILL [X] WILL NOT OCCUR						
Incompatibility (Mat. to avoid): Alkalis, oxidizing materials, amines, potassium, sodium and magnesium. Conditions to Avoid: Open flame, welding arcs, heat.						
Hazardous Decomposition Products: CO, CO2, hydrofluoric acid, carbonyl fluoride, various hydrocarbons, and trace oxides of nitrogen.						
SECTION 5 - HEALTH HAZARD DATA						
PRIMARY ROUTES OF ENTRY: [X]INHALATION []INGESTION []SKIN ABSORPTION [X]EYE []NOT HAZARDOUS						
ACUTE EFFECTS						
Inhalation: Excessive inhalation of vapors can be harmful and may cause headache, dizziness, asphyxia, anesthetic effects and possible unconsciousness.						
Eye Contact: Possible irritation. Skin Contact: Possible slight irritation with prolonged contact.						
Ingestion: Not a likely route of entry due to product form. Possible chemical pneumonitis if aspirated into lungs. Nausea.						
CHRONIC EFFECTS: (Effects due to excessive exposure to the raw materials of this mixture) May cause cardiac abnormality, liver abnormalities, kidney and/or lung damage.						
Medical Conditions Generally Aggravated by Exposure: May aggravate existing eye, skin, or upper respiratory conditions.						
EMERGENCY FIRST AID PROCEDURES						
Eye Contact: Flush with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a						
poison control center of doctor for treatment advice.						
Skin Contact: Wash with soap and water. If irritated, seek medical attention.						
Inhalation: Remove to fresh air. Resuscitate if necessary. Get medical attention.						
Ingestion: DO NOT INDUCE VOMITING. Drink two large glasses of water. Get immediate medical attention.						
SECTION 6 - CONTROL AND PROTECTIVE MEASURES						
Respiratory Protection (specify type): If vapor concentration exceeds TLV, use respirator approved by NIOSH for organic vapor.						
Protective Gloves: None, unless skin is irritated. Eye Protection: Safety glasses recommended. Avoid spraying into eyes.						
Ventilation Requirements: Adequate ventilation to keep vapor concentration below TLV.						
Other Protective Clothing & Equipment: None						
Hygienic Work Practices: Wash with soap and water before handling food. Remove contaminated clothing.						
SECTION 7 - PRECAUTIONS FOR SAFE HANDLING AND USE						
Steps To Be Taken If Material Is Spilled Or Released: Absorb with suitable medium. Incinerate or landfill according to local, state or federal regulations. DO NOT FLUSH TO SEWER.						
Waste Disposal Methods: Aerosol cans when vented to atmospheric pressure through normal use, pose no disposal hazard.						
Precautions To Be Taken In Handling & Storage: Do not puncture or incinerate containers. Do not store at temperatures above 130°F.						
Other Precautions &/or Special Hazards: KEEP OUT OF REACH OF CHILDREN. Avoid food contamination. Avoid breathing abusively excessive amount of						
vapors. Remove ignition sources.						

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind.

** Chemical Listed as Carcinogen or Potential Carcinogen. [a] NTP [b] IARC Monograph [c] OSHA [d] Not Listed [e] Animal Data Only