

# SAFETY DATA SHEET

## BOARDWALK HIGH TRAFFIC FLOOR POLISH 4/1G

**BWK3404F**

Version 1.2

Revision Date 03/13/2017

Print Date 03/21/2017

### SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Material name : Boardwalk High Traffic Floor Polish 4/1G BWK3404F

Material number : 1048707 / BZ7572

**Manufacturer or supplier's details**

Company : Boardwalk / Essendant Co.

Address : One Parkway North  
Deerfield, IL 60015

Telephone : 844-828-5617

**Emergency telephone numbers****For SDS Information** : 844-828-5617**For a Medical Emergency** :**For a Transportation  
Emergency** : Chemtel: 1(800)255-3924**Recommended use of the chemical and restrictions on use**

Recommended use : Floor Care

### SECTION 2. HAZARDS IDENTIFICATION

**Emergency Overview**

Appearance	liquid
Colour	white, translucent, milky
Odour	ammonical, mild

**GHS Classification**

Not a hazardous substance or mixture.

**GHS label elements**

Not a hazardous substance or mixture.

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

**Hazardous components**

Chemical name	CAS-No.	Concentration [%]
tris(2-butoxyethyl) phosphate	78-51-3	>= 1 - < 5

The exact percentages of disclosed substances are withheld as trade secrets.

### SECTION 4. FIRST AID MEASURES

General advice : Do not leave the victim unattended.

# SAFETY DATA SHEET

## BOARDWALK HIGH TRAFFIC FLOOR POLISH 4/1G

**BWK3404F**

Version 1.2

Revision Date 03/13/2017

Print Date 03/21/2017

---

Show this safety data sheet to the doctor in attendance.  
Move out of dangerous area.  
Do not leave the victim unattended.

- If inhaled : If unconscious place in recovery position and seek medical advice.  
If symptoms persist, call a physician.
- In case of skin contact : If skin irritation persists, call a physician.  
Wash off immediately with plenty of water for at least 15 minutes.  
If on clothes, remove clothes.
- In case of eye contact : Remove contact lenses.  
Protect unharmed eye.  
Keep eye wide open while rinsing.  
If eye irritation persists, consult a specialist.  
Rinse immediately with plenty of water for at least 15 minutes.
- If swallowed : Keep respiratory tract clear.  
Never give anything by mouth to an unconscious person.  
If symptoms persist, call a physician.  
DO NOT induce vomiting unless directed to do so by a physician or poison control center.  
Take victim immediately to hospital.
- Most important symptoms and effects, both acute and delayed : Effects may be delayed, symptoms may include minor eye or skin irritation.  
Overexposure may cause mild eye or skin irritation.
- Notes to physician : Treat symptomatically. Symptoms may be delayed.
- 

### SECTION 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Dry chemical  
Water spray jet  
Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)
- Unsuitable extinguishing media : High volume water jet
- Hazardous combustion products : No hazardous combustion products are known
- Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
- Further information : Standard procedure for chemical fires.
- Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary.
- 

### SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, : Use personal protective equipment.
-

# SAFETY DATA SHEET

## BOARDWALK HIGH TRAFFIC FLOOR POLISH 4/1G

**BWK3404F**

Version 1.2

Revision Date 03/13/2017

Print Date 03/21/2017

---

protective equipment and  
emergency procedures

Environmental precautions : Prevent further leakage or spillage if safe to do so.

Methods and materials for  
containment and cleaning up : Wipe up with absorbent material (e.g. cloth, fleece).  
Keep in suitable, closed containers for disposal.

---

### SECTION 7. HANDLING AND STORAGE

Advice on safe handling : Avoid contact with skin and eyes.  
For personal protection see section 8.  
Smoking, eating and drinking should be prohibited in the  
application area.  
Dispose of rinse water in accordance with local and national  
regulations.

Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated  
place.  
Electrical installations / working materials must comply with  
the technological safety standards.

Materials to avoid : Store and keep away from, oxidizing agents and acids.

---

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

Contains no substances with occupational exposure limit values.

**Engineering measures** : effective ventilation in all processing areas

#### Personal protective equipment

Respiratory protection : Use respiratory protection unless adequate local exhaust  
ventilation is provided or exposure assessment demonstrates  
that exposures are within recommended exposure guidelines.

Hand protection  
Remarks : The suitability for a specific workplace should be discussed  
with the producers of the protective gloves.

Eye protection : Eye wash bottle with pure water  
Tightly fitting safety goggles

Skin and body protection : Impervious clothing  
Choose body protection according to the amount and  
concentration of the dangerous substance at the work place.

Hygiene measures : When using do not eat or drink.  
When using do not smoke.  
Wash hands before breaks and at the end of workday.

**SAFETY DATA SHEET****BOARDWALK HIGH TRAFFIC FLOOR POLISH 4/1G****BWK3404F**

Version 1.2

Revision Date 03/13/2017

Print Date 03/21/2017

---

**SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance	: liquid
Colour	: white, translucent, milky
Odour	: ammonical, mild
Odour Threshold	: No data available
pH	: 8 - 9
Melting point/freezing point	: No data available
Boiling point	: 100 °C
Flash point	: does not flash
Evaporation rate	: 1
Upper explosion limit	: No data available
Lower explosion limit	: No data available
Vapour pressure	: not determined
Relative vapour density	: No data available
Density	: 1.02 g/cm <sup>3</sup>
Solubility(ies)	
Water solubility	: soluble in cold water, soluble in hot water
Partition coefficient: n-octanol/water	: No data available
Auto-ignition temperature	: not determined
Thermal decomposition	: No data available
Viscosity	
Viscosity, kinematic	: 6.2 mm <sup>2</sup> /s (20 °C)

---

**SECTION 10. STABILITY AND REACTIVITY**

Reactivity	: Stable
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: No decomposition if stored and applied as directed.
Conditions to avoid	: No data available
Incompatible materials	: Acids Oxidizing agents
Hazardous decomposition products	: Carbon oxides

# SAFETY DATA SHEET

## BOARDWALK HIGH TRAFFIC FLOOR POLISH 4/1G

**BWK3404F**

Version 1.2

Revision Date 03/13/2017

Print Date 03/21/2017

### SECTION 11. TOXICOLOGICAL INFORMATION

#### Potential Health Effects

Aggravated Medical Condition : None known.  
Symptoms of Overexposure : Effects may be delayed, symptoms may include minor eye or skin irritation.

#### Carcinogenicity:

**IARC** No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.  
**ACGIH** No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.  
**OSHA** No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.  
**NTP** No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

#### Acute toxicity

##### Product:

Acute inhalation toxicity : Acute toxicity estimate : > 200 mg/l  
Exposure time: 4 h  
Test atmosphere: vapour  
Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate : > 5,000 mg/kg  
Method: Calculation method

#### Skin corrosion/irritation

##### Product:

Remarks: May cause skin irritation and/or dermatitis.

#### Serious eye damage/eye irritation

##### Product:

Remarks: Vapours may cause irritation to the eyes, respiratory system and the skin.

#### Respiratory or skin sensitisation

No data available

#### Germ cell mutagenicity

No data available

#### Carcinogenicity

No data available

# SAFETY DATA SHEET

## BOARDWALK HIGH TRAFFIC FLOOR POLISH 4/1G

**BWK3404F**

Version 1.2

Revision Date 03/13/2017

Print Date 03/21/2017

---

### Reproductive toxicity

No data available

**tris(2-butoxyethyl) phosphate:**

### STOT - single exposure

No data available

### STOT - repeated exposure

No data available

### Aspiration toxicity

No data available

### Further information

#### Product:

Remarks: No data available

---

## SECTION 12. ECOLOGICAL INFORMATION

### Ecotoxicity

No data available

### Persistence and degradability

No data available

### Bioaccumulative potential

#### Product:

Partition coefficient: n-octanol/water : Remarks: No data available

### Mobility in soil

No data available

### Other adverse effects

No data available

#### Product:

Regulation

40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances

Remarks

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

Additional ecological information

: No data available

---

# SAFETY DATA SHEET

## BOARDWALK HIGH TRAFFIC FLOOR POLISH 4/1G

**BWK3404F**

Version 1.2

Revision Date 03/13/2017

Print Date 03/21/2017

### SECTION 13. DISPOSAL CONSIDERATIONS

#### Disposal methods

- Waste from residues : Do not dispose of waste into sewer.  
Do not contaminate ponds, waterways or ditches with chemical or used container.  
Dispose of in accordance with local regulations.
- Contaminated packaging : Empty remaining contents.  
Dispose of as unused product.  
Do not re-use empty containers.

### SECTION 14. TRANSPORT INFORMATION

Transportation Regulation: 49 CFR (USA):  
This material is not classified.

Transportation Regulation: IMDG (Vessel):  
This material is not classified.

Transportation Regulation: IATA (Cargo Air):  
This material is not classified.

Transportation Regulation: IATA (Passenger Air):  
This material is not classified.

Transportation Regulation: TDG (Canada):  
This material is not classified.

The product as delivered to the customer conforms to packaging requirements for shipment by road under US Department of Transportation (DOT) regulations. Additional transportation classifications noted above are for reference only, and not a certification or warranty of the suitability of the packaging for shipment under these alternative transport regulations.

### SECTION 15. REGULATORY INFORMATION

- TSCA list** : No substances are subject to a Significant New Use Rule.  
No substances are subject to TSCA 12(b) export notification requirements.

#### EPCRA - Emergency Planning and Community Right-to-Know Act

#### CERCLA Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
ammonia, aqueous solution	1336-21-6	1000	*

\*: Calculated RQ exceeds reasonably attainable upper limit.

#### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

# SAFETY DATA SHEET

## BOARDWALK HIGH TRAFFIC FLOOR POLISH 4/1G

**BWK3404F**

Version 1.2

Revision Date 03/13/2017

Print Date 03/21/2017

**SARA 311/312 Hazards** : No SARA Hazards

**SARA 302** : No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

**SARA 313** : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

**California Prop 65** This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

### The components of this product are reported in the following inventories:

**TSCA** On TSCA Inventory  
**DSL** All components of this product are on the Canadian DSL

For information on the country notification status for other regions please contact the manufacturer's regulatory group.

### Inventory Acronym and Validity Area Legend:


TSCA (USA), DSL (Canada), NDSL (Canada)

---

## SECTION 16. OTHER INFORMATION

### Further information

#### NFPA:



#### HMIS III:

<b>HEALTH</b>	<b>0</b>
<b>FLAMMABILITY</b>	<b>0</b>
<b>PHYSICAL HAZARD</b>	<b>0</b>

0 = not significant, 1 = Slight,  
2 = Moderate, 3 = High  
4 = Extreme, \* = Chronic

---

### OSHA GHS Label Information:

Not a hazardous substance or mixture.

---

Version:	1.2
Revision Date:	03/13/2017
Print Date:	03/21/2017



**SAFETY DATA SHEET****BOARDWALK HIGH TRAFFIC FLOOR POLISH 4/1G****BWK3404F**

Version 1.2

Revision Date 03/13/2017

Print Date 03/21/2017

---

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organization supporting this manufacturer, supplier or distributor.