

Suma® Dip Liquid Presoak

Revision: 2020-09-06 **Version:** 05.0

1. IDENTIFICATION

 Product name:
 Suma® Dip Liquid Presoak

 Product Code:
 93331198, 93331251

 SDS #:
 MS0800358

Industrial/InstitutionalWarewashing product

Warewashing product
 This product is intended to be diluted prior to use

Uses advised against:

Uses other than those identified are not recommended

Manufacturer, importer, supplier:

US Headquarters Diversey, Inc. 1300 Altura Rd., Suite 125 Fort Mill, SC 29708 Phone: 1-888-352-2249

Recommended use:

SDS Internet Address: https://sds.diversey.com

Canadian Headquarters Diversey Canada, Inc. 6150 Kennedy Road Unit 3 Mississauga, Ontario L5T 2J4 Phone: 1-800-668-7171

Emergency telephone number: 1-800-851-7145; 1-651-917-6133 (Int'l)

2. HAZARDS IDENTIFICATION

Classification for the undiluted product

Skin corrosion/irritation Category 1B
Serious eye damage/eye irritation Category 1
Metal Corrosion: Category 1
Category 1



Signal word: Danger.

Hazard Statements

CAUSES SEVERE SKIN BURNS AND SERIOUS EYE DAMAGE. MAY BE CORROSIVE TO METALS. Precautionary Statements

Causes burns/ serious damage to mouth, throat and stomach. Keep container tightly closed. Keep only in original container. Do not breathe vapors. Avoid contact with eyes, skin and clothing. Wash affected areas thoroughly after handling. Wear protective gloves, protective clothing and eye or face protection. IF SWALLOWED: Rinse mouth. DO NOT induce vomiting unless directed to do so by medical personnel. Drink a cupful of milk or water. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water for at least 15 minutes. Wash contaminated clothing before reuse. IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes. Immediately call a Poison Center (1-800-851-7145) or physician. Absorb spillage to prevent material damage. Store in corrosive-resistant container with a resistant inner liner. Dispose of in accordance with all federal, state and local applicable regulations. SUPPLEMENTAL INFORMATION:. DO NOT MIX WITH AMMONIA, BLEACH OR OTHER CHLORINATED COMPOUNDS. Mix only with water. Can react to release hazardous gases. May vigorously react with strong alkaline products resulting in spattering and excessive heat. DO NOT MIX WITH ACIDS, TOILET BOWL CLEANER, AMMONIA OR ANY OTHER CHEMICAL.

Health hazards not otherwise classified (HHNOC) - Not applicable Physical hazards not otherwise classified (PHNOC) - Not applicable

Classification for the diluted product @ 1:32

This product, when diluted as stated on the label, is not classified as hazardous according to OSHA 29CFR 1910.1200 (HazCom 2012-GHS) and Canadian Hazardous Products Regulations (HPR) (WHMIS 2015-GHS).

Hazard and Precautionary Statements

None required.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Classified Ingredients

Ingredient(s)	CAS#	Weight %
Sodium silicate	1344-09-8	1 - 5%
Sodium chloride	7647-14-5	1 - 5%
Sodium hypochlorite	7681-52-9	1 - 5%
Active chlorine	-	1 - 5%
Potassium hydroxide	1310-58-3	1 - 5%
Sodium dodecylbenzene sulfonate	25155-30-0	0.5 - 1.5%
Decyl phenoxybenzenedisulfonic acid, disodium	36445-71-3	0.5 - 1.5%
salt		
Sodium alkyl sulphonate	68608-26-4	> 0.1 - < 1%
Benzenesulfonic acid, oxybis(decyl-), disodium salt	70146-13-3	> 0.1 - < 1%
Sodium hydroxide	1310-73-2	> 0.1 - < 1%

4. FIRST AID MEASURES

Undiluted Product:

Eyes: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes.

Skin: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water for at least 15 minutes.

Inhalation: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Ingestion: IF SWALLOWED: Rinse mouth. DO NOT induce vomiting unless directed to do so by medical personnel. Drink a cupful of milk or water.

Most Important Symptoms/Effects: No information available.

Immediate medical attention and special treatment needed Not applicable.

Diluted Product:

Eyes: Rinse with plenty of water.

Skin: No specific first aid measures are required Inhalation: No specific first aid measures are required

Ingestion: IF SWALLOWED: Call a Poison Center (1-800-851-7145) or doctor/physician if you feel unwell.

5. FIRE-FIGHTING MEASURES

Specific methods: No special methods required

Suitable extinguishing media: The product is not flammable. Extinguish fire using agent suitable for surrounding fire.

Specific hazards: Corrosive material (See sections 8 and 10).

Special protective equipment for firefighters: As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

Extinguishing media which must not be used for safety reasons: No information available.

6. ACCIDENTAL RELEASE MEASURES

Put on appropriate personal protective equipment (see Section 8.). Personal precautions:

Environmental precautions Clean-up methods - large spillage. Absorb spill with inert material (e.g. dry sand or earth), then place in

Suma® Dip Liquid Presoak

7. HANDLING AND STORAGE

Handling: Can react to release hazardous gases. May vigorously react with acids resulting in spattering and excessive heat. Do not mix with other products or chemicals except as directed on the label. Mix only with water. Avoid contact with skin, eyes and clothing. Wash thoroughly after handling. Do not taste or swallow. Product residue may remain on/in empty containers. All precautions for handling the product must be used in handling the empty container and residue. Avoid breathing vapors or mists. Use only with adequate ventilation. Remove and wash contaminated clothing and footwear before re-use. Absorb spillage to prevent material damage. DO NOT MIX WITH ACIDS, TOILET BOWL CLEANERS, AMMONIA, OR ANY OTHER CHEMICAL. FOR COMMERCIAL AND INDUSTRIAL USE ONLY.

Storage: Store in corrosive-resistant container with a resistant inner liner.

Aerosol Level (if applicable): Not applicable.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Guidelines:

Ingredient(s)	CAS#	ACGIH	OSHA
Potassium hydroxide	1310-58-3	2 mg/m³ (Ceiling)	
Sodium hydroxide	1310-73-2	2 mg/m³ (Ceiling)	2 mg/m³ (TWA)

Undiluted Product:

Engineering measures to reduce exposure:

Good general ventilation should be sufficient to control airborne levels.

Personal Protective Equipment

It is the responsibility of the employer to determine the potential risk of exposure to hazardous chemicals for employees in the workplace in order to determine the necessity, selection, and use of personal protective equipment.

Chemical-splash goggles. Eye protection: Hand protection: Chemical-resistant gloves.

Skin and body protection: Protective footwear. Wear suitable protective clothing.

Respiratory protection: No personal protective equipment required under normal use conditions. Handle in accordance with good industrial hygiene and safety practice. Hygiene measures:

Diluted Product:

Engineering measures to reduce exposure:

Good general ventilation should be sufficient to control airborne levels.

Personal Protective Equipment

Eye protection: No personal protective equipment required under normal use conditions. Hand protection: No personal protective equipment required under normal use conditions. Skin and body protection: No personal protective equipment required under normal use conditions. No personal protective equipment required under normal use conditions. Respiratory protection: Handle in accordance with good industrial hygiene and safety practice. Hygiene measures:

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State: Liquid Color: Clear Straw Evaporation Rate: No information available Odor: Chlorine

Odor threshold: No information available. Boiling point/range: Not determined Melting point/range: Not determined **Decomposition temperature:** Not determined

Autoignition temperature: No information available Solubility: Completely Soluble Relative Density (relative to water): 1.097 Solubility in other solvents: No information available

Density: Specific gravity: 1.097 Kg/L Vapor density: No information available Bulk density: No information available Vapor pressure: No information available. Flash point (°F): > 200 °F > 93 °CPartition coefficient (n-octanol/water): No information available

Viscosity: 5 Elemental Phosphorus: 0.00 % by wt.

pH: > 11

VOC: 0 % * Flammability (Solid or Gas): Not applicable Corrosion to metals: Metal corrosive

Explosion limits: - upper: Not determined - lower: Not determined

Dilution pH:

Sustained combustion: Not applicable

≈ 11.36

Dilution Flash Point (°F): > 200 °F > 93.4 °C

VOC % by wt. at use dilution: 0 %

* - Title 17, California Code of Regulations, Division 3, Chapter 1, Subchapter 8.5, Article 2, Consumer Products, Sections 94508

10. STABILITY AND REACTIVITY

Reactivity: Not Applicable Stability: The product is stable

Possibility of hazardous reactions: May vigorously react with acids resulting in spattering and excessive heat.

Hazardous decomposition products: None reasonably foreseeable.

Materials to avoid: Acids. Strong acids. Do not mix with any other product or chemical unless specified in the use

directions. Ammonia.

Conditions to avoid: None known.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure:

Skin contact, Inhalation, Ingestion, Eye contact

Delayed, immediate, or chronic effects and symptoms from short and long-term exposure

Skin contact: Unlikely to be irritant in normal use.

Eye contact: Corrosive. Causes serious eye damage. Symptoms may include pain, burning sensation, redness, watering, blurred vision or loss of vision.

Ingestion: Causes burns/ serious damage to mouth, throat and stomach. Symptoms may include stomach pain and nausea. **Inhalation:** May cause irritation and corrosive effects to nose, throat and respiratory tract. Symptoms may include coughing and difficulty breathing.

Sensitization: No known effects.
Target Organs (SE): None known
Target Organs (RE): None known

Numerical measures of toxicity

ATE - Oral (mg/kg): >5000

12. ECOLOGICAL INFORMATION

Ecotoxicity: No information available.

Persistence and Degradability: No information available.

Bioaccumulation: No information available.

13. DISPOSAL CONSIDERATIONS

Waste from residues / unused products (undiluted product): This product, as sold, if discarded or disposed, is a hazardous waste according to Federal regulations (40 CFR 261.4 (b)(4)). Under RCRA, it is the responsibility of the user of the product to determine, at the time of disposal, whether the waste solution meets RCRA criteria for hazardous waste. Dispose in compliance with all Federal, state, provincial, and local laws and regulations.

Waste from residues / unused products (diluted product): This product, when diluted as stated on this SDS, is not a hazardous waste according to Federal regulations (40 CFR 261.4 (b)(4)). Under RCRA, it is the responsibility of the user of the product to determine, at the time of disposal, whether the waste solution meets RCRA criteria for hazardous waste. Dispose in compliance with all Federal, state, provincial, and local laws and regulations.

RCRA Hazard Class (undiluted product): D002 Corrosive Waste

RCRA Hazard Class (diluted product): Not Regulated Contaminated Packaging: Do not re-use empty containers.

14. TRANSPORT INFORMATION

DOT/TDG/IMDG: The information provided below is the full transportation classification for this product. This description does not account for the package size(s) of this product, that may fall under a quantity exception, according to the applicable transportation regulations. When shipping dangerous goods, please consult with your internal, certified hazardous materials specialist to determine if any exceptions can be applied to your shipment.

<u>DOT (Ground) Bill of Lading Description:</u> UN3266, CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S., (potassium hydroxide, sodium hypochlorite), 8, II

IMDG (Ocean) Bill of Lading Description: UN3266, CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S., (potassium hydroxide, sodium hypochlorite), 8, II

15. REGULATORY INFORMATION

International Inventories at CAS# Level

Ingredient(s)	CAS#	MARTK:	NJRTK:	PARTK:	RIRTK:
Water	7732-18-5	-	=	-	=
Potassium polyacrylate	25608-12-2	-	=	-	=
Sodium silicate	1344-09-8	-	-	-	-
Sodium chloride	7647-14-5	-	=	-	=
Sodium hypochlorite	7681-52-9	X	Х	X	Х
Potassium hydroxide	1310-58-3	X	X	X	Х
Sodium dodecylbenzene sulfonate	25155-30-0	X	Х	X	X
Decyl phenoxybenzenedisulfonic acid, disodium salt	36445-71-3	-	-	-	-
Sodium alkyl sulphonate	68608-26-4	-	-	-	-
Benzenesulfonic acid, oxybis(decyl-), disodium salt	70146-13-3	-	-	-	-
Sodium hydroxide	1310-73-2	X	Х	Х	Х

CERCLA/ SARA

02110274 0711171					
Ingredient(s)	CAS#	Weight %	CERCLA/SARA RQ (lbs)	Section 302 TPQ (lbs)	Section 313
Sodium hypochlorite	7681-52-9	1 - 5%	100		
Potassium hydroxide	1310-58-3	1 - 5%	1000		
Sodium dodecylbenzene sulfonate	25155-30-0	0.5 - 1.5%	1000		
Sodium hydroxide	1310-73-2	> 0.1 - < 1%	1000		

16. OTHER INFORMATION

NFPA (National Fire Protection Association)

Rating Scale: (Low Hazard) 0 - 4 (Extreme Hazard)

Health 3 Flammability 0 Instability 0 Special Hazards -

<u>Diluted Product:</u>

Health 0 Flammability 0 Instability 0 Special Hazards -

Revision: 2020-09-06

Version: 05.0

Reason for revision: Not applicable

Prepared by:
Additional advice:

North American Regulatory Affairs
Does not contain an added fragrance

Notice to Reader: This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained within. Actual conditions of use and handling are beyond seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.