SAFETY DATA SHEET

1. Identification

Product number	1000019205
Product identifier	MA12STP STRAWBERRY PEAR
Company information	Fresh products, LLC 4010 South Avenue Toledo, OH 43615 United States
Company phone	419-531-9741
Emergency telephone US	1-866-836-8855
Emergency telephone outside US	1-952-852-4646
Version #	01
Recommended use	AIR FRESHENER
Recommended restrictions	None known.

2. Hazard(s) identification

Physical hazards	Flammable aerosols	Category 1
Health hazards	Serious eye damage/eye irritation	Category 2A
	Specific target organ toxicity, single exposure	Category 3 narcotic effects
Environmental hazards	Not classified.	
OSHA defined hazards	Not classified.	
Label elements		



	▼ ▼
Signal word	Danger
Hazard statement	Extremely flammable aerosol. Causes serious eye irritation. May cause drowsiness or dizziness.
Precautionary statement	
Prevention	Keep away from heat/sparks/open flames/hot surfaces No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use. Avoid breathing gas. Wash thoroughly after handling. Use only outdoors or in a well-ventilated area. Wear eye/face protection.
Response	If inhaled: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a poison center/doctor if you feel unwell. If eye irritation persists: Get medical advice/attention.
Storage	Store in a well-ventilated place. Keep container tightly closed. Store locked up. Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.
Disposal	Dispose of waste and residues in accordance with local authority requirements.
Hazard(s) not otherwise classified (HNOC)	None known.
Supplemental information	None.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
Acetone		67-64-1	40 - 60
Propane		74-98-6	20 - 40
Diethylene Glycol Monoethyl Ether		111-90-0	2.5 - 10

Chemical name	Common name and synonyms	CAS number	%
Hexylene Glycol		107-41-5	2.5 - 10
Other components below reportable	levels		10 - 20

*Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. First-aid measures

Inhalation	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.
Skin contact	Wash off with soap and water. Get medical attention if irritation develops and persists.
Eye contact	Rinse with water. Get medical attention if irritation develops and persists.
Ingestion	Rinse mouth. Get medical attention if symptoms occur.
Most important symptoms/effects, acute and delayed	May cause drowsiness and dizziness. Headache. Nausea, vomiting. Irritation of nose and throat. Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision.
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.
General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.
5. Fire-fighting measures	

Suitable extinguishing media Powder. Alcohol resistant foam. Carbon dioxide (CO2). Do not use water jet as an extinguisher, as this will spread the fire. Unsuitable extinguishing media Specific hazards arising from Contents under pressure. Pressurized container may explode when exposed to heat or flame. the chemical Special protective equipment Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA. and precautions for firefighters Move containers from fire area if you can do so without risk. Containers should be cooled with **Fire-fighting** water to prevent vapor pressure build up. For massive fire in cargo area, use unmanned hose equipment/instructions holder or monitor nozzles, if possible. If not, withdraw and let fire burn out. Use standard firefighting procedures and consider the hazards of other involved materials. Move Specific methods containers from fire area if you can do so without risk. In the event of fire and/or explosion do not breathe fumes. General fire hazards Extremely flammable aerosol.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Wear appropriate protective equipment and clothing during clean-up. Avoid breathing gas. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.
Methods and materials for containment and cleaning up	Refer to attached safety data sheets and/or instructions for use. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep combustibles (wood, paper, oil, etc.) away from spilled material. Stop leak if you can do so without risk. Move the cylinder to a safe and open area if the leak is irreparable. Isolate area until gas has dispersed. Prevent entry into waterways, sewer, basements or confined areas. Following product recovery, flush area with water. For waste disposal, see section 13 of the SDS.
Environmental precautions	Avoid discharge into drains, water courses or onto the ground.
7. Handling and storage	
Precautions for safe handling	Pressurized container: Do not pierce or burn, even after use. Do not use if spray button is missing or defective. Do not spray on a naked flame or any other incandescent material. Do not smoke while using or until sprayed surface is thoroughly dry. Do not cut, weld, solder, drill, grind, or expose containers to heat, flame, sparks, or other sources of ignition. All equipment used when handling the product must be grounded. Do not re-use empty containers. Avoid breathing gas. Avoid contact with eyes. Use only in well-ventilated areas. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

Level 2 Aerosol.

Store locked up. Pressurized container. Protect from sunlight and do not expose to temperatures exceeding 50°C/122 °F. Do not puncture, incinerate or crush. Do not handle or store near an open flame, heat or other sources of ignition. This material can accumulate static charge which may cause spark and become an ignition source. Refrigeration recommended. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	т	уре	, ,	Value
Acetone (CAS 67-64-1)	Р	EL	2	2400 mg/m3
				1000 ppm
Propane (CAS 74-98-6)	P	EL		1800 mg/m3
				1000 ppm
US. ACGIH Threshold Lin				
Components	Т	уре		Value
Acetone (CAS 67-64-1)		TEL		750 ppm
		WA		500 ppm
Hexylene Glycol (CAS 107-41-5)	C	eiling	2	25 ppm
US. NIOSH: Pocket Guid	e to Chemical Hazar	ds		
Components	Т	уре	,	Value
Acetone (CAS 67-64-1)	Т	WA	:	590 mg/m3
				250 ppm
Hexylene Glycol (CAS 107-41-5)	C	eiling		125 mg/m3
107-41-5)				25 ppm
Propane (CAS 74-98-6)	Т	WA		1800 mg/m3
				1000 ppm
US. Workplace Environm Components		el (WEEL) Guides ype	,	Value
Diethylene Glycol Monoethyl Ether (CAS	Т	WA		140 mg/m3
111-90-0)			:	25 ppm
logical limit values				
ACGIH Biological Expos	ure Indices			
Components	Value	Determinant	Specimen	Sampling Time
Acetone (CAS 67-64-1)	50 mg/l	Acetone	Urine	*
* - For sampling details, pl	ease see the source of	document.		
propriate engineering htrols	Provide eyewas	h station.		
ividual protection measur	es, such as persona	I protective equipme	nt	
Eye/face protection	Wear safety gla	sses with side shields	(or goggles).	
Hand protection	Wear appropriat	e chemical resistant g	loves.	
Skin protection				
Other	Wear suitable p	rotective clothing.		
Respiratory protection		If permissible levels are exceeded use NIOSH mechanical filter / organic vapor cartridge or an air-supplied respirator.		
Thermal hazards	Wear appropriat	e thermal protective c	othing, when r	necessary.
neral hygiene Isiderations	after handling th		eating, drinkin	rsonal hygiene measures, such as washing g, and/or smoking. Routinely wash work inants.

9. Physical and chemical properties

		•
Appearar	nce	
Phys	sical state	Gas.
Form	1	Aerosol.
Colo	r	Not available.
Odor		Not available.
Odor thre	eshold	Not available.
рН		Not available.
Melting p	oint/freezing point	Not available.
Initial boi range	iling point and boiling	132.89 °F (56.05 °C) estimated
Flash poi	int	-156.0 °F (-104.4 °C) propellant estimated
Evaporat	ion rate	Not available.
Flammab	oility (solid, gas)	Not available.
Upper/lov	wer flammability or exp	losive limits
Flam (%)	mability limit - lower	1.7 % estimated
Flam (%)	mability limit - upper	17.1 % estimated
Expl	osive limit - lower (%)	Not available.
Expl	osive limit - upper (%)	Not available.
Vapor pro	essure	3507.02 psig @70F estimated
Vapor de	nsity	Not available.
Relative	density	Not available.
Solubility	/(ies)	
Solu	bility (water)	Not available.
Partition (n-octanc	coefficient ol/water)	Not available.
Auto-igni	ition temperature	627.8 °F (331 °C) estimated
Decompo	osition temperature	Not available.
Viscosity	1	Not available.
Other infe	ormation	
Spec	ific gravity	0.734 estimated
10. Stal	bility and reactivity	
Reactivit	-	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemica	-	Material is stable under normal conditions.
Possibilit reactions	ty of hazardous s	Hazardous polymerization does not occur.

Conditions to avoid	Avoid temperatures exceeding the flash point. Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

Ingestion	Expected to be a low ingestion hazard.
Inhalation	May cause drowsiness and dizziness. Headache. Nausea, vomiting.
Skin contact	No adverse effects due to skin contact are expected.
Eye contact	Causes serious eye irritation.

May cause drowsiness and dizziness. Headache. Nausea, vomiting. Irritation of nose and throat. Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision.

Information on toxicological effects

Acute toxicity	Narcotic effects.	
Components	Species	Test Results
Acetone (CAS 67-64-1)		
Acute		
Dermal		
LD50	Guinea pig	> 7426 mg/kg, 24 Hours
		> 9.4 ml/kg, 24 Hours
	Rabbit	> 7426 mg/kg, 24 Hours
		> 9.4 ml/kg, 24 Hours
Inhalation		
LC50	Rat	55700 ppm, 3 Hours
		132 mg/l, 3 Hours
		50.1 mg/l
Oral		-
LD50	Rat	5800 mg/kg
		2.2 ml/kg
Diethylene Glycol Monoethyl	Ether (CAS 111-90-0)	5
Acute		
Dermal		
LD50	Guinea pig	5900 mg/kg, Days
	Rabbit	8500 mg/kg, 2 Hours
		8476 mg/kg, 24 Hours
		7714 mg/kg
Oral		i i i i i i i i i i i i i i i i i i i
LD50	Guinea pig	4970 mg/kg
	Mouse	6031 mg/kg
	Rabbit	
		5600 mg/kg
	Rat	5600 mg/kg
		5.4 ml/kg
lexylene Glycol (CAS 107-41	-5)	
Acute		
Dermal		
LD50	Rabbit	13.3 ml/kg, 24 Hours
Oral	Det	
LD50	Rat	4700 mg/kg
Propane (CAS 74-98-6)		
Acute		
Inhalation LC50	Mouse	1237 mg/l, 120 Minutes
2000	Widdac	-
		52 %, 120 Minutes
	Rat	1355 mg/l
		658 mg/l/4h

Skin corrosion/irritationProlonged skin contact may cause temporary irritation.Serious eye damage/eyeCauses serious eye irritation.

irritation

Respiratory or skin sensitization	on			
Respiratory sensitization	Not availabl	Not available.		
Skin sensitization	This produc	This product is not expected to cause skin sensitization.		
Germ cell mutagenicity		No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.		
Carcinogenicity	This produc	This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.		
OSHA Specifically Regulat Not listed.	lated Substances (29 CFR 1910.1001-1050)			
Reproductive toxicity	This produc	This product is not expected to cause reproductive or developmental effects.		
Specific target organ toxicity - single exposure	May cause	May cause drowsiness and dizziness.		
Specific target organ toxicity - repeated exposure	Not classifie	Not classified.		
Aspiration hazard	Not likely, d	ue to the form of the product.		
12. Ecological informatio	n			
Ecotoxicity				
Components		Species	Test Results	
Acetone (CAS 67-64-1)				
Aquatic				
Crustacea	EC50	Water flea (Daphnia magna)	21.6 - 23.9 mg/l, 48 hours	
Fish	LC50	Rainbow trout,donaldson trout (Oncorhynchus mykiss)	4740 - 6330 mg/l, 96 hours	
Diethylene Glycol Monoethyl Ether (CAS 111-90-0) Aquatic				
Fish	LC50	Bluegill (Lepomis macrochirus)	> 10000 mg/l, 96 hours	
Hexylene Glycol (CAS 107-4 Aquatic	1-5)			
Crustacea	EC50	Water flea (Ceriodaphnia reticulata)	2400 - 3200 mg/l, 48 hours	
Fish	LC50	Bleak (Alburnus alburnus)	7000 - 9100 mg/l, 96 hours	
* Estimates for product may	be based on ac	dditional component data not shown.		
Persistence and degradability	No data is a	vailable on the degradability of this produc	t.	
Bioaccumulative potential	No data ava	ailable.		
Partition coefficient n-octanol / water (log Kow)Acetone-0.24Diethylene Glycol Monoethyl Ether-0.54Propane2.36				
Mobility in soil	No data ava	ilable.		

Other adverse effects

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Contents under pressure. Do not puncture, incinerate or crush. Dispose of contents/container in accordance with local/regional/national/international regulations.
Local disposal regulations	Dispose in accordance with all applicable regulations.
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.

US RCRA Hazardous Waste U List: Reference

Acetone (CAS 67-64-1)	U002
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).

Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied. Do not re-use empty containers.

14. Transport information

DOT

UN number UN proper shipping name	UN1950 Aerosols, flammable, (each not exceeding 1 L capacity)
Transport hazard class(es)	
Class	2.1
Subsidiary risk	-
Label(s)	2.1
Packing group	Not applicable.
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.
Special provisions	N82
Packaging exceptions	306
Packaging non bulk	None
Packaging bulk	None
This product mosts the eventi	an requirements of eaching 172,200 as a limited quantity and may be abianed as a

This product meets the exception requirements of section 173.306 as a limited quantity and may be shipped as a limited quantity. Until 12/31/2020, the "Consumer Commodity - ORM-D" marking may still be used in place of the new limited quantity diamond mark for packages of UN 1950 Aerosols. Limited quantities require the limited quantity diamond mark on cartons after 12/31/20 and may be used now in place of the "Consumer Commodity ORM-D" marking and both may be displayed concurrently.

ΙΑΤΑ

	n	
	UN number	UN1950
	UN proper shipping name	Aerosols, flammable
	Transport hazard class(es)	
	Class	2.1
	Subsidiary risk	-
	Label(s)	2.1
	Packing group	Not applicable.
	Environmental hazards	No.
	ERG Code	10L
		Read safety instructions, SDS and emergency procedures before handling.
	Other information	
	Passenger and cargo	Allowed.
	aircraft	A.U
	Cargo aircraft only	Allowed.
	Packaging Exceptions	LTD QTY
IMD	G	
	UN number	UN1950
	UN proper shipping name	AEROSOLS
	Transport hazard class(es)	
	Class	2.1
	Subsidiary risk	-
	Label(s)	2.1
	Packing group	Not applicable.
	Environmental hazards	
	Marine pollutant	No.
	EmS	F-D, S-U
	Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.
	Packaging Exceptions	LTD QTY
Tra	nsport in bulk according to	Not applicable.
	nex II of MARPOL 73/78 and	
the	IBC Code	



15. Regulatory information

io. Regulatory mormation	•		
US federal regulations	This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200. All components are on the U.S. EPA TSCA Inventory List.		
TSCA Section 12(b) Export	TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)		
Not regulated.			
CERCLA Hazardous Substa	nce List (40 CFR 302.4)		
Acetone (CAS 67-64-1)	Listed.		
SARA 304 Emergency relea	se notification		
Not regulated.			
OSHA Specifically Regulate	d Substances (29 CFR 1910.1001-1050)		
Not listed.			
Superfund Amendments and Re	authorization Act of 1986 (SARA)		
Hazard categories	Immediate Hazard - Yes Delayed Hazard - No Fire Hazard - Yes Pressure Hazard - No Reactivity Hazard - No		
SARA 302 Extremely hazard	SARA 302 Extremely hazardous substance		
Not listed.			
SARA 311/312 Hazardous chemical	No		
SARA 313 (TRI reporting) Not regulated.			
Other federal regulations			
Clean Air Act (CAA) Sectior	112 Hazardous Air Pollutants (HAPs) List		
Not regulated. Clean Air Act (CAA) Sectior Propane (CAS 74-98-6)	112(r) Accidental Release Prevention (40 CFR 68.130)		
Safe Drinking Water Act (SDWA)	Not regulated.		
Drug Enforcement Administration (DEA). List 2, Essential Chemicals (21 CFR 1310.02(b) and 1310.04(f)(2) and Chemical Code Number			
Acetone (CAS 67-64			
Drug Enforcement Administration (DEA). List 1 & 2 Exempt Chemical Mixtures (21 CFR 1310.12(c))			
Acetone (CAS 67-64	-1) 35 %WV		

Acetone (CAS 67-64-1)

6532

US state regulations

US. Massachusetts RTK - Substance List

Acetone (CAS 67-64-1) Hexylene Glycol (CAS 107-41-5) Propane (CAS 74-98-6)

US. New Jersey Worker and Community Right-to-Know Act

Acetone (CAS 67-64-1) Hexylene Glycol (CAS 107-41-5) Propane (CAS 74-98-6)

US. Pennsylvania Worker and Community Right-to-Know Law

Acetone (CAS 67-64-1) Hexylene Glycol (CAS 107-41-5) Propane (CAS 74-98-6)

US. Rhode Island RTK

Acetone (CAS 67-64-1) Propane (CAS 74-98-6)

US. California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	No
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	No
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	No
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date Version #	06-16-2015 01
Disclaimer	The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.
Revision Information	Product and Company Identification: Alternate Trade Names Composition / Information on Ingredients: Ingredients Transport information: General information GHS: Classification