

	ai i ragrance i ree i banni	ig nana ooap
Version 1.0	SDS Number: 400000000739	Revision Date: 07/28/2023
SECTION 1. IDENTIFICATION		
Product name	: PURELL® Antimicrobial Fragram	nce Free Foaming Hand Soap
Manufacturer or supplier's	details	
Company name of supplier Address	<ul> <li>GOJO Industries, Inc.</li> <li>One GOJO Plaza, Suite 500 Akron, Ohio 44311</li> </ul>	
Telephone	: 1 (330) 255-6000	
Emergency telephone number	: CHEMTREC 1-800-424-9300 CHEMTREC +1-703-527-3887:	Outside USA & CANADA
Recommended use of the c	chemical and restrictions on use	
Recommended use	: Antibacterial Soap	
Restrictions on use	: This is a personal care or cosme consumers and other users und foreseeable use. Cosmetics and specifically defined by regulation exempt from the requirement of While this material is not consid contains valuable information cr proper use of the product for ind as well as unusual and unintend spills. This SDS should be retain employees and other users of th intended-use guidance, please r	er normal and reasonably d consumer products, ns around the world, are an SDS for the consumer. ered hazardous, this SDS itical to the safe handling and dustrial workplace conditions led exposures such as large ned and available for his product. For specific

provided on the package or instruction sheet.

### **SECTION 2. HAZARDS IDENTIFICATION**

#### **GHS Classification**

Not a hazardous substance or mixture.

### **GHS** label elements

Not a hazardous substance or mixture.

### Other hazards

None known.

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### Hazardous components

Chemical name	CAS-No.	Concentration (%)
Glycerin	56-81-5	>= 1 - < 5
Cocamidopropyl Betaine	61789-40-0	>= 1 - < 5
Benzalkonium Chloride	68391-01-5	>= 0.1 - < 1

### **SECTION 4. FIRST AID MEASURES**



Version 1.0	SDS Number: 40000000739	Revision Date: 07/28/2023
General advice	: In the case of accident or if you advice immediately. When symptoms persist or in a advice.	
If inhaled	: If inhaled, remove to fresh air. If symptoms persist, call a physical structure of the symptoms of the symptometry of the sym	sician.
In case of skin contact	: Get medical attention if irritatio	n develops and persists.
In case of eye contact	: Rinse thoroughly with plenty of If easy to do, remove contact le Get medical attention if irritatio	ens, if worn.
If swallowed	: If swallowed, DO NOT induce Rinse mouth with water. Obtain medical attention.	vomiting.
Most important symptoms and effects, both acute and delayed	: None known.	
Protection of first-aiders	: First Aid responders should pa and use the recommended pro	

### SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	: Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
Unsuitable extinguishing media	: None known.
Hazardous combustion products	: Carbon oxides Nitrogen oxides (NOx)
Specific extinguishing methods	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers.
Further information	<ul> <li>Collect contaminated fire extinguishing water separately. This must not be discharged into drains.</li> <li>Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.</li> </ul>
Special protective equipment for firefighters	<ul> <li>In the event of fire, wear self-contained breathing apparatus.</li> <li>Use personal protective equipment.</li> </ul>

### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	:	Use personal protective equipment. Ensure adequate ventilation. Material can create slippery conditions.
Environmental precautions	:	Discharge into the environment must be avoided. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g. by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.
Methods and materials for containment and cleaning up	:	Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).



	•	•
Version 1.0	SDS Number: 40000000739	Revision Date: 07/28/2023
	Keep in suitable, closed contai Clean contaminated floors and observing environmental regula	objects thoroughly while
SECTION 7. HANDLING AND ST	TORAGE	
Advice on safe handling	: For personal protection see see Do not swallow. Avoid contact with eyes. Keep container closed when no	
Conditions for safe storage	: Keep in properly labelled conta Keep containers tightly closed	iners.

ventilated place.

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Glycerin	56-81-5	TWA (mist, respirable fraction)	5 mg/m3	OSHA Z-1
		TWA (mist, total dust)	15 mg/m3	OSHA Z-1

Store in accordance with the particular national regulations.

#### Personal protective equipment

Respiratory protection	: No personal respiratory protective equipment normally required.
Eye protection	<ul> <li>No special protective equipment required.</li> <li>Wear face-shield and protective suit for abnormal processing problems.</li> </ul>
Skin and body protection	: No special protective equipment required.
Protective measures	: Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.
Hygiene measures	: Handle in accordance with good industrial hygiene and safety practice. Avoid contact with eyes.

#### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: liquid
Colour	: colourless, yellow
Odour	: like soap
Odour Threshold	: No data available
рН	: 5.0 - 7.0, (20 °C)
Melting point/freezing point	: No data available
Initial boiling point and boiling	: 99 °C



#### SDS Number: 40000000739 Revision Date: 07/28/2023 Version 1.0 range Flash point : > 100 °C Evaporation rate : No data available Flammability (solid, gas) : Not applicable Flammability (liquids) : No data available Upper explosion limit : No data available Lower explosion limit No data available · Vapour pressure No data available · Relative vapour density ٠ No data available Density : 1.007 g/cm3 Solubility(ies) : soluble Water solubility Partition coefficient: n-: Not applicable octanol/water : No data available Auto-ignition temperature Thermal decomposition : The substance or mixture is not classified self-reactive. Viscosity : 75 mm2/s (20 °C) Viscosity, kinematic Explosive properties : Not explosive Oxidizing properties : The substance or mixture is not classified as oxidizing.

## **PURELL® Antimicrobial Fragrance Free Foaming Hand Soap**

### SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Not classified as a reactivity hazard.
Chemical stability	: Stable under normal conditions.
Incompatible materials	: Strong oxidizing agents
Hazardous decomposition	: No hazardous decomposition products are known.
products	

### SECTION 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure Inhalation Eye contact Skin contact

### Acute toxicity

Not classified based on available information.

### Components:



# P

URELL® Antimicrobial Fragrance Free Foaming Hand Soap		
rsion 1.0	SDS Number: 40000000739	Revision Date: 07/28/2023
<b>Glycerin:</b> Acute oral toxicity	: LD50 (Rat): > 5,000 mg/kg	
<b>Cocamidopropyl Betaine:</b> Acute oral toxicity	: LD50 : > 5,000 mg/kg Method: OECD Test Guideline Remarks: Based on data from	
Acute dermal toxicity	<ul> <li>LD50 (Rat): &gt; 2,000 mg/kg Method: OECD Test Guideline Assessment: The substance of toxicity Remarks: Based on data from</li> </ul>	r mixture has no acute dermal
Benzalkonium Chloride: Acute oral toxicity	: LD50 (Rat): 850 mg/kg	
Acute dermal toxicity	: LD50 (Rat): 2,300 mg/kg	
Assessment: Not irritating wh	nen applied to human skin.	
<u>Components:</u> Glycerin: Result: No skin irritation		
Cocamidopropyl Betaine: Result: Skin irritation		
<b>Benzalkonium Chloride:</b> Species: Rabbit Result: Corrosive after 3 min Remarks: Based on data fror		
Serious eye damage/eye iri		
Not classified based on availa	able information.	
<u>Components:</u> Glycerin: Result: No eye irritation		
<b>Cocamidopropyl Betaine:</b> Result: Eye irritation		

Result: Eye irritation Remarks: Severe eye irritation

### Benzalkonium Chloride:

Species: Rabbit Result: Irreversible effects on the eye Remarks: Based on data from similar materials



Version 1.0

SDS Number: 40000000739

Revision Date: 07/28/2023

### Respiratory or skin sensitisation

Skin sensitisation: Not classified based on available information. Respiratory sensitisation: Not classified based on available information.

### Components:

**Cocamidopropyl Betaine:** Test Type: Maximisation Test (GPMT) Exposure routes: Skin contact Species: Guinea pig Result: negative Remarks: Based on data from similar materials

### Benzalkonium Chloride:

Test Type: Buehler Test Exposure routes: Skin contact Species: Guinea pig Method: OECD Test Guideline 406 Result: negative Remarks: Based on data from similar materials

### Germ cell mutagenicity

Not classified based on available information.

Components:

: Test Type: In vitro mammalian cell gene mutation test Method: OECD Test Guideline 476 Result: negative
: Test Type: Bacterial reverse mutation assay (AMES) Method: OECD Test Guideline 471 Result: negative Remarks: Based on data from similar materials
: Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Test species: Mouse Application Route: Ingestion Result: negative Remarks: Based on data from similar materials
: Test Type: Bacterial reverse mutation assay (AMES) Method: OECD Test Guideline 471 Result: negative Remarks: Based on data from similar materials
: Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Test species: Mouse Application Route: Ingestion Method: OECD Test Guideline 474 Result: negative Remarks: Based on data from similar materials



	a Flagrance Flee Foanni	iy nahu Soap
Version 1.0	SDS Number: 40000000739	Revision Date: 07/28/2023
<b>Carcinogenicity</b> Not classified based on availa	able information.	
<u>Components:</u> Glycerin: Species: Rat Application Route: Ingestion Exposure time: <** Phrase do Result: negative	oes not exist: 2 - **> Years	
IARC	No component of this product pres equal to 0.1% is identified as proba human carcinogen by IARC.	
OSHA	No component of this product pres equal to 0.1% is identified as a car carcinogen by OSHA.	
NTP	No component of this product pres equal to 0.1% is identified as a kno by NTP.	
<b>Reproductive toxicity</b> Not classified based on availa <u>Components:</u> Glycerin:	able information.	
Effects on fertility	: Test Type: Two-generation repr Species: Rat Application Route: Ingestion Result: negative	oduction toxicity study
Effects on foetal development	: Test Type: Embryo-foetal develor Species: Rabbit Application Route: Ingestion Result: negative	opment
<b>Cocamidopropyl Betaine:</b> Effects on foetal development	: Test Type: Embryo-foetal develo Species: Rat Application Route: Ingestion Method: OECD Test Guideline 4 Result: negative Remarks: Based on data from s	114
Benzalkonium Chloride: Effects on fertility	: Test Type: Two-generation repr Species: Rat Application Route: Ingestion Result: negative Remarks: Based on data from s	
Effects on foetal development	: Test Type: Embryo-foetal develor Species: Rat Application Route: Ingestion	opment



Version 1.0

SDS Number: 40000000739

Revision Date: 07/28/2023

Result: negative Remarks: Based on data from similar materials

### STOT - single exposure

Not classified based on available information.

### STOT - repeated exposure

Not classified based on available information.

#### Repeated dose toxicity

### Components:

**Glycerin:** Species: Rat NOAEL: 167 mg/m3 LOAEL: 660 mg/m3 Application Route: inhalation (dust/mist/fume) Exposure time: <\*\* Phrase does not exist: 13 w - \*\*> Symptoms: Local irritation

#### **Cocamidopropyl Betaine:**

Species: Rat NOAEL: 250 mg/kg Application Route: Ingestion Exposure time: <\*\* Phrase does not exist: 90 d - \*\*> Method: OECD Test Guideline 408 Remarks: Based on data from similar materials

#### Benzalkonium Chloride:

Species: Mouse NOAEL: 192 mg/kg Application Route: Ingestion Exposure time: <\*\* Phrase does not exist: 94 d - \*\*> Remarks: Based on data from similar materials

### Aspiration toxicity

Not classified based on available information.

### SECTION 12. ECOLOGICAL INFORMATION

#### Ecotoxicity

Com	ponents:
	_

<b>Glycerin:</b> Toxicity to fish	: LC50 (Oncorhynchus mykiss (rainbow trout)): 54,000 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 1,955 mg/l Exposure time: 48 h
Toxicity to bacteria	: NOEC (Pseudomonas putida): > 10,000 mg/l Exposure time: 16 h
Cocamidopropyl Betaine: Toxicity to fish	: LC50: > 1 - 10 mg/l



SDS Number: 40000000739	Revision Date: 07/28/202
Exposure time: 96 h Method: ISO 7346/2 Remarks: Based on data from	n similar materials
: EC50: > 100 mg/l Method: OECD Test Guideline Remarks: Based on data from	
: LC50 (Lepomis macrochirus ( Exposure time: 96 h Remarks: Based on data from	
: EC50 (Daphnia magna (Wate Exposure time: 48 h Method: Directive 67/548/EE0 Remarks: Based on data from	C, Annex V, C.2.
: ErC50 (Selenastrum capricon Exposure time: 72 h Method: OECD Test Guideline Remarks: Based on data from	e 201
EC10 (Selenastrum capricorn Exposure time: 72 h Method: OECD Test Guideline Remarks: Based on data from	
: 10	
: NOEC (Pimephales promelas Exposure time: 34 d Remarks: Based on data from	s (fathead minnow)): 0.0322 mg n similar materials
: NOEC (Daphnia magna (Wate Exposure time: 21 d Method: OECD Test Guideline Remarks: Based on data from	e 211
: 1	
ty	
: Result: Readily biodegradable Biodegradation: 94 % Exposure time: 1 d	2.
: Result: Readily biodegradable Biodegradation: > 60 % Exposure time: 28 d Method: OECD Test Guideline Remarks: Based on data from	e 301
	Exposure time: 96 h Method: ISO 7346/2 Remarks: Based on data from : EC50: > 100 mg/l Method: OECD Test Guideline Remarks: Based on data from : LC50 (Lepomis macrochirus ( Exposure time: 96 h Remarks: Based on data from : EC50 (Daphnia magna (Wate Exposure time: 48 h Method: Directive 67/548/EEC Remarks: Based on data from : ErC50 (Selenastrum capricom Exposure time: 72 h Method: OECD Test Guideline Remarks: Based on data from EC10 (Selenastrum capricom Exposure time: 72 h Method: OECD Test Guideline Remarks: Based on data from : 10 : NOEC (Pimephales promelas Exposure time: 34 d Remarks: Based on data from : NOEC (Daphnia magna (Wate Exposure time: 21 d Method: OECD Test Guideline Remarks: Based on data from : NOEC (Daphnia magna (Wate Exposure time: 21 d Method: OECD Test Guideline Remarks: Based on data from : 1 ty : Result: Readily biodegradable Biodegradation: 94 % Exposure time: 1 d

\_



# PURELL® Antimicrobial Fragrance Free Foaming Hand Soap

	•	•
Version 1.0	SDS Number: 400000000739	Revision Date: 07/28/2023
Benzalkonium Chloride: Biodegradability	: Result: Readily biodegradable. Biodegradation: 72 % Exposure time: 28 d	
Bioaccumulative potential		
Components:		
Glycerin: Partition coefficient: n- octanol/water Benzalkonium Chloride:	: log Pow: -1.76	
Partition coefficient: n- octanol/water	: log Pow: 2.75 Remarks: Based on data from s	similar materials
<b>Mobility in soil</b> No data available		
Other adverse effects No data available		
Product:		
Regulation	40 CFR Protection of Environm Stratospheric Ozone - CAA Sec	,
Remarks	This product neither contains, r Class I or Class II ODS as defir Section 602 (40 CFR 82, Subp	ned by the U.S. Clean Air Act

### SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods	
Waste from residues Contaminated packaging	<ul> <li>Dispose of in accordance with local regulations.</li> <li>Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal.</li> </ul>

### **SECTION 14. TRANSPORT INFORMATION**

#### International Regulation

### IATA-DGR

Not regulated as a dangerous good

### IMDG-Code

Not regulated as a dangerous good **National Regulations** 

### 49 CFR

Not regulated as a dangerous good

### **SECTION 15. REGULATORY INFORMATION**



Version 1.0	SDS Number: 40000000739	Revision Date: 07/28/2023	
SARA 311/312 Hazards	: No SARA Hazards		
SARA 302		: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.	
SARA 313	known CAS numbers that exce	: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.	

#### **Clean Air Act**

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 12 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

The following chemical(s) are listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489): 2 %

Glycerin 56-81-5

This product does not contain any VOC exemptions listed under the U.S. Clean Air Act Section 450.

#### **Clean Water Act**

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

California Prop 65	This product does not require a warning label under California Proposition 65.

### The components of this product are reported in the following inventories:

TSCA	: On the inventory, or in compliance with the inventory
AICS	: On the inventory, or in compliance with the inventory
DSL	: All components of this product are on the Canadian DSL.
ENCS	: On the inventory, or in compliance with the inventory
ISHL	: On the inventory, or in compliance with the inventory
KECI	: On the inventory, or in compliance with the inventory
PICCS	: On the inventory, or in compliance with the inventory
IECSC	: On the inventory, or in compliance with the inventory
NZIoC	: On the inventory, or in compliance with the inventory

### Inventories

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIOC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (USA)




Version 1.0

SDS Number: 40000000739

Revision Date: 07/28/2023

### **SECTION 16. OTHER INFORMATION**

### **Further information**



HMIS III:



0 = not significant, 1 =Slight, 2 = Moderate, 3 = High 4 = Extreme, \* = Chronic

### Revision Date

: 07/28/2023

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.



# Article Information Sheet/Safety Data Sheet

Page 1 of 6 Alkaline Manganese Dioxide-Zinc Batteries

#### **ARTICLE INFORMATION SHEET/SAFETY DATA SHEET (AIS/SDS)**

#### **Alkaline Manganese Dioxide-Zinc Battery**

This Article Information Sheet (AIS) provides relevant battery information to retailers, consumers, OEMs and other users requesting a GHS-compliant SDS. Articles, such as batteries, are exempt from GHS SDS classification criteria. The GHS criteria is not designed or intended to be used to classify the physical, health and environmental hazards of an article. Branded consumer batteries are defined as electro-technical devices. The design, safety, manufacture, and qualification of Energizer and Rayovac branded consumer batteries follow ANSI and IEC battery standards.

#### SECTION 1 - Identification

Product Name: Energizer			Document Number: 1022-Alk	
Chemical Syste	Chemical System: Alkaline Manganese Dioxide-Zinc		Date Prepared: January 2023	
Desig	ned for Recharge: No		Valid Until: January 2026	
Pre	epared by: Energizer			
Energizer Brands, LLC 533 Maryville University Drive St. Louis, MO 63141	Email for Information: customersupport@energizer.com 1-800-383-7323	Description Use Brand IEC Designation Sizes Image	Alkaline Manganese Dioxide-Zinc Battery Portable power source ENERGIZER/EVERREADY hcluded but not limited to: LR8D425, LR03, LR6, LR14, LR20, 6LR61, LR1, 4LR25Y, 6LF22 hcluded but not limited to: AAAA, AAA, AA, C, D, 9V, N, Lantern	

#### SECTION 2 – Hazards Identification

Not applicable to Batteries which are classified as Articles

Articles, such as batteries, are exempt from GHS SDS classification criteria. The GHS criteria are not designed or intended to be used to classify the physical, health and environmental hazards of an article.

**Inhalation:** Contents of an open battery can cause respiratory irritation. **Skin Contact:** Contents of an open battery can cause skin irritation. **Eye Contact:** Contents of an open battery can cause severe irritation.



Page 2 of 6 Alkaline Manganese Dioxide-Zinc Batteries

#### SECTION 3 – Composition / Information

The battery should not be opened or burned. Exposure to the ingredients contained within or their combustion products could be harmful.

#### All Energizer Alkaline Manganese Dioxide-Zinc have zero added mercury.

MATERIAL OR INGREDIENT	CAS #	%/wt.
Graphite	7782-42-5	2-6
Manganese Dioxide	1313-13-9	30-45
Potassium Hydroxide	1310-58-3	4-8
Zinc	7440-66-6	12-25
Non-Hazardous Components Steel	65997-19-5	18-22
Water, Paper, Plastic and Other		Balance

#### SECTION 4 – First Aid Measures

**Ingestion:** Do not induce vomiting or give food or drink. Seek medical attention immediately. CALL NATIONAL BATTERY INGESTION HOTLINE for advice and follow-up (800-498-8666) day or night.

**Skin and Eyes:** In the even that a battery ruptures, flush exposed skin with flowing lukewarm water for a minimum of 15 minutes. Get immediate medical attention for eyes. Wash skin with soap and water.

#### SECTION 5 – Fire Hazard & Firefighting

In case of fire, it is permissible to use any class of extinguishing medium on these batteries or their packing material. Cool exterior of batteries if exposed to fire to prevent rupture.

Fire fighters should wear self-contained breathing apparatus.

#### SECTION 6 – Accidental Release Measures

Not applicable to Batteries which are classified as Articles

TO CONTAIN AND CLEAN UP LEAKS OR SPILLS: In the event of a battery rupture, prevent skin contact and collect all released material in a plastic lined metal container.

REPORTING PROCEDURE: Report all spills in accordance with Federal, State and Local reporting requirement.





Page 3 of 6 Alkaline Manganese Dioxide-Zinc Batteries

#### SECTION 7 - HANDLING AND STORAGE

Storage: Store in a cool, well ventilated area. Elevated temperatures can result in shortened battery life.

**Mechanical Containment:** Designers of any water or air-tight device should be aware of the normal evolution of hydrogen gas from alkaline batteries. This gas must be either absorbed or allowed to escape to avoid a potential safety issue.

**Handling:** Accidental short circuit for a few seconds will not seriously affect the battery. Prolonged short circuit will cause the battery to lose energy through heating, and can cause the safety release vent to open. Sources of short circuits include jumbled batteries in bulk containers, metal jewelry, metal covered tables or metal belts used for assembly of batteries into devices.

Soldering directly to a battery is not recommended. If welding to the battery is required, consult your Energizer sales representative for proper precautions to prevent seal damage or short circuit.

**Charging:** This battery is manufactured in a charged state. It is not designed for recharging. Recharging can cause battery leakage or, in some cases, high pressure rupture. Inadvertent charging can occur if a battery is installed backwards.

Labeling: The label acts as an electrical insulation for the battery can. Damage to the label can increase the potential for a short circuit.

**WARNING:** Do not install backwards, charge, put in fire, or mix with other battery types as it may explode or leak causing injury. **Replace all batteries at the same time.** 

#### SECTION 8 – Exposure Controls

Not applicable to Batteries which are classified as Articles

In case of rupture or leakage use hand protection. Avoid contact with skin and eyes

#### SECTION 9 – TRANSPORT INFORMATION

Not applicable to Batteries which are classified as Articles

#### SECTION 10 – STABILITY AND REACTIVITY

#### STABLE OR UNSTABLE: Stable

**INCOMPATIBILITY (MATERIALS TO AVOID):** Not Applicable to articles.

HAZARDOUS DECOMPOSITION PRODUCTS: Not Applicable to articles.

**DECOMPOSITION TEMPERATURE (0°F)**: Not Applicable to articles.

HAZARDOUS POLYMERIZATION: Will Not Occur

CONDITIONS TO AVOID: Avoid electrical shorting, puncturing or deform



Page 4 of 6 Alkaline Manganese Dioxide-Zinc Batteries

#### SECTION 11 - TOXILOGICAL INFORMATION

MATERIAL OR INGREDIENT	PEL (OSHA)	TLV (ACGIH)	%/wt.
Graphite (CAS# 7782-42-5)	15 mg/m <sup>3</sup> TWA (total dust) 5 mg/m <sup>3</sup> TWA (respirable fraction)	2 mg/m <sup>3</sup> TWA (respirable fraction)	2-6
Manganese Dioxide (CAS# 1313-13-9)	5 mg/m <sup>3</sup> Ceiling (as Mn)	0.2 mg/m <sup>3</sup> TWA (as Mn)	30-45
Potassium Hydroxide (CAS# 1310-58-3)	None established	2 mg/m <sup>3</sup> Ceiling	4-8
Zinc (CAS# 7440-66-6)	15 mg/m <sup>3</sup> TWA PNOR* (total dust) 5 mg/m <sup>3</sup> TWA PNOR* (respirable fraction)	10 mg/m <sup>3</sup> TWA PNOC** (inhalable particulate) 3 mg/m <sup>3</sup> TWA PNOC** (respirable particulate)	12-25
Non-Hazardous Components Steel iron CAS# 65997-19-5	None established	None established	18-22
Water, Paper, Plastic and Other	None established	None established	Balance

#### SECTION 12 – Ecological Information

Dispose of properly when discharged. Use a recycling outlet if available. Those collecting batteries should follow state and federal regulations.

Partially discharged damaged batteries can overheat and cause fires in the presence of other combustible materials.

#### SECTION 13 – Disposal Considerations

Dispose of in accordance with all applicable federal, state and local regulations. Appropriate disposal technologies include incineration and land filling.



## Article Information Sheet/Safety Data Sheet

Page 5 of 6 Alkaline Manganese Dioxide-Zinc Batteries

#### SECTION 14 - TRANSPORT INFORMATION

In general, all batteries in all forms of transportation (ground, air, or ocean) must be packaged in a safe and responsible manner. Regulatory concerns from all agencies for safe packaging require that batteries be packaged in a manner that prevents short circuits and be contained in "strong outer packaging" that prevents spillage of contents. All original packaging for Energizer alkaline batteries has been designed to be compliant with these regulatory concerns.

Alkaline batteries (sometimes referred to as "Dry cell" batteries) are not listed as dangerous goods under the ADR European Agreement Concerning the International Carriage of Dangerous Goods by Road, the IMDG International Maritime Dangerous Goods Code, UN Dangerous Good Regulations, IATA Dangerous Goods Regulations, ICAO Technical Instructions and the U.S. hazardous materials regulations (49 CFR). These batteries are not subject to the dangerous goods regulations provided they meet the requirements contained in the following special provisions.

Regulatory Body	Special Provisions	
ADR	Not regulated	
IMDG	Not regulated	
UN	Not regulated	
US DOT	49 CFR 172.102 Provision 130	
IATA	A123	
ICAO	Not regulated	

All Energizer alkaline batteries are packed in such a way to prevent short circuits or the generation dangerous quantities of heat and meet the special provisions listed above. In addition, the IATA Dangerous Goods Regulations and ICAO Technical Instructions require the words "not restricted" and the Special Provision number A123 be provided on the air waybill, when an air waybill is issued.

For emergency information call ChemTel 1-800-526-4727 (North America) or 1-314-985-1511 (International).

#### SECTION 15 – REGULATORY INFORMATION

#### Applicable Battery Industry Standards

North America Standards	ANSI C18.3M Part 1	ANSI C18.3 M Part 2	ANSI C18.4
International Standards	IEC 60086-1	IEC 60086-2	IEC 60086-4

#### 15.1 Battery

- 1. **SARA/TITLE III**: As an article, this battery and its contents are not subject to the requirements of the Emergency Planning and Community Right-To-Know Act.
- 2. USA EPA Mercury Containing & Rechargeable Battery Management Act of 1996: No mercury added
- 3. EU Battery Directive 2006/66/EC Amended 2013/56/EU: Energizer batteries are compliant with all aspects of the Directive



## Article Information Sheet/Safety Data Sheet

Page 6 of 6 Alkaline Manganese Dioxide-Zinc Batteries

#### 15.2 General

- 1. CPSIA 2008: Exempt
- 2. US CPSC FHSA (16 CFR 1500): Not applicable since batteries are defined as articles
- 3. USA EPA TSCA (40 CFR 707.20): Not applicable since batteries are defined as articles
- 4. USA EPA RCRA (40 CFR 261): Classified as non-hazardous waste per ignitable, corrosive, reactive or toxicity testing
- 5. California Prop 65: No warning required
- 6. DTSC Perchlorate labeling: No warning required
- 7. **EU REACH SVHC:** No REACH listed substances of very high concern are present above 0.1% w/w.

#### **15.3 Article Definitions**

1. OSHA Hazard Communication Standard, Section 1910.1200(c)

#### SECTION 16 - OTHER INFORMATION

Energizer has prepared copyrighted Article Information Sheets to provide information on the different Eveready/Energizer/Rayovac battery systems. Batteries are articles as defined under the GHS and exempt from GHS classification criteria (Section 1.3.2.1.1 of the GHS). The information and recommendations set forth herein are made in good faith, for information only, and are believed to be accurate as of the date of preparation. However, ENERGIZER BRANDS, LLC MAKES NO WARRANTY, EITHER EXPRESS OR IMPLIED, WITH RESPECT TO THIS INFORMATION AND DISCLAIMS ALL LIABILITY FROM REFERENCE ON IT.

#### 16.1 ACRONYM GLOSSARY

- 1. ANSI: American National Standards Institute
- 2. CPSC: Consumer Product Safety Commission
- 3. <u>CPSIA:</u> Consumer Product Safety Improvement Act
- 4. <u>DTSC:</u> Department of Toxic Substances Control
- 5. <u>EPA:</u> Environmental Protection Agency
- 6. FHSA: Federal Hazardous Substances Act
- 7. GHS: Globally Harmonized System for Hazard Communication
- 8. <u>IEC</u>: International Electrotechnical Commission
- 9. OSHA: Occupational Safety and Health Administration
- 10. RCRA: Resource Conservation and Recovery Act
- 11. SDS: Safety Data Sheet
- 12. Substances of Very high Concern
- 13. TSCA: Toxic Substances Control Act