1. Chemical Product and Company Identification

Material name C9352 Series Use of the preparation Inkjet printing

Version #

Revision date 01-Apr-2008 CAS# Mixture

Manufacturer information Hewlett-Packard Company

1000 NE Circle Boulevard Corvallis, OR 97330-4239 US

Hewlett-Packard health effects line

(Toll-free within the US) 1-800-457-4209 1-503-494-7199 (Direct)

General information telephone number

HP Customer Care Line 1-800-474-6836 (Toll-free) 1-800-474-6836 (Direct) 1-208-323-2551 **Date prepared** Apr 01, 2008 **MSDS** number 265446

2. Hazards Identification

Emergency overview Contact with skin and eyes may result in irritation.

Acute health effects Any potential hazards are presumed to be due to exposure to the components.

Skin contact

1,5-pentanediol

Contact with skin may result in irritation.

2-pyrrolidone

Contact with skin may result in irritation.

Alkyldiol ethoxylate

Contact with skin may result in severe irritation.

Amino alkyldiol

Contact with skin may result in irritation.

Ammonium nitrate

Contact with skin may result in irritation.

Ethyl alkyldiol

Contact with skin may result in mild irritation.

Metal nitrate # 2

Contact with skin may result in irritation.

Material name C9352 SERIES MSDS US Creation date Jul 02, 2003 1 / 7

Eye contact

1,5-pentanediol

Contact with eyes may result in irritation.

2-pyrrolidone

Contact with eyes may result in irritation.

Alkyldiol ethoxylate

Contact can cause moderate to severe irritation and possible injury to the eyes.

Amino alkyldiol

Contact with eyes may result in irritation.

Ammonium nitrate

Contact with eyes may result in irritation.

Ethyl alkyldiol

Contact with eyes may result in mild irritation.

Metal nitrate # 2

Contact with eyes may result in irritation.

Inhalation

2-pyrrolidone

Inhalation may result in respiratory irritation.

Amino alkyldiol

Inhalation may result in respiratory irritation.

Ammonium nitrate

Inhalation may result in respiratory irritation.

Metal nitrate # 2

Inhalation may result in respiratory irritation.

Ingestion

2-pyrrolidone

Ingestion may result in nausea, vomiting and diarrhea.

Alkyldiol ethoxylate

Ingestion may cause irritation of mouth, throat, nausea, vomiting and diarrhea.

Ammonium nitrate

Contains nitrate salts, may cause methemoglobinemia.

Metal nitrate # 2

Contains nitrate salts, may cause methemoglobinemia.

Substituted phthalocyanine salt # 2

Harmful if swallowed.

Potential health effects

Routes of exposure Potential routes of overexposure to this product are skin and eye contact

Inhalation of vapor and ingestion are not expected to be significant routes of exposure for this

product under normal use conditions.

Complete toxicity data are not available for this specific formulation

Chronic health effects Cyan ink:

Substituted phthalocyanine salt: Prolonged ingestion exposure may cause serious damage to

health.

CarcinogenicityNone of the components present in this formulation at concentrations equal to or greater than

0.1% are listed by EU, MAK, IARC, NTP or OSHA.

Material nameC9352 SERIESMSDS USCreation dateJul 02, 2003Version number92 / 7



Composition / Information	•			
Component/Substance		CAS Number	% By Weight	
Cyan ink				
Water		7732-18-5	> 60	
1,5-pentanediol		111-29-5	< 10	
Ethyl alkyldiol		Proprietary	< 7.5	
2-pyrrolidone		616-45-5	< 7.5	
Metal nitrate # 2		Proprietary	< 7.5	
Alkyldiol ethoxylate		Proprietary	< 2.5	
Substituted phthalocyanine salt	# 2	Proprietary	< 2.5	
Ammonium nitrate		6484-52-2	< 2.5	
Magenta ink				
Water		7732-18-5	> 60	
1,5-pentanediol		111-29-5	< 10	
Ethyl alkyldiol		Proprietary	< 7.5	
2-pyrrolidone		616-45-5	< 7.5	
Metal nitrate # 2		Proprietary	< 7.5	
Alkyldiol ethoxylate		Proprietary	< 2.5	
Amino alkyldiol		Proprietary	< 2.5	
Ammonium nitrate		6484-52-2	< 2.5	
		0404-32-2	< 2.5	
Yellow ink		7722 10 5		
Water		7732-18-5	> 60	
1,5-pentanediol		111-29-5	< 10	
Ethyl alkyldiol		Proprietary	< 7.5	
2-pyrrolidone		616-45-5	< 7.5	
Metal nitrate # 2		Proprietary	< 7.5	
Alkyldiol ethoxylate		Proprietary	< 2.5	
Ammonium nitrate		6484-52-2	< 2.5	
Composition comments	This ink supply contains an aqueous ink formulation. This product has been evaluated using criteria specified in 29 CFR 1910.1200 (Hazard Communication Standard).			
First Aid Measures				
First aid procedures				
Eye contact	Do not rub eves	Immediately flush with large amou	nts of clean warm water (low pressure)	
Lyc contact		Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at least 15 minutes or until particles are removed. If irritation persists get medical attentio		
Skin contact	Wash affected areas thoroughly with mild soap and water. If irritation persists get medical attention.			
Inhalation	Move to fresh air. If symptoms persist, get medical attention.			
Ingestion	If ingestion of a large amount does occur, seek medical attention.			
Fire Fighting Measures				
	> 200 9E (> 0.2.2 9C), Dancia, Martana Classed Com			
Flash point and method	> 200 °F (> 93.3 °C); Pensky-Martens Closed Cup			
Hazardous combustion products	Refer to section 10.			
Flammable properties	None known.			
Extinguishing media				
Suitable extinguishing media	CO2, water, dry o	chemical, or foam		

Material nameC9352 SERIESMSDS USCreation dateJul 02, 2003Version number93 / 7

Unsuitable extinguishing

media

None known.

Unusual fire and explosion

hazard

None known.

Special firefighting

procedures

None established.

6. Accidental Release Measures

Personal precautions Wear appropriate personal protective equipment.

Environmental precautions Do not let product enter drains. Do not flush into surface water or sanitary sewer system.

Other information Soak up with inert absorbent material. Slowly vacuum or sweep the material into a bag or

other sealed container. Dispose of in compliance with federal, state, and local regulations. See

also section 13 Disposal considerations.

7. Handling and Storage

Handling Avoid contact with skin, eyes and clothing.

Storage Keep out of the reach of children. Keep away from excessive heat or cold.

8. Exposure Controls/Personal Protection

Exposure guidelines Exposure limits have not been established for this product.

Personal protective equipment

General Use personal protective equipment to minimize exposure to skin and eye.

General hygeine considerations

Handle in accordance with good industrial hygiene and safety practice.

9. Physical & Chemical Properties

Appearance Not Available

Color Cyan, magenta, yellow

Odor Not Available
Odor threshold Not available

Physical state Liquid.

Form Not Available
pH 6.5 - 8.75
Melting point Not available
Freezing point Not available
Boiling point Not determined

Flash point > 200 °F (> 93.3 °C); Pensky-Martens Closed Cup

Evaporation rateNot determinedFlammabilityNot available.Flammability limits in air,Not available

upper, % by volume

Flammability limits in air, lower, % by volume

Not determined

Vapor pressure Not determined

Material nameC9352 SERIESMSDS USCreation dateJul 02, 2003Version number94 / 7



Vapor density > 1 (air = 1.0)

Specific gravity 1 - 1.2

Relative densityNot availableSolubility in waterSoluble in waterPartition coefficientNot available

(n-octanol/water)

Auto-ignition temperatureNot availableDecomposition temperatureNot available

VOC < 3 % **Viscosity** > 2 cp

10. Chemical Stability & Reactivity Information

Chemical stability Stable under recommended storage conditions.

Incompatible materials Incompatible with strong bases and oxidizing agents.

Hazardous decomposition

products

Upon decomposition, this product may yield gaseous nitrogen oxides, carbon monoxide,

carbon dioxide and/or low molecular weight hydrocarbons.

Possibility of hazardous

reactions

Will not occur.

11. Toxicological Information

Toxicological information Refer to Section 3 for potential health effects and Section 4 for first aid measures.

Cyan ink

Refer to Section 3 for potential health effects and Section 4 for first aid measures.

Magenta ink

Refer to Section 3 for potential health effects and Section 4 for first aid measures.

Yellow ink

Refer to Section 3 for potential health effects and Section 4 for first aid measures.

12. Ecological Information

Aquatic toxicity

Cyan ink

LC50/96h/Fathead minnows =< 400 mg/L

Static acute toxicity (trout), survival (100 mg/L) = 100%Static acute toxicity (trout), survival (10 mg/L) = 100%

Magenta ink

LC50/96h/Fathead minnows =< 400 mg/L

Static acute toxicity (trout), survival (100 mg/L) = 100% Static acute toxicity (trout), survival (10 mg/L) = 100%

Yellow ink

LC50/96h/Fathead minnows =< 400 mg/L

Static acute toxicity (trout), survival (100 mg/L) = 100%Static acute toxicity (trout), survival (10 mg/L) = 100%

Persistence and degradability Not available

Material nameC9352 SERIESMSDS USCreation dateJul 02, 2003Version number95 / 7

13. Disposal Considerations

Disposal instructions Dispose of in compliance with federal, state, and local regulations.

HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is available in your location, please visit http://www.hp.com/recycle.

14. Transportation Information

Department of Transportation (DOT) Requirements

Not regulated as hazardous goods.

IATA

Proper shipping name Not applicable Hazard class Not applicable

UN numberNonePacking groupN/APackaging exceptionsNone

15. Regulatory Information

US TSCA 12(b): Does not contain listed chemicals.

CERCLA (Superfund) reportable quantity

None

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - No

Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

Section 302 extremely

hazardous substance

No

Section 311 hazardous

chemical

No

International regulations All chemical substances in this HP product have been notified or are exempt from notification

under chemical substances notification laws in the following countries: US (TSCA), EU

(EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea,

New Zealand, and China.

State regulations

U.S. - Pennsylvania - RTK (Right to Know) List

Metal nitrate # 2 Proprietary Present
U.S. - New Jersey - Right to Know Hazardous Substance List

Metal nitrate # 2 Proprietary sn 1143

16. Other Information

HMIS® ratings Health: 1

Flammability: 1 Physical hazard: 0

NFPA ratings Health: 1

Flammability: 1 Instability: 0

Issue date Apr 1 2008 1:44PM

Material nameC9352 SERIESMSDS USCreation dateJul 02, 2003Version number96 / 7

Revision 7

Replaces sheet dated Mar 26 2008 7:41AM

Disclaimer This Safety Data Sheet document is provided without charge to customers of Hewlett-Packard

Company. Data is the most current known to Hewlett-Packard Company at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in

Section 1 above and may not meet regulatory requirements in other countries.

Explanation of abbreviations

ACGIH American Conference of Governmental Industrial Hygienists

CAS Chemical Abstracts Service

CERCLA Comprehensive Environmental Response Compensation and Liability Act

CFR Code of Federal Regulations

COC Cleveland Open Cup

DOT Department of Transportation

EPCRA Emergency Planning and Community Right-to-Know Act (aka SARA)

IARC International Agency for Research on Cancer

NIOSH National Institute for Occupational Safety and Health

NTP National Toxicology Program

OSHA Occupational Safety and Health Administration

PEL Permissible Exposure Limit

RCRA Resource Conservation and Recovery Act

REC Recommended

REL Recommended Exposure Limit

SARA Superfund Amendments and Reauthorization Act of 1986

STEL Short-Term Exposure Limit

TCLP Toxicity Characteristics Leaching Procedure

TLV Threshold Limit Value

TSCA Toxic Substances Control Act
VOC Volatile Organic Compounds

Material nameC9352 SERIESMSDS USCreation dateJul 02, 2003Version number97 / 7