# SAFETY DATA SHEET



Issuing Date 01-Oct-2014 Revision Date 01-Oct-2014 Revision Number 0

# 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING

#### **GHS** product identifier

Product Name Action Marker - all colors

Other means of identification

**Part Number** 33003, 44003 (Black), 44002 (Red)

Formula Code J3062 (Black), A735M (Red)

UN-Number UN1263

Synonyms AM33-Fine, and 44-Medium

### Recommended use of the chemical and restrictions on use

Recommended Use Solvent based marker

Uses advised against No information available

### Supplier's details

Supplier Address ITW PRO BRANDS 805 E. Old 56 Highway Olathe, KS 66061 TEL: 1-800-443-9536

# **Emergency telephone number**

Emergency Telephone

800-535-5053 Infotrac

Number

# 2. HAZARDS IDENTIFICATION

### Classification

This chemical is considered hazardous according to the OSHA Hazard Communication Standard 2012 (29 CFR 1910.1200)

Serious Eye Damage/Eye Irritation	Category 1
Reproductive Toxicity	Category 1B
Specific Target Organ Systemic Toxicity (Single Exposure)	Category 3
Flammable liquids	Category 3

### GHS Label elements, including precautionary statements

\_\_\_\_\_

\_\_\_\_

# **Emergency Overview**

## Signal Word

#### **Danger**

### Hazard Statements

- May be harmful if swallowed
- Causes mild skin irritation
- Causes serious eye damage
- May damage fertility or the unborn child
- Harmful to aquatic life
- May cause drowsiness or dizziness
- Flammable liquid and vapor.



Appearance Varies, Thin viscosity,

Physical State Liquid.

Odor Ethereal odor

### **Precautionary Statements**

#### Prevention

- · Wear eye/face protection.
- Avoid breathing dust/fume/gas/mist/vapors/spray.
- · Use only outdoors or in a well-ventilated area.
- · Obtain special instructions before use.
- Do not handle until all safety precautions have been read and understood.
- Use personal protective equipment as required.
- Keep away from heat/sparks/open flames/hot surfaces No smoking.
- · Keep container tightly closed.
- Ground/bond container and receiving equipment.
- Use explosion-proof electrical/ventilating/lighting/equipment.
- Use only non-sparking tools.
- Take precautionary measures against static discharge.
- · Keep cool.

## **General Advice**

• If exposed or concerned: Get medical attention/advice

#### Eyes

- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- Immediately call a POISON CENTER or doctor/physician.

#### Skin

• IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

#### Inhalation

• IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

### Ingestion

• None

#### Fire

• In case of fire: Use CO2, dry chemical, or foam for extinction.

#### **Spills and Leaks**

• None

#### Storage

- Store in a well-ventilated place. Keep container tightly closed.
- Store locked up.

#### Disposal

• Dispose of contents/container to an approved waste disposal plant.

#### **Hazard Not Otherwise Classified (HNOC)**

Not applicable

### Other information

20.4906% of the mixture consists of ingredient(s) of unknown toxicity.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### **Synonyms**

AM33-Fine, and 44-Medium

Chemical Name	CAS-No	Weight %	Trade secret
Propanol	71-23-8	60-100	*
Diacetone alcohol	123-42-2	30-60	*
Propylene glycol monomethyl ether	107-98-2	10-30	*
Methyl pyrrolidone	872-50-4	1-5	*
Xanthylium,9-(2-carboxyphenyl)-3,6-bis(diethyl	84962-27-6	1-5	*
amino)-, hydrogenbis[3-[(4,5-dihydro-3-methyl-5			

<sup>\*</sup>The exact percentage (concentration) of composition has been withheld as a trade secret.

## 4. FIRST AID MEASURES

#### **Description of necessary first-aid measures**

Eye Contact Immediate medical attention is required. Rinse immediately with plenty of water, also under

the eyelids, for at least 15 minutes.

**Skin Contact** Wash skin with soap and water. If skin irritation persists, call a physician.

**Inhalation** Move to fresh air. If breathing is difficult, give oxygen. If symptoms persist, call a physician.

Ingestion Rinse mouth. Do NOT induce vomiting. Never give anything by mouth to an unconscious

person. Drink plenty of water. Consult a physician if necessary

### Most important symptoms/effects, acute and delayed

**Most Important Symptoms/Effects** No information available.

#### Indication of immediate medical attention and special treatment needed, if necessary

Notes to Physician Treat symptomatically.

# **5. FIRE-FIGHTING MEASURES**

# **Suitable Extinguishing Media**

Carbon dioxide (CO<sub>2</sub>). Foam. Dry chemical.

Unsuitable Extinguishing Media No information available.

### **Specific Hazards Arising from the Chemical**

Flammable. Keep product and empty container away from heat and sources of ignition. Risk of ignition

#### **Explosion Data**

Sensitivity to Mechanical Impact None.
Sensitivity to Static Discharge Yes.

## **Protective Equipment and Precautions for Firefighters**

Wear self contained breathing apparatus for fire fighting if necessary.

# 6. ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

Personal Precautions Evacuate personnel to safe areas. Use personal protective equipment. Ensure adequate

ventilation. Remove all sources of ignition. Keep people away from and upwind of spill/leak. Do not touch or walk through spilled material. Stop leak if you can do it without risk.

**Environmental Precautions** 

**Environmental Precautions** Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. Do

not flush into surface water or sanitary sewer system. See Section 12 for additional

Ecological Information.

## Methods and materials for containment and cleaning up

**Methods for Containment** Prevent further leakage or spillage if safe to do so.

Methods for Cleaning Up Small spillage: Use a non-combustible material like vermiculite, sand or earth to soak up

the product and place into a container for later disposal. Large spillage: Pump or vacuum transfer spilled product to clean containers for recovery. Absorb unrecoverable product.

## 7. HANDLING AND STORAGE

## Precautions for safe handling

**Handling** Avoid contact with skin, eyes and clothing. Keep away from open flames, hot surfaces and

sources of ignition. Take precautionary measures against static discharges. Use only in an area containing flame proof equipment. Ensure adequate ventilation. To avoid ignition of vapors by static electricity discharge, all metal parts of the equipment must be grounded. Empty containers pose a potential fire and explosion hazard. Do not cut, puncture or weld

containers.

## Conditions for safe storage, including any incompatibilities

Storage Keep away from open flames, hot surfaces and sources of ignition. Keep containers tightly

closed in a cool, well-ventilated place. Keep out of the reach of children. Keep container

closed when not in use. Keep away from incompatible materials.

Incompatible Products Strong oxidizing agents. Strong acids. Strong reducing agents. Strong alkalis.

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

# Control parameters

## **Exposure Guidelines**

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Propanol 71-23-8	TWA: 100 ppm	TWA: 200 ppm TWA: 500 mg/m³ (vacated) TWA: 200 ppm (vacated) TWA: 500 mg/m³ (vacated) STEL: 250 ppm (vacated) STEL: 625 mg/m³	IDLH: 800 ppm TWA: 200 ppm TWA: 500 mg/m³ STEL: 250 ppm STEL: 625 mg/m³
Diacetone alcohol 123-42-2	TWA: 50 ppm	TWA: 50 ppm TWA: 240 mg/m³ (vacated) TWA: 50 ppm (vacated) TWA: 240 mg/m³	IDLH: 1800 ppm TWA: 50 ppm TWA: 240 mg/m³

\_\_\_\_\_

Propylene glycol monomethyl ether	STEL: 150 ppm	(vacated) TWA: 100 ppm	TWA: 100 ppm
107-98-2	TWA: 100 ppm	(vacated) TWA: 360 mg/m <sup>3</sup>	TWA: 360 mg/m <sup>3</sup>
		(vacated) STEL: 150 ppm	STEL: 150 ppm
		(vacated) STEL: 540 mg/m <sup>3</sup>	STEL: 540 mg/m <sup>3</sup>
Xanthylium,9-(2-carboxyphenyl)-3,6-bis(diet	-	(vacated) Ceiling: 0.1 mg/m <sup>3</sup>	IDLH: 15 mg/m <sup>3</sup> Cr(VI)
hyl amino)-,		Ceiling: 0.1 mg/m <sup>3</sup> CrO3 applies	TWA: 0.001 mg/m <sup>3</sup> Cr
hydrogenbis[3-[(4,5-dihydro-3-methyl-5		to any operations or sectors for	
84962-27-6		which the Hexavalent Chromium	
		standard [29 CFR 1910.1026] is	
		stayed or is otherwise not in	
		effect	

Immediately Dangerous to Life or Health. ACGIH TLV: American Conference of Governmental Industrial Hygienists - Threshold Limit Value. OSHA PEL: Occupational Safety and Health Administration - Permissible Exposure Limits. NIOSH IDLH:

Other Exposure Guidelines Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962

(11th Cir., 1992).

Appropriate engineering controls

Engineering Measures Showers

Eyewash stations Ventilation systems

Individual protection measures, such as personal protective equipment

**Eye/Face Protection** Safety glasses with side-shields. If splashes are likely to occur, wear: Chemical splash

goggles.

**Skin and Body Protection** Chemical resistant gloves. Risk of contact: Boots. Apron.

Respiratory Protection No protective equipment is needed under normal use conditions. If exposure limits are

exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should

be worn.

Hygiene Measures When using, do not eat, drink or smoke. Provide regular cleaning of equipment, work area

and clothing.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

## Information on basic physical and chemical properties

Physical State	Liquid	Appearance	Varies Thin viscosity,
Odor	Ethereal odor	Odor Threshold	No information available

Remarks/ - Method **Property** <u>Values</u> No data available None known pН **Melting Point/Range** No data available None known **Boiling Point/Boiling Range** 120-169.44 °C / 248-337 °F None known 31.67 °C / 89 °F **Flash Point** None known < 1 (BuAc = 1)None known **Evaporation rate** Flammability (solid, gas) No data available None known Flammability Limits in Air upper flammability limit No data available 7.00 No data available 1.00 lower flammability limit No data available None known **Vapor Pressure Vapor Density** > 1 (air = 1)None known **Specific Gravity** No data available. None known None known Partially soluble in water **Water Solubility** Solubility in other solvents No data available None known Partition coefficient: n-octanol/waterNo data available None known No data available **Autoignition Temperature** None known **Decomposition Temperature** No data available None known **Viscosity** No data available None known

**Flammable Properties** Flammable; may be ignited by heat, sparks or flames.

**Explosive Properties**No data available **Oxidizing Properties**No data available

#### Other information

VOC Content (%)

J3062 Black: 83.95%
A735M Red: 86.9%

VOC (g/l)

J3062 Black: 815 g/L
A735M Red: 725 g/L

# 10. STABILITY AND REACTIVITY

# Reactivity

No data available.

#### **Chemical stability**

Stable under recommended storage conditions.

#### Possibility of hazardous reactions

None under normal processing.

### **Hazardous Polymerization**

Hazardous polymerization does not occur.

#### Conditions to avoid

Heat, flames and sparks. Incompatible products.

# **Incompatible materials**

Strong oxidizing agents. Strong acids. Strong reducing agents. Strong alkalis.

# **Hazardous decomposition products**

Carbon oxides. Smoke Soot.

# 11. TOXICOLOGICAL INFORMATION

# Information on likely routes of exposure

**Product Information** 

**Inhalation** May cause drowsiness and dizziness. Intentional misuse by deliberately concentrating and

inhaling contents may be harmful or fatal

Eye Contact Causes serious eye damage.
Skin Contact Causes mild skin irritation

**Ingestion** Ingestion may cause nausea and vomiting.

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Propanol	= 1870 mg/kg (Rat)	= 4049 mg/kg ( Rabbit )	> 13548 ppm (Rat) 4 h
Diacetone alcohol	= 4 g/kg (Rat)	= 13500 mg/kg ( Rabbit )	-
Propylene glycol monomethyl ether	= 5200 mg/kg ( Rat )	= 13000 mg/kg ( Rabbit )	> 24 mg/L (Rat)1 h = 54.6 mg/L (Rat)4 h
Methyl pyrrolidone	= 3598 mg/kg (Rat)	= 2500 mg/kg (Rat) > 5000 mg/kg (Rabbit)	= 3.1 mg/L (Rat) 4 h

### Symptoms related to the physical, chemical and toxicological characteristics

**Symptoms** No information available.

# Delayed and immediate effects and also chronic effects from short and long term exposure

\_\_\_\_\_

Sensitization No information available.

Mutagenic Effects No information available.

**Carcinogenicity** The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA
Xanthylium,9-(2-carboxyphe		Group 3		
nyl)-3,6-bis(diethyl amino)-,				
hydrogenbis[3-[(4,5-dihydro-				
3-methyl-5				

IARC: (International Agency for Research on Cancer)
Group 3: Not Classifiable as to its Carcinogenicity to Humans

**Reproductive Toxicity** Product is or contains a chemical which is a known or suspected reproductive hazard.

**STOT - single exposure**STOT - repeated exposure
No information available.
No information available.

Chronic Toxicity Avoid repeated exposure. May cause adverse liver effects. May cause adverse effects on

the bone marrow and blood-forming system.

Target Organ Effects Liver. Kidney. Respiratory system. Eyes. Skin. Central nervous system (CNS). Blood.

Gastrointestinal tract (GI). Lungs.

Aspiration Hazard No information available.

Numerical measures of toxicity - Product

**Acute Toxicity** 20.4906% of the mixture consists of ingredient(s) of unknown toxicity.

The following values are calculated based on chapter 3.1 of the GHS document:

**LD50 Oral**2592 mg/kg; Acute toxicity estimate **LD50 Dermal**2599 mg/kg; Acute toxicity estimate

Inhalation

dust/mist 44.8 mg/L; Acute toxicity estimate

# 12. ECOLOGICAL INFORMATION

#### **Ecotoxicity**

Harmful to aquatic life

Chemical Name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
Propanol 71-23-8		LC50 96 h: = 4480 mg/L flow-through (Pimephales promelas)	EC50 = 17700 mg/L 5 min EC50 = 45000 mg/L 5 h EC50 = 8686 mg/L 15 min EC50 = 980 mg/L 12 h	EC50 48 h: = 3642 mg/L (Daphnia magna) EC50 48 h: 3339 - 3977 mg/L Static (Daphnia magna)
Diacetone alcohol 123-42-2		LC50 96 h: = 420 mg/L static (Lepomis macrochirus) LC50 96 h: = 420 mg/L (Lepomis macrochirus)		EC50 24 h: = 8750 mg/L (Daphnia magna)
Propylene glycol monomethyl ether 107-98-2		LC50 96 h: 4600-10000 mg/L static (Leuciscus idus) LC50 96 h: = 20.8 g/L static (Pimephales promelas)		EC50 48 h: = 23300 mg/L (Daphnia magna)
Methyl pyrrolidone 872-50-4	EC50 72 h: > 500 mg/L (Desmodesmus subspicatus)	LC50 96 h: = 832 mg/L static (Lepomis macrochirus) LC50 96 h: = 4000 mg/L static (Leuciscus idus) LC50 96 h: = 1072 mg/L static (Pimephales promelas) LC50 96 h: = 1400 mg/L static (Poecilia reticulata)		EC50 48 h: = 4897 mg/L (Daphnia magna)

Persistence and Degradability

No information available.

## **Bioaccumulation**

Chemical Name	Log Pow
Propanol	0.25 - 0.34
Diacetone alcohol	1.03
Propylene glycol monomethyl ether	-0.437
Methyl pyrrolidone	-0.46

# Other Adverse Effects

No information available.

# 13. DISPOSAL CONSIDERATIONS

**Waste Disposal Methods** Dispose of in accordance with federal, state, and local regulations

**Contaminated Packaging** Do not re-use empty containers.

**US EPA Waste Number** D001

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical Name	California Hazardous Waste
Propanol	Toxic
	Ignitable
Xanthylium,9-(2-carboxyphenyl)-3,6-bis(diethyl amino)-,	Toxic
hydrogenbis[3-[(4,5-dihydro-3-methyl-5	Corrosive
	Ignitable

# 14. TRANSPORT INFORMATION

DOT

**UN-Number** UN1263 Paint Proper shipping name **Hazard Class** 3 **Packing Group** Ш

Description UN1263, Paint, 3, III

**Emergency Response Guide** 128

Number

TDG

**UN-Number** UN1263 **Proper Shipping Name** Paint **Hazard Class** 3 **Packing Group** Ш

Description UN1263, Paint, 3, III

MEX

**UN-Number** UN1263 **Proper Shipping Name** Paint **Hazard Class Packing Group** 

Description UN1263, Paint, 3, III

**ICAO** 

**UN-Number** UN1263 Paint Proper shipping name **Hazard Class** 3 **Packing Group** Ш

Description UN1263, Paint, 3, III

IATA

**UN-Number** UN1263 **Proper Shipping Name** Paint **Hazard Class** 3 **Packing Group** Ш ERG Code

UN1263, Paint, 3, III Description

IMDG/IMO

**UN-Number** UN1263 **Proper Shipping Name** Paint **Hazard Class** 3 Ш **Packing Group** 

EmS No. F-E, S-E

**Description** UN1263, Paint, 3, III, (31.67°C c.c.)

RID

UN-Number UN1263
Proper Shipping Name Paint
Hazard Class 3
Packing Group III
Classification Code F1

**Description** UN1263, Paint, 3, III

**ADR** 

UN-Number
Proper Shipping Name
Hazard Class
Packing Group
Classification Code
Tunnel Restriction Code
UN1263
Paint
3
III
Classification Code
F1
Tunnel Restriction Code
(D/E)

**Description** UN1263, Paint, 3, III, (D/E)

ADN

Proper Shipping Name Paint Hazard Class 3
Packing Group III
Classification Code F1

Special Provisions 163, 640E, 650 Description UN1263, Paint, 3, III

Limited Quantity 5 L Ventilation VE01

# 15. REGULATORY INFORMATION

#### **International Inventories**

Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

# **U.S. Federal Regulations**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

Chemical Name	CAS-No	Weight %	SARA 313 - Threshold Values %
Methyl pyrrolidone	872-50-4	1-5	1.0

SARA 311/312 Hazard Categories

Acute Health Hazard Yes
Chronic Health Hazard Yes
Fire Hazard Yes
Sudden Release of Pressure Hazard No
Reactive Hazard No

# Clean Water Act

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42):

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Xanthylium,9-(2-carboxyphe		X		
nyl)-3,6-bis(diethyl amino)-,				
hydrogenbis[3-[(4,5-dihydro-				
3-methyl-5				

#### **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

## **U.S. State Regulations**

### **California Proposition 65**

This product contains the following Proposition 65 chemicals:

Chemical Name	CAS-No	California Prop. 65
Methyl pyrrolidone	872-50-4	Developmental

# U.S. State Right-to-Know Regulations

"X" designates that the ingredients are listed on the state right to know list.

Chemical Name	New Jersey	Massachusetts	Pennsylvania	Illinois	Rhode Island
Propanol	X	X	X		X
Diacetone alcohol	X	Х	Х		Х
Propylene glycol monomethyl ether	X	X	Х		Х
Methyl pyrrolidone	X	Х	X		

#### U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. OTHER INFORMATION							
NFPA	Health Hazard 3	Flammability 3	Instability 0	Physical and Chemical Hazards -			
<u>HMIS</u>	Health Hazard 3*	Flammability 3	Physical Hazard 0	Personal Protection X			

<sup>\*</sup>Indicates a chronic health hazard.

Prepared By Product Stewardship

23 British American Blvd. Latham, NY 12110 1-800-572-6501

Issuing Date01-Oct-2014Revision Date01-Oct-2014Revision NoteInitial Release.

#### **General Disclaimer**

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

**End of Safety Data Sheet** 

\_\_\_\_\_