

#### 1. IDENTIFICATION OF THE SUBSTANCE PREPARATION AND COMPANY UNDERTAKING

#### 1.1 PRODUCT IDENTIFIER

Product name: Samsung CLP-C660B/CLP-C660A High Yield Cyan Toner Cartridge

Part number: SASCLP660C

#### 1.2 IDENTIFIED USES AND USES ADVISED AGAINST

For use in: Toner for Printers and / or Electrostatic Photocopying Systems

1.3 **SUPPLIER DETAILS** 

Supplier: Clover Technologies Group

4200 Columbus Street. Ottawa, IL 61350 United States

Phone number: 815-431-8100

Fax: 815-461-8583

Contact Hours: 08:00AM-05:00PM CST

#### 1.4 EMERGENCY TELEPHONE NUMBERS

Supplier: N/A

#### 2. HAZARDS IDENTIFICATION

#### 2.1 INFORMATION and CLASSIFICATION

Overview: N/A

#### 2.2 **LABEL ELEMENTS**

Applicable Pictograms:

NO PICTOGRAM

Danger Indications: N/A
Risk Phrases: N/A
Safety Phrases: N/A

#### 2.3 OTHER HAZARDS

PBT or vPvB: N/A

Product: Samsung CLP-C660B/CLP- Revision date: 04/14/2015 C660A High Yield Cyan Toner Cartridge

Page: 1/9

<sup>\*</sup> This document provides safety-related information about toner contained in print cartridge for use in laser printer





#### 3. COMPOSITION / INFORMATION ON INGREDIENTS

Ingredients	CAS number	Weight %	OSHA PEL	ACGIH TLV	Other
Polyester	TRADE SECRET	80-90	Not listed	Not listed	
Wax	TRADE SECRET	1-7	None	None	
Organic pigment	TRADE SECRET	1-5	Not listed	Not listed	
Organic pigment	TRADE SECRET	1-5	Not listed	Not listed	
Amorphous silica	7631-86-9	1-5	20mppcf	None	
Titanium dioxide	13463-67-7	0.1-3	15mg/m3	10mg/m3	

The Full Text for all R-Phrases are Displayed in Section 16

#### **COMPOSITION COMMENTS**

The Data Shown is in accordance with the latest Directives.

This section provides composition information for the toner powder contained in specially designed container inside of the print cartridge.

#### 4. FIRST-AID MEASURES

#### 4.1 FIRST AID MEASURES

#### 4.1.1 FIRST AID INSTRUCTIONS BY RELEVANT ROUTES OF EXPOSURE

Move to fresh air. If irritation persists, obtain medical advice. Inhalation:

Eye contact: Flush eyes immediately with plenty of water within 15 minutes. If irritation persists, obtain medical

advice.

Skin contact: Wash with plenty of water and soap.

Ingestion: Rinse mouth and give several glasses of water. If irritation persists, obtain medical advice.

#### 4.1.2 **ADDITIONAL FIRST AID INFORMATION**

Additional first aid information: N/A Immediate Medical Attention Required: N/A

#### 4.2 SYMPTOMS AND EFFECTS

Acute Symptoms from Exposure: N/A Delayed Symptoms from Exposure: N/A

#### 4.3 IMMEDIATE SPECIAL TREATMENT OR EQUIPMENT REQUIRED

NOTE TO PHYSICIAN: None.

Product: Samsung CLP-C660B/CLP-Revision date: 04/14/2015 Page: 2/9



#### 5. FIRE-FIGHTING MEASURES

#### 5.1 EXTINGUISHING MEDIA

Recommended Extinguishing Media: CO2, dry chemical, water.

Extinguishing Media Not to be Used: Do not use a solid water stream as it may scatter and spread fire.

#### 5.2 **SPECIAL HAZARD**

Unusual Fire/Explosion Hazards: HAZARDOUS COMBUSTION PRODUCTS: CO2, CO, Organic products of decomposition.

Extinguishing Media Not to be Used: N/A

#### 5.3 ADVICE FOR FIRE FIGHTERS

Avoid inhalation of smoke. Wear protective cloting an wear self-contained breathing apparatus

#### 6. ACCIDENTAL RELEASE MEASURES

#### 6.1 PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES

#### 6.1.1 PRECAUTIONS FOR NON-EMERGENCY PERSONNEL

Minimize the release of particulates. Wear personal protective equipment. Garments may be washed or dry cleaned, after removal of loose toner.

#### 6.1.2 ADDITIONAL FIRST AID INFORMATION

N/A

#### 6.1.3 PERSONAL PROTECTION

Wear personal protective equipment as described in Section 8.

#### 6.2 **ENVIRONMENTAL PRECAUTIONS**

Regulatory Information: Keep product out of sewers and watercourses.

## 6.3 METHODS AND MATERIAL FOR CONTAINMENT AND CLEANUP

Spill or Leak Cleanup Procedures: After spraying with water to prevent development of dusts, spills should be swept up or

wiped up. Residuals can be removed with soap and water. Or sweep slowly spilled powder to paper and transfer into a suitable container for disposal. If sweep them with vacuum

cleaner, must use a dust explosion-proof type.

Product: Samsung CLP-C660B/CLP-C660A High Yield Cyan Toner Cartridge

Revision date: 04/14/2015 Page: 3/9



#### 7. HANDLING AND STORAGE

#### 7.1 PRECAUTIONS FOR SAFE HANDLING

Recommendations for Handling: No special precautions when used as intended. Keep containers closed, avoid creating dust.

Keep away from ignition sources.

Advice on General Hygiene: Never eat, drink or smoke in work areas. Practice good personal hygiene after using this

material, especially before eating, drinking, smoking, using the restroom, or applying

cosmetics.

#### 7.2 **CONDITIONS FOR SAFE STORAGE**

Avoid high temperatures, >100°F/32°C

#### 7.3 **SPECIFIC END USES**

Printing devices

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1 **CONTROL PARAMETERS**

The best protection is to enclose operations and/or provide local exhaust ventilation at the site of chemical release in order to maintain airborne concentrations of the product below OSHA PELs (See Section 2).

Local exhaust ventilation is preferred because it prevents contaminant dispersion into the work area by controlling it at its source.

#### 8.2 EXPOSURE CONTROLS

#### Respiratory protection:

IMPROPER USE OF RESPIRATORS IS DANGEROUS. Seek professional advice prior to respirator selection and use. Follow OSHA respirator regulations (29 CFR 1910.134 and 1910.137) and, if necessary, wear a NIOSH approved respirator. Select respirator based on its suitability to provide adequate worker protection for given work conditions, levels of airborne contamination, and sufficient levels of oxygen.

#### **Eye/Face Protection:**

Contact lenses are not eye protective devices. Appropriate eye protection must be worn instead of, or in conjunction with contact lenses.

#### Hand/Skin Protection:

For emergency or non-routine operations (cleaning spills, reactor vessels, or storage tanks), wear an SCBA. WARNING! Air purifying respirators do not protect worker in oxygen deficient atmospheres.

#### **Additional Protection:**

N/A

#### **Protective Clothing and Equipment:**

Wear chemically protective gloves, boots, aprons, and gauntlets to prevent prolonged or repeated skin contact. Wear splash-proof chemical goggles and face shield when working with liquid, unless full face piece respiratory protection is worn.

#### **Safety Stations:**

Make emergency eyewash stations, safety/quick-drench showers, and washing facilities available in work area.

#### **Contaminated Equipment:**

Separate contaminated work clothes from street clothes. Launder before reuse. Remove material from your shoes and clean personal protective equipment. Never take home contaminated clothing.

## Comments:

Never eat, drink or smoke in work areas. Practice good personal hygiene after using this material, especially before eating, drinking, smoking, using the restroom, or applying cosmetics.

Product: Samsung CLP-C660B/CLP- Revision date: 04/14/2015 Page: 4/9 C660A High Yield Cyan Toner Cartridge



#### 9. PHYSICAL AND CHEMICAL PROPERTIES

#### 9.1 **DETAIL INFORMATION**

Physical state: APPEARANCE: Cyan fine powder

Color: Cyan

Odor: Slight plastic odor

Odor threshold: N/A

Boiling point: N/A

Melting point: N/A

Flash point: N/A

Explosion limits: N/A

Relative density: ca. 1.2

Auto-ignition temperature: N/A

#### 9.2 OTHER INFORMATION

SOLUBILITY IN WATER: Negligible EXPLOSIVE PROPERTIES: Can form explosive dust-air mixtures when finely dispersed in air.

Revision date: 04/14/2015

#### 10. CHEMICAL STABILITY AND REACTIVITY

10.1 Reactivity:

Reactivity Hazards: None

Data on Mixture Substances: None

10.2 **Chemical Stability:** The product is stable. Under normal conditions of storage and use, hazardous

polymerisation will not occur.

10.3 **Hazardous Polymerization:** Stable under conditions of normal use.

10.4 **Conditions to Avoid:** Keep away from heat, flame, sparks and other ignition sources.

10.5 **Incompatible Materials:** Strong oxidising materials

10.6 Hazardous Decomposition: Will not occur.

Product: Samsung CLP-C660B/CLP-C660A High Yield Cyan Toner Cartridge

Page: 5/9

# CLOVER

## SAFETY DATA SHEET

#### 11. INFORMATION ON TOXICOLOGICAL EFFECT

Mixtures: N/A
Acute Toxicity: N/A
Skin Corrosion/Irritation: N/A
Serious Eye Damage: N/A
Inhalation: N/A
Sensitization: N/A

**Mutagenicity:** Negative in the Ames test.

**Carcinogenicity:** Titanium dioxide classified as IARC Group 2B. However, in lung inhalation exposure testing on rats,

mice and hamsters, tumor incidence was only observed with high-dose administration to rats. Furthermore, a similar trend is seen in rats with inert poorly soluble particles and carcinogenicity is thought to be influenced by the action of the rat-specific immune system. A causal relationship between titanium dioxide and carcinogenicity has not been displayed in human epidemiological

population studies conducted in Europe and North America.

**Reproductive Toxicity:** N/A **STOT - Single Exposure:** N/A

STOT - Multiple Exposure: In a study in rats (H.Muhle) by chronic inhalation exposure to a typical toner, a mild to moderate

degree of lung fibrosis was observed in 92% of the rats in the concentration(16mg/m3) exposure group, and a minimal to mild degree of fibrosis was noted in 22% of the animals in the middle (4mg/m3) exposure group. But no pulmonary changes was reported in the lowest (1mg/m3)

exposure group, the most relevant level to potential human exposures.

Ingestion: N/A

**Hazard Class Information:** N/A **Mixture on Market Data:** N/A Symptoms: N/A Delayed/Immediate Effects: N/A Test Data on Mixture: N/A Not Meeting Classification: N/A **Routes of Exposure:** N/A **Interactive Effects:** N/A Absence of Specific Data: N/A

Mixture vs Substance Data: N/A

#### 12. ECOLOGICAL INFORMATION

12.1 Eco toxicity: N/A

12.2 Degradability: N/A

12.3 Bioaccumulation Potential: N/A

12.4 **Mobility in Soil:** N/A

12.5 **PBT & vPvB Assessment:** No results that the components of this toner meet the PBT or vPvB criteria under Regulation

(EC) No 1907/2006.

12.6 Other Adverse Effects: N/A

Product: Samsung CLP-C660B/CLP- Revision date: 04/14/2015 Page: 6/9 C660A High Yield Cyan Toner Cartridge



#### 13. DISPOSAL CONSIDERATIONS

#### **Disposal Information:**

Dispose as a solid waste in accordance with local authority regulations.

Empty container retains product residue.

## **Physical/Chemical Properties that affect Treatment:**

Symbol: This product is not classified as dangerous

Risk Phrases: This product is not classified according to the federal, state and local environmental regulations.

#### **Waste Treatment Information:**

Do not shred toner cartridge, unless dust-explosion prevention measures are taken. Finely dispersed particles may form explosive mixtures in air. Dispose of in compliance with federal, state, and local regulations.

#### **Personal Protection Required:**

N/A

#### 14. TRANSPORT INFORMATION

14.1 **ID Number:** None allocated. This is not a hazardous product

14.2 **Shipping Name:** None allocated. This is not a hazardous product

14.3 **Hazard Class:** None allocated. This is not a hazardous product

14.4 **Packing Group:** None allocated. This is not a hazardous product

14.5 Environmental Hazards: N/A

14.6 User Precautions: N/A

14.7 Bulk Transport: N/A

## 15. REGULATORY INFORMATION

15.1 **Regulatory Information:** (USA Information) TSCA: All chemical substances in this product comply with all applicable

rules or orders under TSCA. (EU Information) (EC) No 1907/2006: Authorisations on use: Not regulated, Restrictions on use: Not regulated; (EC) No 1272/2008: Classification: None,

Hazard Class and Category Code(S): None, Hazard statement Code(s): None

EPA Regulatory Information: N/A

**CERCLA Reportable Quantity: N/A** 

15.2 Superfund Information:

**Hazard Categories:** 

Immediate: N/A

Delayed: N/A

Fire: N/A

Pressure: N/A

Reactivity: N/A

Section 302 - Extremely Hazardous: N/A

Section 311 - Hazardous: N/A

15.3 State Regulations: N/A

15.4 Other Regulatory Information: N/A

Product: Samsung CLP-C660B/CLP-C660A High Yield Cyan Toner Cartridge

Revision date: 04/14/2015 Page: 7/9



## 16. OTHER INFORMATION

**General Comments:** 

Revision date: 04/14/2015

This information is based on our current knowledge. It should not therefore be construed as guaranteeing specific properties of the products as described or their suitability for a particular

application

**Creation Date of this SDS:** 05/19/2015

Product: Samsung CLP-C660B/CLP-C660A High Yield Cyan Toner Cartridge Page: 8/9



## Key to Abbreviations and Acronyms used in this sheet:

ACGIH = American Conference of Governmental Industrial	NIOSH = National Institute for Occupational Safety and Health		
Hygienists			
CERCLA = Comprehensive Environmental Response Compensation	OSHA = Occupational Health and Safety Administration		
and Liability Act			
CLP = Classification, Labeling, and Packaging	PEL = Permissible Exposure Limit		
DSD = Dangerous Substances Directive	SCBA = Self Contained Breathing Apparatus		
EPA = Environmental Protection Agency	STOT = Specific Target Organ Toxicity		
GHS = Globally Harmonized System	TLV = Threshold Limit Value		
N/A = Not Applicable	UK = United Kingdom		
NFPA = National Fire Protection Association	UN = United Nations		

#### Ref:

#### DISCLAIMER

All trademarks and models referenced are property of their respective holders and are used for identification purposes only. These products are not sponsored by, affiliated with, manufactured by or distributed by the named manufacturers. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.

Product: Samsung CLP-C660B/CLP-C660A High Yield Cyan Toner Cartridge

Revision date: 04/14/2015 Page: 9/9