

1. IDENTIFICATION OF THE SUBSTANCE PREPARATION AND COMPANY UNDERTAKING

1.1 **PRODUCT IDENTIFIER**

Product name: Xerox 106R02311/106R02309 High Yield Toner Cartridge Part number: XER106R02311

. .

1.2 IDENTIFIED USES AND USES ADVISED AGAINST

For use in: This mixture is a toner used in copiers/printers.

_ ·

1.3 SUPPLIER DETAILS

Supplier:	Clover Technologies Group
	4200 Columbus Street.
	Ottawa, IL 61350
	United States
	Phone number: 815-431-8100
	Fax: 815-461-8583
Contact Hours:	08:00AM-05:00PM CST

1.4 **EMERGENCY TELEPHONE NUMBERS**

Supplier: N/A

* This document provides safety-related information about toner contained in print cartridge for use in laser printer

2. HAZARDS IDENTIFICATION

2.1 INFORMATION and CLASSIFICATION

Overview:

GHS classification of the mixture: Not classified as hazardous. Other hazards which do not result in classification: Physical hazards - This mixture, like most organic powders, can cause a dust explosion if particles form thick clouds; Carcinogenicity - This mixture contains carbon black, listed by IARC as Group 2B (possibly carcinogenic to humans). However, no significant exposure to carbon black is thought to occur during the use of the product because carbon black is in a bound form in this mixture. Other information: This mixture is not classified as hazardous according to OSHA Hazard Communication Standard 29 CFR 1910.1200; This mixture complies with the requirements of the RoHS Directive 2011/65/EU and its amendment directives.

2.2 LABEL ELEMENTS

Applicable Pictograms:	NO PICTOGRAM
Danger Indications:	Warning - Combustible Dust - May form combustible dust concentrations in air.
Risk Phrases:	N/A
Safety Phrases:	N/A

2.3 OTHER HAZARDS

PBT or vPvB: N/A



3. COMPOSITION / INFORMATION ON INGREDIENTS

Ingredients	CAS number	Weight %	OSHA PEL	ACGIH TLV	Other
Styrene acrylate copolymer	TRADE SECRET	80-90			TSCA listed/exempted: Yes
Carbon black	1333-86-4	3-10	3.5 mg/m3	3.5 mg/m3	TSCA listed/exempted: Yes
Iron oxide	1317-61-9	1-5	10 mg/m3	5 mg/m3	TSCA listed/exempted: Yes
Amorphous silica	7631-86-9	<5	20 mppcf* or 80/% SiO2 mg/m3 (* million particles per cubic foot)	Not established	TSCA listed/exempted: Yes
			TWA: 15 mg/m3 (Total dust), 5 mg/m3 (Respirable fraction)	particulate),	Mixture as particulate not otherwise classified. Refer to Section 8 for information on exposure limits and Section 11 for toxicological information.

The Full Text for all R-Phrases are Displayed in Section 16

COMPOSITION COMMENTS

The Data Shown is in accordance with the latest Directives.

This section provides composition information for the toner powder contained in specially designed container inside of the print cartridge.

4. FIRST-AID MEASURES

4.1 FIRST AID MEASURES

4.1.1 FIRST AID INSTRUCTIONS BY RELEVANT ROUTES OF EXPOSURE

Inhalation:	Provide fresh air immediately. If symptoms occur, seek medical advice.
Eye contact:	Do not rub eyes. Immediately rinse with plenty of clean running water until particles are washed out. If irritation persists, seek medical advice.
Skin contact:	Wash out particles with plenty of water and soap. If irritation develops, seek medical advice.
Ingestion:	Clean mouth out with water. Drink several glasses of water. If sickness develops, seek medical advice.

4.1.2 ADDITIONAL FIRST AID INFORMATION

Additional first aid information: N/A Immediate Medical Attention Required: Immediate medical attention may be required in the unlikely event of extreme inhalation, eye contact or unusual reaction due to physical idiosyncrasy of the person. 4.2 **SYMPTOMS AND EFFECTS**

Acute Symptoms from Exposure:Eye contact: Irritation may occur by mechanical abrasion. Skin contact: Minimal skin
irritation may occur. Inhalation: Slight irritation of respiratory tract may occur with
exposure to large amount of toner dust. Ingestion: Ingestion is an unlikely route of
entry under normal conditions of use.Delayed Symptoms from Exposure:N/A

4.3 IMMEDIATE SPECIAL TREATMENT OR EQUIPMENT REQUIRED

N/A



5. FIRE-FIGHTING MEASURES

5.1 EXTINGUISHING MEDIA

Recommended Extinguishing Media:	Water, foam, dry chemical
Extinguishing Media Not to be Used:	None known.

5.2 SPECIAL HAZARD

Unusual Fire/Explosion Hazards:

Toner, like most organic powders, is capable of creating a dust explosion when particles form thick clouds. Carbon monoxide and carbon dioxide are hazardous resulting gases. N/A

Extinguishing Media Not to be Used:

5.3 ADVICE FOR FIRE FIGHTERS

Avoid inhalation of smoke. Wear protective cloting an wear self-contained breathing apparatus

6. ACCIDENTAL RELEASE MEASURES

6.1 **PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES**

6.1.1 **PRECAUTIONS FOR NON-EMERGENCY PERSONNEL**

Avoid dust formation. Do not breathe dust.

6.1.2 ADDITIONAL FIRST AID INFORMATION

N/A

6.1.3 PERSONAL PROTECTION

Wear personal protective equipment as described in Section 8.

6.2 ENVIRONMENTAL PRECAUTIONS

Regulatory Information: Keep product out of sewers and watercourses.

6.3 METHODS AND MATERIAL FOR CONTAINMENT AND CLEANUP

Spill or Leak Cleanup Procedures: Eliminate sources of ignition and flammables. Shelter the released material (powder) from wind to avoid dust formation and scattering. Vacuum or sweep the material into a sealed container. If a vacuum cleaner is used, it must be dust explosion-proof. Dispose of the material in accordance with Federal/state/local requirements. Do not discharge into drains, surface or ground water.



7. HANDLING AND STORAGE

7.1 PRECAUTIONS FOR SAFE HANDLING

Recommendations for Handling:No special precautions when used as intended. Keep containers closed, avoid creating dust.
Keep away from ignition sources.Advice on General Hygiene:Never eat, drink or smoke in work areas. Practice good personal hygiene after using this
material, especially before eating, drinking, smoking, using the restroom, or applying

7.2 CONDITIONS FOR SAFE STORAGE

Avoid high temperatures, >100°F/32°C

7.3 SPECIFIC END USES

Printing devices

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

cosmetics.

8.1 CONTROL PARAMETERS

The best protection is to enclose operations and/or provide local exhaust ventilation at the site of chemical release in order to maintain airborne concentrations of the product below OSHA PELs (See Section 2). Local exhaust ventilation is preferred because it prevents contaminant dispersion into the work area by controlling it at its source.

8.2 EXPOSURE CONTROLS

Respiratory protection:

IMPROPER USE OF RESPIRATORS IS DANGEROUS. Seek professional advice prior to respirator selection and use. Follow OSHA respirator regulations (29 CFR 1910.134 and 1910.137) and, if necessary, wear a NIOSH approved respirator. Select respirator based on its suitability to provide adequate worker protection for given work conditions, levels of airborne contamination, and sufficient levels of oxygen.

Eye/Face Protection:

Contact lenses are not eye protective devices. Appropriate eye protection must be worn instead of, or in conjunction with contact lenses.

Hand/Skin Protection:

For emergency or non-routine operations (cleaning spills, reactor vessels, or storage tanks), wear an SCBA. WARNING! Air purifying respirators do not protect worker in oxygen deficient atmospheres.

Additional Protection:

N/A

Protective Clothing and Equipment:

Wear chemically protective gloves, boots, aprons, and gauntlets to prevent prolonged or repeated skin contact. Wear splashproof chemical goggles and face shield when working with liquid, unless full face piece respiratory protection is worn.

Safety Stations:

Make emergency eyewash stations, safety/quick-drench showers, and washing facilities available in work area.

Contaminated Equipment:

Separate contaminated work clothes from street clothes. Launder before reuse. Remove material from your shoes and clean personal protective equipment. Never take home contaminated clothing.

Comments:

Never eat, drink or smoke in work areas. Practice good personal hygiene after using this material, especially before eating, drinking, smoking, using the restroom, or applying cosmetics.



9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 **DETAIL INFORMATION**

Physical state:	APPEARANCE: Fine black powder.
Color:	Black
Odor:	None or slight plastic odor
Odor threshold:	N/A
Boiling point:	N/A
Melting point:	N/A
Flash point:	N/A
Explosion limits:	N/A
Relative density:	1.0-1.5
Auto-ignition temperature:	N/A

9.2 OTHER INFORMATION

SOLUBILITY: Negligible in water. Partially soluble in some organic solvents such as Toluene and Tetrahydrofuran.

10. CHEMICAL STABILITY AND REACTIVITY

10.1 Reactivity:

	Reactivity Hazards: Data on Mixture Substances:	None None
10.2	Chemical Stability:	The product is stable. Under normal conditions of storage and use, hazardous polymerisation will not occur.
10.3	Hazardous Polymerization:	Stable under conditions of normal use.
10.4	Conditions to Avoid:	Keep away from heat, flame, sparks and other ignition sources.
10.5	Incompatible Materials:	Strong oxidising materials
10.6	Hazardous Decomposition:	Will not occur.



11. INFORMATION ON TOXICOLOGICAL EFFECT

 Suppliers about the substances contained in this mixture, seriously damaging effect is not expected when this mixture is treated in a cordrance with scandari industrial practices and Federal/state/local requirements. Refer to Section 2 for potential health effects and Section 4 for first aid measures. Acute Toxicity: NA Serious Eye Damage: NA An et al. Califormation Bay Billing Eye Damage: Series Eye Series Eye Series Eye Series Disclosion Disks: Is Billing Eye Series Eye Series Disks: Is Billing Eye Series Eye Series Disks: Is Billing Eye Series Disks:	Mixtures:	According to our test results of this or similar mixture and the information provided by the
expected when this mixture is treated in accordance with standard industrial practices and Pedera/Natel/local requirements. Refer to Section 2 for potential health effects and Section 4 for first aid measures. N/A Skin Corrosion/Inritation: N/A Skin Corrosion/Inritation: N/A Sumption 2 mespiratory: No test data available. None of the substances in this mixture is classified as a respiratory sensitizer. Mutagenicity: Respiratory: No test data available. None of the substances in this mixture is classified as a respiratory sensitizer. Mutagenicity: No test Gata available. Carbon black is listed by LARC as a group ZB (possibly Carcinogenic to humans). but LARC monographs vol. 63 and 93 state that there is inadequate evidence in humans for carcinogenicity of carbon black. Inhalation tests of a toner for two-years (Reference 1 - Test Data) showed no significant carcinogenicity. In addition LARC monograph vol. 93 states that no significant teamogenicity. No test data available. Inhalation tests of a toner for two-years (Reference 1 - Test Data) bnowed no significant carcinogenicity. No test data available. Inhalation tests of a toner for two-years (Reference 1 - Test Data) bnowed no significant carcinogenicity. No test data available. Inhalation tests of a toner for two-years (Reference 1 - Test Data) bnowed no significant carcinogenicity. In addition tests of a toner for two years showed no significant carcinogenicity. No test data available. Inhalation tests of a toner for two years showed no significant carcinogenicity. (Reference 1 - Test Data) in rats. chronic exposure to toner concentrations 4 mg/m3 and over lead to an accumulation of particles in the lungs a well as to persistent inflammatory processes and slight to moderate fibrotic charges in the lungs of rats. In harsters, these effects were only observed at significant transmosing in the site is not enconstrations 4 mg/m3 and the ne-observable- defect level (MOEL) was 1 mg/m3 in rats. The NOEL was greater than 6 mg/m3 in harsters. (Reference 2 - Test Data)	- interest	5
Federal/state/local requirements. Refer to Section 2 for potential health effects and Section 4 for first aid measures.Acute Toxicity:N/ASerious Eye Damage:N/AInhalation:N/ASerious Eye Damage:N/AInhalation:Respiratory: No test data available. None of the substances in this mixture is classified as a respiratory sensitizer.Mutagenicity:Ames test (Salmonella typhimurum, Escherichia coli) negative. (a similar product) No test data available. Carbon black is listed by IARC as a group 2B (possibly carcinogenic to humans), but IARC monographs vol. 65 and 93 state that there is inadequate evidence in humans for carcinogenicity of carbon black is humans. hot addition IARC monograph vol. 93 states that no significant texponenciently. In addition IARC monograph vol. 93 states that no significant excinogenicity. In addition IARC monograph vol. 93 states that no significant excinogenicity. In addition IARC monograph vol. 93 states that no significant excinogenicity. In addition available. None of the substances in this mixture is classified for reproductive toxicity. N/ASTOT - Multiple Exposure:No test data available. Inhalation tests of a toner for two years showed no significant carcinogenicity. (Reference 1 - Test Data) in rats, chronic exposure to cance concentrations 4 mg/M and over lead to an accumulation of particles in the lung as well as to persistent inflammatory processes and slight to moderate fibrotic changes in the lungs of rats. In hamsters, lease effect-level (NOEL) was 1 mg/M in rats. The NOEL was greater than 6 mg/M in hamsters. (Reference 2 - Test Data) in rats, The MOEL was a qualet when high concentrations of other, slightly soluble least than 1 mg/M3.Ingestion:N/AN/AReference		
Acute Toxicity: N/A Skin Corrosion/Infration: N/A Senious Eye Damage: N/A Inhalation: Respiratory: No test data available. None of the substances in this mixture is classified as a respiratory sensitizer. Mutagenicity: Ames test Calmonella typhimurium, Escherichia coli) negative. (a similar product) Carcinogenicity: No test data available. Carbon black is listed by LARC as a group ZB (possibly carcinogenic to humans), but LARC monographs vol. 63 and 93 state that there is inadequate evidence in humans for carcinogenicity of carbon black. Inhalation tests of a toner for two-years (Reference 1 - Test Data) and studies by Muhle et al. (Reference 2 - Test Data) showed no significant carcinogenicity. In addition LARC monograph vol. 93 states that no significant test orgonenticity. STOT - Single Exposure: STOT - single Exposure: STOT - Multiple Exposure: No test data available. Inhalation tests of a toner for two years showed no significant carcinogenicity. (Reference 1 - Test Data) in rats, chronic exposure to carbon black is tought to occur during the use of ancumulation of particles in the lung as well as to persistent tinfammatory processes and slight to moderate fibrotic changes in the lungs of rats. In hamsters, these effects were only observed when high concentrations (> 20 mg/m3). The particle accumulation in the lung Size of the experimental animals is attributed to a damage and overload to the fung Clearance mechanisms and is called 'lung overloading'. This is not an effect specific (NoEL) was 1 mg/m3 in rats. The NOEL was greater than 6 mg/m3 in hamsters. (Reference 2 - Test Data) Toner concentration of deer, slightly sloubl		
Acute Toxicity: N/A Skin Corrosion/Irritation: N/A NA N/A Inhalation: N/A Sensitization: N/A Sensitization: Respiratory: No test data available. None of the substances in this mixture is classified as a respiratory sensitizer. Mutagenicity: Ames test (Salmonella typhimurium, Escherichia coli) negative. (a similar product) Carcinogenicity: Ames test (Salmonella typhimurium, Escherichia coli) negative. (a similar product) Data) and studies by Muhe et al. (Reference 2 - Test Data) showed no significant carcinogenicity. In addition IARC monograph vol. 93 states that no significant carcinogenicity. STOT - Single Exposure: N/A No test data available. None of the substances in this mixture is classified for reproductive toxicity. STOT - Multiple Exposure: N/A No test data available. Inhalation tests of a toner for two years showed no significant carcinogenicity. (Reference 1 - Test Data) in rats, chronic exposure to toner concentrations 4 mg/M3 and voer lead to an accumulation of partices in the lungs of rats. In hamsters, these effects were only observed at significant typingher concentrations of the ung steffect to toner dust but is generally observed when high concentrations of other, signify and theo-observable effect-level (IOEL) was 4 mg/M3 and the o-observable effect-level (IOEL) was 4 mg/M3 and then o-observable effect-level (IOEL) was 4 mg/M3 and then o-observable effect-level (IOEL) was 4 mg/M3 and hanostes. Reference 2		
Skin Corrosion/irritation:N/ASerious Eye Damage:N/AInhalation:N/ASensitization:Respiratory: No test data available. None of the substances in this mixture is classified as a respiratory sensitizer.Mutagenicity:Arnes test (Salmonella typhimurium, Escherichia coli) negative. (a similar product)Carcinogenicity:Arnes test (Salmonella typhimurium, Escherichia coli) negative. (a similar product)Carcinogenicity:Arnes test (Salmonella typhimurium, Escherichia coli) negative. (a similar product)In addition (In ARC monograph vol. 53 and 33 state that the is inadequate evidence in humans for carcinogenicity of carbon black. Inhalation tests of a toner for two-years (Reference 1 - Test Data) and studies by Muhle et al. (Reference 2 - Test Data) showed no significant carcinogenicity. In addition IARC monograph vol. 53 attes that no significant exposure to carbon black is thought to occur during the use of products in which carbon black is bound to to best data available. None of the substances in this mixture is classified for reproductive toxicity. N/ASTOT - Single Exposure:No test data available. Inhalation tests of a toner for two years showed no significant carcinogenicity. (Reference 1 - Test Data) In rats, chronic exposure to toner concentrations 4 mg/m3 and over lead to an accumulation of particles in the lungs of rats. In hamsters, these effects were only observed at significantly higher concentrations (> 20 mg/m3). The particle accumulation in the lung lissue of the experimental animals is attributed to a damage and overload of the lung clearance mechanisms and is called "lung overloading". This is not an effect specific to toner dust but is generally observed when high concentrations of other, slightly soluble dusts are Inhaled. Th	Acute Toxicity:	
Serious Eye Damage: N/A Inhalation: N/A Sensitization: Respiratory: No test data available. None of the substances in this mixture is classified as a respiratory sensitizer. Mutagenicity: Arnes test (Salmonella typhimurium, Escherichia coli) negative. (a similar product) Carcinogenicity: Arnes test (Salmonella typhimurium, Escherichia coli) negative. (a similar product) Carcinogenicity. Arnes test (Salmonella typhimurium, Escherichia coli) negative. (a similar product) Data) and studies by Muhe et al. (Reference 2 - Test Data) showed no significant carcinogenicity. In addition IARC monograph vol. 6 Sand 93 states that there is on significant carcinogenicity. In addition IARC monograph vol. 9 states that no significant carcinogenicity. No test data available. None of the substances in this mixture is classified for reproductive toxicity. NA STOT - Single Exposure: No test data available. Inhalation tests of a toner for two years showed no significant carcinogenicity. (Reference 1 - Test Data) in rats, chronic exposure to toner concentrations 4 mg/m3 and over lead to an accumulation of particles in the lungs of rats. In hamsters, these effects were only observed at significantly higher concentrations (> 20 mg/m3). The particle accumulation in the lung tissue of the experimental animals is attributed to a damage and overlead of the lung clearance mechanisms and is called "lung verbading". This is not an effect specific to toner dust but is generally observed when high concentrations of > 20 mg/m3). The particle accumulation in the lung to the substance in the normal use of this product is estimated less than 1 mg/m3.	,	
Inhalation:N/ASensitization:Respiratory: No test data available. None of the substances in this mixture is classified as a respiratory sensitizer.Mutagenicity:Amest test (Salmonella typhimurum, Escherichia coli) negative. (a similar product) No test data available. Carbon black is listed by IARC as a group 28 (possibly carcinogenic to humans), but IARC monographs vol. 65 and 93 state that there is inadequate evidence in humans for carcinogenicity of carbon black. Inhalation tests of a toner for two-years (Reference 1 - Test Data) and studies by Muhle et al. (Reference 2 - Test Data) showed no significant carcinogenicity. In addition IARC monograph vol. 93 states that no significant exposure to carbon black is thought to occur during the use of products in which carbon black is bound form.Reproductive Toxicity: STOT - Single Exposure:No test data available. Inhalation tests of a toner for two years showed no significant carcinogenicity. (Reference 1 - Test Data) in rats, chronic exposure to to arcon black is throught to occur during the use of products in which carbon black in this mixture is in a bound form.STOT - Single Exposure: STOT - Multiple Exposure:No test data available. Inhalation tests of a toner for two years showed no significant carcinogenicity. (Reference 1 - Test Data) in rats, chronic exposure to to tore concentrations 4 mg/m3 and over lead to an accumulation of particles in the lung as well as to persistent inflammatory processes and slight to moderate fibratic changes in the ulung overload of the lung (learance mechanisms and is called 'lung overloading''. This is not an effect sectific to torer dust but is generally observed when high concentrations of other, slightly soluble dusts are inhaled. The lowest-observable-effect-level (LOEL) was 4 mg/m3 in hamsters. (Reference 2 - Test Data) Toner con		•
Sensitization:Respiratory: No test data available. None of the substances in this mixture is classified as a respiratory sensitizer.Mutagenicity:Ames test (Salmonella typhimurium, Escherichia coli) negative. (a similar product) No test data available. Carbon black is listed by IARC as a group 28 (possibly carcinogenic to humans), but IARC monographs vol. 65 and 93 state that there is inadequate evidence in humans for carcinogenicity of carbon black. Inhalation tests of a tomer for two-years (Reference 1 - Test Data) and studies by While et al. (Reference 2 - Test Data) showed no significant carcinogenicity. In addition IARC monograph vol. 93 states that no significant exposure to carbon black is bound to other materials, such as rubber, printing ink or paint. Carbon black in this mixture is classified for reproductive toxicity. N/ASTOT - Single Exposure:No test data available. None of the substances in this instruce is classified for reproductive toxicity. N/ASTOT - Multiple Exposure:No test data available. None of the experimental animals is attributed to a damage and overload of the lung clearance mechanisms and is called "lung as well as to persistent inflammatory processes and slight to moderate fibrotic changes in the lungs of rats. In hamsters, these effect-level (NOEL) was 1 mg/M3 and the no-observable- effect-level (NOEL) was 1 mg/M3 and the no-observable- effect-level (NOEL) was 1 mg/M3 and the no-observable- effect-level (NOEL) was 1 mg/M3 in trats. The NOEL was greater of mg/M3 in hamsters. (Reference 2 - Test Data) Toner concentration under the normal use of this product is estimated less final 1 mg/M3.Ingestion:N/AHazard Class Information:N/AV/AN/APelayee/Immediate Effects:N/AN/AN/A <th></th> <th></th>		
Mutagenicity:respiratory sensitizer.Carcinogenicity:Ames test (Salmonella typhimurium, Escherichia coli) negative. (a similar product)No test data available. Carbon black is listed by IARC as a group 28 (possibly carcinogenic to humans), but IARC monographs vol. 65 and 93 state that there is inadequate evidence in humans for carcinogenicity of carbon black. Inhalation tests of a toner for two-years (Reference 1 - Test Data) and studies by Muhle et al. (Reference 2 - Test Data) showed no significant carcinogenicity. In addition IARC monograph vol. 93 states that no significant exposure to carbon black is thought to occur during the use of products in which carbon black is bound to other materials, such as rubber, printing ink or paint. Carbon black is bound to other materials, such as rubber, printing ink or paint. Carbon black is bound to other materials, such as rubber, printing ink or paint. Carbon black is this mixture is in a bound form.STOT - Multiple Exposure:No test data available. Inhalation tests of a toner for two years showed no significant carcinogenicity. (Reference 1 - Test Data) In rats, chronic exposure to toner concentrations 4 mg/m3 and over lead to an accumulation of particles in the lung as well as to persistent inflammatory processes and slight to moderate fibrotic changes in the lungs of rats. In hamsters, these effects were only observed at significantly ligher concentrations (> 20 mg/m3). The particle accumulation in the lung tissue of the experimental animals is attributed to a damage and overload of the lung clearance mechanisms and is called "lung overloading". This is not an effect specific to toner dust but is generally observed when high concentrations (> 20 mg/m3). The particle accumulation in the lung tissue of the experimental animals is attributed to a damage and overload of the lung clearance mechanisms and is call		
Carcinogenicity:No test data available. Čarbon black is listed by IARC as group 2B (possibly carcinogenic to humans), but IARC monograph vol. 65 and 93 state that there is inadequate evidence in humans for carcinogenicity of carbon black. Inhalation tests of a toner for two-years (Reference 1 - Test Data) and studies by Muhle et al. (Reference 2 - Test Data) showed no significant carcinogenicity. In addition IARC monograph vol. 93 state that to significant testor bolack is thought to occur during the use of products in which carbon black kis bound to other materials, such as rubber, printing ink or paint. Carbon black in this mixture is in a bound form.Reproductive Toxicity: STOT - Single Exposure: STOT - Multiple Exposure: STOT - Multiple Exposure: STOT - Multiple Exposure: STOT - Multiple Exposure: STOT - Single Exposure: STOT - Multiple Exposure: STOT - Multiple Exposure: STOT - Multiple Exposure: No test data available. Inhalation tests of a toner for two years showed no significant carcinogenicity. (Reference 1 - rest Data) In rats, chronic exposure to toner concentrations 4 mg/m3 and over lead to an accumulation of particles in the lung as well as to persistent inflammatory processes and slight to moderate fibrotic changes in the lungs or grads. In hamsters, these effects were only observed at significant low gerofaoding". This is not an effect specific to toner dust but is generally observable-effect-level (LOEL) was 4 mg/m3 and the no-observable- effect-level (NOEL) was 1 mg/m3 in rats. The NOEL was greater than 6 mg/m3 in hamsters. (Reference 2 - Test Data) Toner concentration under the normal use of this product is estimated less than 1 mg/m3. N/AIngestion:N/AMaxMatare on Market Data:N/AN/ADelayed/Immediate Effects:N/AN/A </th <th></th> <th>respiratory sensitizer.</th>		respiratory sensitizer.
 humans), but IARC monographs vol. 65 and 93 state that there is inadequate evidence in humans for carcinogenicity of carbon black. Inhalation tests of a toner for two-years (Reference 1 - Test Data) and studies by Muhle et al. (Reference 2 - Test Data) showed no significant carcinogenicity. In addition IARC monograph vol. 93 states that no significant exposure to carbon black is buought to occur during the use of products in which carbon black is not do to ther materials, such as rubber, printing ink or paint. Carbon black in this mixture is in a bound to other materials, such as rubber, printing ink or paint. Carbon black in this mixture is classified for reproductive toxicity. NA No test data available. Inhalation tests of a toner for two years showed no significant carcinogenicity. (Reference 1 - Test Data) in rats, chronic exposure to toner concentrations 4 mg/m3 and over lead to an accumulation of particles in the lung as well as to persistent inflammatory processes and slight to moderate fibrotic changes in the lung of rats. In hamsters, these effects were only observed at significantly higher concentrations (> 20 mg/m3). The particle accumulation in the lung tissue of the experimental animals is attributed to a damage and overload of the lung clearance mechanisms and is called "lung overloading". This is not an effect specific to toner dust but is generally observed when high concentrations of other, slightly soluble dusts are inhaled. The lowest-observable-effect-level (LOEL) was 4 mg/m3 and the no-observable-effect-level (NOEL) was 1 mg/m3. NA Hazard Class Information: N/A Mixture on Market Data: N/A Mixture on Mixture: Reference 1) "Negative Effect of Long-term Inhalation of Toner on Formation of SHydroxydeoxyguanosine in DNA in the Lungs of Rats in Nivo", Yasou Morimoto, et. Al., Inhalation exposure in rats. "Inhal. Toxicol. 10 (1990) p.313-751. "Subchronic inhalation exposure in toroic inhalation exposure in rats." Fundam.		
Ingestion:In addition in the substances of the substances o	Carcinogenicity:	
Data) and studies by Muhle et al. (Reference 2 - Test Data) showed no significant carcinogenicity. In addition IARC monograph vol. 93 states that no significant exposure to carbon black is thought to occur during the use of products in which carbon black is bound to other materials, such as rubber, printing ink or paint. Carbon black in this mixture is classified for reproductive toxicity. STOT - Single Exposure: STOT - Multiple Exposure: N/ASTOT - Multiple Exposure: STOT - Multiple Exposure: STOT - Multiple Exposure: N/ANo test data available. Inhalation tests of a toner for two years showed no significant carcinogenicity. (Reference 1 - Test Data) In rats, chronic exposure to toner concentrations 4 mg/m3 and over lead to an accumulation of particles in the lung as well as to persistent inflammatory processes and slight to moderate fibrotic changes in the lungs of rats. In hamsters, these effects were only observed at significantly higher concentrations (> 20 mg/m3). The particle accumulation in the lung tissue of the experimental animals is attributed to a damage and overload of the lung clearance mechanisms and is called "lung overloading". This is not an effect specific to toner dust but is generally observed when high concentrations of other, slightly soluble dusts are inhaled. The lowest-observable-effect-level (LOEL) was 4 mg/m3 and the no-observable- effect-level (NOEL) was 1 mg/m3 in rats. The NOEL was greater than 6 mg/m3 in hamsters. (Reference 2 - Test Data) Toner concentration under the normal use of this product is estimated less than 1 mg/m3.Ingestion:N/AHazard Class Information:N/AN/ABelgave/Immediate Effects:N/AV/AUnderstreame(Reference 1 ' Negative Effect of Long-term Inhalation of Toner on Formation of toner, TiO2, and crystal		
 In addition LARC monograph vol. 93 states that no significant exposure to carbon black is thought to occur during the use of products in which carbon black is bound to other materials, such as rubber, printing ink or paint. Carbon black in this mixture is in a bound form. No test data available. None of the substances in this mixture is classified for reproductive toxicity. STOT - Multiple Exposure: No test data available. Inhalation tests of a toner for two years showed no significant carcinogenicity. (Reference 1 - Test Data) In rats, chronic exposure to toner concentrations 4 mg/m3 and over lead to an accumulation of particles in the lungs as well as to persistent inflammatory processes and slight to moderate filorotic changes in the lungs of rats. In hamsters, these effects were only observed at significantly higher concentrations (> 20 mg/m3). The particle accumulation in the lung classure mechanisms and is called "lung overloading". This is not an effect specific to toner dust but is generally observed when high concentrations of other, slightly soluble dusts are inhaled. The lowest-observable-effect-level (IOEL) was 1 mg/m3 and the no-observable-effect-level (IOEL) was 1 mg/m3 in rats. The NOEL was greater than 6 mg/m3 in hamsters. (Reference 2 - Test Data) Toner concentration under the normal use of this product is estimated less than 1 mg/m3. N/A Hazard Class Information: N/A N/A Pelayed/Immediate Effects: N/A Reference 1) "Negative Effect of Long-term Inhalation of Toner on Formation of 8-Hydroxydeoxyguanosine in DNA in the Lungs of Rats in Vivo", Yasuo Morinoto, et. Al., Inhalation exposure in rats. "Fundam A.ppl. Toxicol 17 (1991) p.300-313. "Lung clearance and retention of toner, TiO2, and crystalline silica, utilizing a tracer technique during chronic inhalation exposure in rats." Fundam A.ppl. Toxicol. 17 (1991) p.280-299. "Pulmonary response to toner, TiO		
 to occur during the use of products in which carbon black is bound to other materials, such as rubber, printing ink or paint. Carbon black in this mixture is in a bound form. No test data available. None of the substances in this mixture is classified for reproductive toxicity. STOT - Multiple Exposure: STOT - Multiple Exposure: No test data available. Inhalation tests of a toner for two years showed no significant carcinogenicity. (Reference 1 - Test Data) In rats, chronic exposure to toner concentrations 4 mg/m3 and over lead to an accumulation of particles in the lung as well as to persistent inflammatory processes and slight to moderate fibrotic changes in the lungs of rats. In hamsters, these effects were only observed at significantly higher concentrations (> 20 mg/m3). The particle accumulation in the lung tissue of the expueling berved whe high concentrations of other, slightly soluble dusts are inhaled. The lowest-observable-effect-level (LOEL) was 4 mg/m3 and the no-observable-effect-level (LOEL) was 4 mg/m3 and the available. N/A Symptoms: N/A N/A N/A Reference 1) "Negative Effect of Long-term Inhalation of Toner on Formation of ex-Hydroxydeoxyguanosine in DNA in the Lungs of Rats in Vivo", Yasuo Morimoto, et. Al., Inhalation exposure in		
 rubber, printing ink or paint. Carbon black in this mixture is in a bound form. No test data available. None of the substances in this mixture is classified for reproductive toxicity. NYA No test data available. Inhalation tests of a toner for two years showed no significant carcinogenicity. (Reference 1 - Test Data) In rats, chronic exposure to toner concentrations 4 mg/m3 and over lead to an accumulation of particles in the lung as well as to persistent inflammatory processes and slight to moderate fibrotic changes in the lungs of rats. In hamsters, these effects were only observed at significantly higher concentrations (> 20 mg/m3). The particle accumulation in the lung tissue of the experimental animals is attributed to a damage and overload of the lung clearance mechanisms and is called "lung overloading". This is not an effect specific to toner dust but is generally observed the high concentrations of other, slightly soluble dusts are inhaled. The lowest-observable-effect-level (LOEL) was 4 mg/m3 and the no-observable-effect-level (NOEL) was 1 mg/m3 in rats. The NOEL was greater than 6 mg/m3 in hamsters. (Reference 2 - Test Data) Toner concentration under the normal use of this product is estimated less than 1 mg/m3. Ingestion: N/A Hazard Class Information: N/A Hazard Class Information: N/A Pelayed/Immediate Effects: N/A Reference 1) "Negative Effect of Long-term Inhalation of Toner on Formation of 8-Hydroxydeoxyguanosine in DNA in the Lungs of Rats in Vivo", Yasuo Morimoto, et. Al., Inhalation exposure in rats. " Fundam. Appl. Toxicol. 17 (1991) p.200-299. "Pulmonary response to toner, TiO2, and crystalline silica, ucilizing a tracer technique during chronic inhalation exposure in rats." Fundam. Appl. Toxicol. 17 (1991) p.200-299. "Pulmonary response to toner, TiO2, and crystalline silica upon chronic inhalation exposure in rats." Inhal.		
Reproductive Toxicity: STOT - Single Exposure:No test data available. None of the substances in this mixture is classified for reproductive toxicity. N/ASTOT - Multiple Exposure: STOT - Multiple Exposure:No test data available. Inhalation tests of a toner for two years showed no significant carcinogenicity. (Reference 1 - Test Data) In rats, chronic exposure to toner concentrations 4 mg/m3 and over lead to an accumulation of particles in the lung as well as to persistent inflammatory processes and slight to moderate fibrotic changes in the lungs of rats. In hamsters, these effects were only observed at significant overload of the lung clearance mechanisms and is called "lung overloading". This is not an effect specific to toner dust but is generally observed when high concentrations of other, slightly soluble dusts are inhaled. The lowest-observable-effect-level (LOEL) was 4 mg/m3 in dnamsters. (Reference 2 - Test Data) Toner concentration under the normal use of this product is estimated less than 1 mg/m3.Ingestion: Mixture on Market Data: Symptoms: N/AN/ADelayed/Immediate Effects: etfect-level (NOEL) was 1 mg/m3 in rats. The NOEL was greater than 6 mg/m3 in hamsters. (Reference 2) Test Data) Toner concentration under the normal use of this product is estimated less than 1 mg/m3.N/AN/ADelayed/Immediate Effects: rest Data on Mixture:N/AN/AN/ADelayed/Immediate Effects: right on a costrulation of toner, utilizing a trace technique during chronic inhalation exposure in rats." Fundam. Appl. Toxicol 17 (1991) p.300-313. "Lung clearance and retention of toner, TiO2, and crystalline silica upon chronic inhalation exposure in syrian golden hamsters." Inhal. Toxicol. 20 (1998) p.699-729.Not Meeting Classification: <b< th=""><th></th><th></th></b<>		
STOT - Single Exposure:N/ASTOT - Multiple Exposure:No test data available. Inhalation tests of a toner for two years showed no significant carcinogenicity. (Reference 1 - Test Data) In rats, chronic exposure to toner concentrations 4 mg/m3 and over lead to an accumulation of particles in the lungs as well as to persistent inflammatory processes and slight to moderate fibrotic changes in the lungs of rats. In hamsters, these effects were only observed at significantly higher concentrations (> 20 mg/m3). The particle accumulation in the lung tissue of the experimental animals is attributed to a damage and overload of the lung clearance mechanisms and is called "lung overloading". This is not an effect specific to toner dust but is generally observed when high concentrations of other, slightly soluble dusts are inhaled. The lowest-observable-effect-level (IOEL) was 4 mg/m3 and the no-observable- effect-level (IOEL) was 1 mg/m3 in rats. The NOEL was greater than 6 mg/m3 in hamsters. (Reference 2 - Test Data) Toner concentration under the normal use of this product is estimated less than 1 mg/m3. N/AIngestion:N/AHazard Class Information: Mixture on Market Data: N/AMixture on Market Data: Symptoms:N/ADelayed/Immediate Effects: tal. "Lung clearance and retention of toner, utilizing a tracer technique during chronic inhalation exposure in rats." Fundam. Appl. Toxicol. 17 (1991) p.300-313. "Lung clearance and retention of toner, TiO2, and crystalline silica, utilizing a tracer technique during chronic inhalation exposure in rats." Fundam. Appl. Toxicol. 17 (1991) p.302-309. "Pulmonary response to toner, TiO2 and crystalline silica upon chronic inhalation exposure in Syrian golden hamsters." Inhal. Toxicol. 10 (1998) p.699-729.Not Meeting Classification: Interactive Effects: N/		
STOT - Multiple Exposure:No test data available. Inhalation tests of a toner for two years showed no significant carcinogenicity. (Reference 1 - Test Data) In rats, chronic exposure to toner concentrations 4 mg/m3 and over lead to an accumulation of particles in the lung as well as to persistent inflammatory processes and slight to moderate fibrotic changes in the lungs of rats. In hamsters, these effects were only observed at significantly higher concentrations (> 20 mg/m3). The particle accumulation in the lung tissue of the experimental animals is attributed to a damage and overload of the lung clearance mechanisms and is called "lung overloading". This is not an effect specific to tomer dust but is generally observed when high concentrations of other, slightly soluble dusts are inhaled. The lowest-observable-effect-level (LOEL) was 4 mg/m3 and the no-observable- effect-level (NOEL) was 1 mg/m3 in rats. The NOEL was greater than 6 mg/m3 in hamsters. (Reference 2 - Test Data) Toner concentration under the normal use of this product is estimated less than 1 mg/m3.Ingestion:N/AMixture on Market Data:N/ASymptoms:N/ADelayed/Immediate Effects:N/ASymptoms:N/ACrest Data on Mixture:(Reference 1) "Negative Effect of Long-term Inhalation of Toner on Formation of 8-Hydroxydeoxyguanosine in DNA in the Lungs of Rats in Vivo", Yasuo Morimoto, et. Al., Inhalation exposure in rats." Inhal. Toxicol. 10 (1991) p.300-313. "Lung clearance and retention of toner, TiO2, and crystalline silica, utilizing a tracer technique during chronic inhalation exposure in rats." Inhal. Toxicol. 10 (1998) p.731-751. "Subchronic inhalation study of toner, TiO2 and crystalline silica upon chronic inhalation exposure in cover." Inhalation exposure in rats." Fundam. Appl. Toxicol. 17 (1991) p.280-2		
 carcinogenicity. (Reference 1 - Test Data) In rats, chronic exposure to toner concentrations 4 mg/m3 and over lead to an accumulation of particles in the lung as well as to persistent inflammatory processes and slight to moderate fibrotic changes in the lungs of rats. In hamsters, these effects were only observed at significantly higher concentrations (> 20 mg/m3). The particle accumulation in the lung tissue of the experimental animals is attributed to a damage and overload of the lung clearance mechanisms and is called "lung overloading". This is not an effect specific to toner dust but is generally observed when high concentrations of other, slightly soluble dusts are inhaled. The lowest-observable-effect-level (LOEL) was 1 mg/m3 in hamsters. (Reference 2 - Test Data) Toner concentration under the normal use of this product is estimated less than 1 mg/m3. N/A Hazard Class Information: N/A M/A Max MyA Delayed/Immediate Effects: N/A Reference 1) "Negative Effect of Long-term Inhalation of Toner on Formation of 8-Hydroxydeoxyguanosine in DNA in the Lungs of Rats in Vivo", Yasuo Morimoto, et. Al., Inhalation Toxicology, Vol. 17 (13) 749-753 (2005). (Reference 2) Studies by Muhle, Bellmann, Creutzenberg et al. "Lung clearance and retention of toner, utilizing a tracer technique during chronic inhalation exposure in rats." Inhal. Toxicol. 10 (1991) p.300-313. "Lung clearance and retention of toner, TiO2, and crystalline silica, utilizing a tracer technique during chronic inhalation study of toner, TiO2, and crystalline silica, utilizing a tracer technique during chronic inhalation exposure in syrian golden hamsters." Inhal. Toxicol. 10 (1998) p.731-751. "Subchronic inhalation study of toner, TiO2 and crystalline silica upon chronic inhalation exposure in syrian golden hamsters." Inhal. Toxicol. 10 (1998) p.699-729. Not Meeting Classificatiom: N/A NA NA NA		
mg/m3 ² and over lead to an accumulation of particles in the lung as well as to persistent inflammatory processes and slight to moderate fibrotic changes in the lungs of rats. In hamsters, these effects were only observed at significantly higher concentrations (> 20 mg/m3). The particle accumulation in the lung tissue of the experimental animals is attributed to a damage and overload of the lung clearance mechanisms and is called "lung overloading". This is not an effect specific to toner dust but is generally observed when high concentrations of other, slightly soluble dusts are inhaled. The lowest-observable-effect-level (LOEL) was 4 mg/m3 and the no-observable- effect-level (NOEL) was 1 mg/m3 in rats. The NOEL was greater than 6 mg/m3 in hamsters. (Reference 2 - Test Data) Toner concentration under the normal use of this product is estimated less than 1 mg/m3.Ingestion:N/AMixture on Market Data:N/ASymptoms:N/ADelayed/Immediate Effects:N/ATest Data on Mixture:(Reference 1) "Negative Effect of Long-term Inhalation of Toner on Formation of 8-Hydroxydeoxyguanosine in DNA in the Lungs of Rats in Vivo", Yasuo Morimoto, et. Al., Inhalation roxicology, Vol. 17 (13) 749-753 (2005). (Reference 2) Studies by Muhie, Bellmann, Creutzenberg et al. "Lung clearance and retention of toner, utilizing a tracer technique during chronic inhalation exposure in rats." Fundam. Appl. Toxicol. 17 (1991) p.300-313. "Lung clearance and retention of toner, TiO2, and crystalline silica, upon chronic inhalation exposure in rats." Inhal. Toxicol. 2 (1990) p.341-360. "Pulmonary response to toner, TiO2 and crystalline silica upon chronic inhalation exposure in Syrian golden hamsters." Inhal. Toxicol. 10 (1998) p.699-729.Not Meeting Classification:N/AAbsence of Specific Data:N/A <th>STOT - Multiple Exposure:</th> <th></th>	STOT - Multiple Exposure:	
 inflammatory processes and slight to moderate fibrotic changes in the lungs of rats. In hamsters, these effects were only observed at significantly higher concentrations (> 20 mg/m3). The particle accumulation in the lung tissue of the experimental animals is attributed to a damage and overload of the lung clearance mechanisms and is called "lung overloading". This is not an effect specific to toner dust but is generally observed when high concentrations of other, slightly soluble dusts are inhaled. The lowest-observable-effect-level (LOEL) was 4 mg/m3 and the no-observable-effect-level (LOEL) was 4 mg/m3 and the no-observable-effect-level (LOEL) was 4 mg/m3 and the no-observable-effect-level (LOEL) was 1 mg/m3 in rats. The NOEL was greater than 6 mg/m3 in hamsters. (Reference 2 - Test Data) Toner concentration under the normal use of this product is estimated less than 1 mg/m3. Ingestion: N/A Hazard Class Information: N/A Pelayed/Immediate Effects: N/A Delayed/Immediate Effects: N/A Reference 1) "Negative Effect of Long-term Inhalation of Toner on Formation of 8-Hydroxydeoxyguanosine in DNA in the Lungs of Rats in Vivo", Yasuo Morimoto, et. Al., Inhalation Toxicology, Vol. 17 (13) 749-753 (2005). (Reference 2) Studies by Muhle, Bellmann, Creutzenberg et al. "Lung Clearance and retention of toner, tilizing a tracer technique during chronic inhalation exposure in rats." Inhal. Toxicol. 1 (1990) p.341-360. "Pulmonary response to toner your chronic inhalation exposure in rats." Inhal. Toxicol. 10 (1990) p.341-350. "Subchronic inhalation study of toner, TiO2 and crystalline silica upon chronic inhalation exposure in Syrian golden hamsters." Inhal. Toxicol. 10 (1990) p.341-360. "Pulmonary response to toner, TiO2 and crystalline silica upon chronic inhalation exposure in Syrian golden hamsters." Inhal. Toxicol. 10 (1990) p.341-360. "Pulmonary response to toner, TiO2 and crystalline silica upon chronic inhalation exposure in Syrian golden ha		
 these effects were only observed at significantly higher concentrations (> 20 mg/m3). The particle accumulation in the lung tissue of the experimental animals is attributed to a damage and overload of the lung clearance mechanisms and is called "lung overloading". This is not an effect specific to toner dust but is generally observed when high concentrations of other, slightly soluble dusts are inhaled. The lowest-observable-effect-level (LOEL) was 4 mg/m3 and the no-observable-effect-level (LOEL) was 4 mg/m3 and th		
accumulation in the lung tissue of the experimental animals is attributed to a damage and overload of the lung clearance mechanisms and is called "lung overloading". This is not an effect specific to to end ubst but is generally observed when high concentrations of other, slightly soluble dusts are inhaled. The lowest-observable-effect-level (LOEL) was 4 mg/m3 and the no-observable- effect-level (NOEL) was 1 mg/m3 in rats. The NOEL was greater than 6 mg/m3 in hamsters. (Reference 2 - Test Data) Toner concentration under the normal use of this product is estimated less than 1 mg/m3.Ingestion:N/AHazard Class Information:N/AMixture on Market Data:N/ASymptoms:N/ADelayed/Immediate Effects:N/ATest Data on Mixture:(Reference 1) "Negative Effect of Long-term Inhalation of Toner on Formation of 8-Hydroxydeoxyguanosine in DNA in the Lungs of Rats in Vivo", Yasuo Morimoto, et. Al., Inhalation roxicology, Vol. 17 (13) 749-753 (2005). (Reference 2) Studies by Muhle, Bellmann, Creutzenberg et al. "Lung clearance and retention of toner, utilizing a tracer technique during chronic inhalation exposure in rats." Fundam. Appl. Toxicol 17 (1991) p.300-313. "Lung clearance and retention of toner, TiO2, and crystalline silica, utilizing a tracer technique during chronic inhalation exposure in rats." Inhal. Toxicol. 2 (1990) p.341-360. "Pulmonary response to toner upon chronic inhalation exposure in rats." Fundam. Appl. Toxicol 17 (1991) p.280-299. "Pulmonary response to toner, TiO2 and crystalline silica upon chronic inhalation exposure in Syrian golden hamsters." Inhal. Toxicol. 2 (1990) p.341-360. "Pulmonary response to toner or inhalation exposure in rats." Fundam. Appl. Toxicol. 17 (1991) p.280-299. "Pulmonary response to toner, TiO2 and crystalline silica upon chronic inhalation exposure in <th></th> <th></th>		
overload of the lung clearance mechanisms and is called "lung overloading". This is not an effect specific to toner dust but is generally observed when high concentrations of other, slightly soluble dusts are inhaled. The lowest-observable-effect-level (LOEL) was 4 mg/m3 and the no-observable- effect-level (NOEL) was 1 mg/m3 in rats. The NOEL was greater than 6 mg/m3 in hamsters. 		
specific to toner dust but is generally observed when high concentrations of other, slightly soluble dusts are inhaled. The lowest-observable-effect-level (LOEL) was 4 mg/m3 and the no-observable- effect-level (NOEL) was 1 mg/m3 in rats. The NOEL was greater than 6 mg/m3 in hamsters. (Reference 2 - Test Data) Toner concentration under the normal use of this product is estimated less than 1 mg/m3.Ingestion:N/AHazard Class Information:N/AMixture on Market Data:N/ASymptoms:N/ADelayed/Immediate Effects:N/AIngestion:N/AMixture on Market Data:N/ASymptoms:N/ADelayed/Immediate Effects:N/AReference 1) "Negative Effect of Long-term Inhalation of Toner on Formation of 8-Hydroxydeoxyguanosine in DNA in the Lungs of Rats in Vivo", Yasuo Morimoto, et. Al., Inhalation Toxicology, Vol. 17 (13) 749-753 (2005). (Reference 2) Studies by Muhle, Bellmann, Creutzenberg et al. "Lung clearance and retention of toner, utilizing a tracer technique during chronic inhalation exposure in rats." Fundam. Appl. Toxicol 17 (1991) p.300-313. "Lung clearance and retention of toner, TiO2, and crystalline silica, utilizing a tracer technique during chronic inhalation exposure in rats." Inhal. Toxicol. 2 (1990) p.341-360. "Pulmonary response to toner upon chronic inhalation exposure in rats." Fundam. Appl. Toxicol. 17 (1991) p.280-299. "Pulmonary response to toner, TiO2 and crystalline silica upon chronic inhalation exposure in Syrian golden hamsters." Inhal. Toxicol. 10 (1998) p.699-729.Not Meeting Classification: Routes of Exposure:N/AAbsence of Specific Data:N/A		
Ingestion:usts are inhaled. The lowest-observable-effect-level (LOEL) was 4 mg/m3 and the no-observable-effect-level (NOEL) was 1 mg/m3 in rats. The NOEL was greater than 6 mg/m3 in hamsters. (Reference 2 - Test Data) Toner concentration under the normal use of this product is estimated less than 1 mg/m3.Ingestion:N/AHazard Class Information:N/AMixture on Market Data:N/ADelayed/Immediate Effects:N/ATest Data on Mixture:(Reference 1) "Negative Effect of Long-term Inhalation of Toner on Formation of 8-Hydroxydeoxyguanosine in DNA in the Lungs of Rats in Vivo", Yasuo Morimoto, et. Al., Inhalation Toxicology, Vol. 17 (13) 749-753 (2005). (Reference 2) Studies by Muhle, Bellmann, Creutzenberg et al. "Lung clearance and retention of toner, utilizing a tracer technique during chronic inhalation exposure in rats." Fundam. Appl. Toxicol 17 (1991) p.300-313. "Lung clearance and retention of toner, TiO2, and crystalline silica, utilizing a tracer technique during chronic inhalation exposure in rats." Inhal. Toxicol. 2 (1990) p.341-360. "Pulmonary response to toner upon chronic inhalation exposure in rats." Fundam. Appl. Toxicol. 17 (1991) p.280-299. "Pulmonary response to toner, TiO2 and crystalline silica upon chronic inhalation exposure in Syrian golden hamsters." Inhal. Toxicol. 10 (1998) p.699-729.Not Meeting Classification:N/ARoutes of Exposure:N/AAbsence of Specific Data:N/A		
 effect-level (NOEL) was 1 mg/m3 in rats. The NOEL was greater than 6 mg/m3 in hamsters. (Reference 2 - Test Data) Toner concentration under the normal use of this product is estimated less than 1 mg/m3. Ingestion: N/A Hazard Class Information: N/A Mixture on Market Data: N/A Symptoms: N/A Delayed/Immediate Effects: N/A Reference 1) "Negative Effect of Long-term Inhalation of Toner on Formation of 8-Hydroxydeoxyguanosine in DNA in the Lungs of Rats in Vivo", Yasuo Morimoto, et. Al., Inhalation Toxicology, Vol. 17 (13) 749-753 (2005). (Reference 2) Studies by Muhle, Bellmann, Creutzenberg et al. "Lung clearance and retention of toner, utilizing a tracer technique during chronic inhalation exposure in rats." Fundam. Appl. Toxicol 17 (1991) p.300-313. "Lung clearance and retention of toner, TiO2, and crystalline silica, utilizing a tracer technique during chronic inhalation exposure in Syrian golden hamsters." Inhal. Toxicol. 10 (1998) p.731-751. "Subchronic inhalation exposure in syrian golden hamsters." Inhal. Toxicol. 10 (1998) p.731-751. "Subchronic inhalation exposure in roner, TiO2 and crystalline silica upon chronic inhalation exposure in Syrian golden hamsters." Inhal. Toxicol. 10 (1998) p.699-729. Not Meeting Classification: N/A Routes of Exposure: N/A Absence of Specific Data: N/A 		
Ingestion:N/AHazard Class Information:N/AMixture on Market Data:N/ASymptoms:N/ADelayed/Immediate Effects:N/ATest Data on Mixture:(Reference 1) "Negative Effect of Long-term Inhalation of Toner on Formation of 8-Hydroxydeoxyguanosine in DNA in the Lungs of Rats in Vivo", Yasuo Morimoto, et. Al., Inhalation Toxicology, Vol. 17 (13) 749-753 (2005). (Reference 2) Studies by Muhle, Bellmann, Creutzenberg et al. "Lung clearance and retention of toner, utilizing a tracer technique during chronic inhalation exposure in rats." Fundam. Appl. Toxicol 17 (1991) p.300-313. "Lung clearance and retention of toner, TiO2, and crystalline silica, utilizing a tracer technique during chronic inhalation exposure in rats." Inhal. Toxicol. 10 (1998) p.731-751. "Subchronic inhalation study of toner, TiO2 and crystalline silica upon chronic inhalation exposure in Syrian golden hamsters." Inhal. Toxicol. 17 (1991) p.280-299. "Pulmonary response to toner, TiO2 and crystalline silica upon chronic inhalation exposure in Syrian golden hamsters." Inhal. Toxicol. 10 (1998) p.699-729.Not Meeting Classification:N/ARoutes of Exposure:N/AAbsence of Specific Data:N/A		
Ingestion:less than 1 mg/m3.Hazard Class Information:N/AHazard Class Information:N/AMixture on Market Data:N/ASymptoms:N/ADelayed/Immediate Effects:N/ATest Data on Mixture:(Reference 1) "Negative Effect of Long-term Inhalation of Toner on Formation of 8-Hydroxydeoxyguanosine in DNA in the Lungs of Rats in Vivo", Yasuo Morimoto, et. Al., Inhalation Toxicology, Vol. 17 (13) 749-753 (2005). (Reference 2) Studies by Muhle, Bellmann, Creutzenberg et al. "Lung clearance and retention of toner, utilizing a tracer technique during chronic inhalation exposure in rats." Fundam. Appl. Toxicol 17 (1991) p.300-313. "Lung clearance and retention of toner, TiO2, and crystalline silica, utilizing a tracer technique during chronic inhalation study of toner in rats." Inhal. Toxicol. 2 (1990) p.341-360. "Pulmonary response to toner, TiO2 and crystalline silica upon chronic inhalation exposure in Syrian golden hamsters." Inhal. Toxicol. 17 (1991) p.280-299. "Pulmonary response to toner, TiO2 and crystalline silica upon chronic inhalation exposure in Syrian golden hamsters." Inhal. Toxicol. 17 (1991) p.280-299. "Pulmonary response to toner, TiO2 and crystalline silica upon chronic inhalation exposure in Syrian golden hamsters." Inhal. Toxicol. 10 (1998) p.699-729.Not Meeting Classification:N/ARoutes of Exposure:N/AAbsence of Specific Data:N/A		
Ingestion:N/AHazard Class Information:N/AMixture on Market Data:N/ASymptoms:N/ADelayed/Immediate Effects:N/ATest Data on Mixture:(Reference 1) "Negative Effect of Long-term Inhalation of Toner on Formation of 8-Hydroxydeoxyguanosine in DNA in the Lungs of Rats in Vivo", Yasuo Morimoto, et. Al., Inhalation roxicology, Vol. 17 (13) 749-753 (2005). (Reference 2) Studies by Muhle, Bellmann, Creutzenberg et al. "Lung clearance and retention of toner, utilizing a tracer technique during chronic inhalation exposure in rats." Fundam. Appl. Toxicol 17 (1991) p.300-313. "Lung clearance and retention of toner, TiO2, and crystalline silica, utilizing a tracer technique during chronic inhalation exposure in Syrian golden hamsters." Inhal. Toxicol. 10 (1998) p.731-751. "Subchronic inhalation study of toner, TiO2, and crystalline silica, utilizing a tracer technique during chronic inhalation exposure in rats." Fundam. Appl. Toxicol. 17 (1991) p.280-299. "Pulmonary response to toner, TiO2 and crystalline silica upon chronic inhalation exposure in Syrian golden hamsters." Inhal. Toxicol. 10 (1998) p.699-729.Not Meeting Classification:N/ARoutes of Exposure:N/AAbsence of Specific Data:N/A		
Hazard Class Information: Mixture on Market Data: Symptoms:N/ABelayed/Immediate Effects: Test Data on Mixture:N/AVelayed/Immediate Effects: a Delayed/Immediate Effects:N/AReference 1) "Negative Effect of Long-term Inhalation of Toner on Formation of 8-Hydroxydeoxyguanosine in DNA in the Lungs of Rats in Vivo", Yasuo Morimoto, et. Al., Inhalation Toxicology, Vol. 17 (13) 749-753 (2005). (Reference 2) Studies by Muhle, Bellmann, Creutzenberg et al. "Lung clearance and retention of toner, utilizing a tracer technique during chronic inhalation exposure in rats." Fundam. Appl. Toxicol 17 (1991) p.300-313. "Lung clearance and retention of toner, riO2, and crystalline silica, utilizing a tracer technique during chronic inhalation study of toner in rats." Inhal. Toxicol. 2 (1990) p.341-360. "Pulmonary response to toner upon chronic inhalation exposure in rats." Fundam. Appl. Toxicol. 17 (1991) p.280-299. "Pulmonary response to toner, TiO2 and crystalline silica upon chronic inhalation exposure in Syrian golden hamsters." Inhal. Toxicol. 10 (1998) p.699-729.Not Meeting Classification: Routes of Exposure: Interactive Effects: Absence of Specific Data:N/A	1	
Mixture on Market Data:N/ASymptoms:N/ADelayed/Immediate Effects:N/ATest Data on Mixture:(Reference 1) "Negative Effect of Long-term Inhalation of Toner on Formation of 8-Hydroxydeoxyguanosine in DNA in the Lungs of Rats in Vivo", Yasuo Morimoto, et. Al., Inhalation Toxicology, Vol. 17 (13) 749-753 (2005). (Reference 2) Studies by Muhle, Bellmann, Creutzenberg et al. "Lung clearance and retention of toner, utilizing a tracer technique during chronic inhalation exposure in rats." Fundam. Appl. Toxicol 17 (1991) p.300-313. "Lung clearance and retention of toner, TiO2, and crystalline silica, utilizing a tracer technique during chronic inhalation study of toner in rats." Inhal. Toxicol. 2 (1990) p.341-360. "Pulmonary response to toner upon chronic inhalation exposure in rats." Fundam. Appl. Toxicol. 17 (1991) p.280-299. "Pulmonary response to toner, TiO2 and crystalline silica upon chronic inhalation exposure in Syrian golden hamsters." Inhal. Toxicol. 10 (1998) p.699-729.Not Meeting Classification:N/ARoutes of Exposure: Interactive Effects:N/AAbsence of Specific Data:N/A	-	
Symptoms:N/ADelayed/Immediate Effects:N/ATest Data on Mixture:N/AReference 1) "Negative Effect of Long-term Inhalation of Toner on Formation of 8-Hydroxydeoxyguanosine in DNA in the Lungs of Rats in Vivo", Yasuo Morimoto, et. Al., Inhalation Toxicology, Vol. 17 (13) 749-753 (2005). (Reference 2) Studies by Muhle, Bellmann, Creutzenberg et al. "Lung clearance and retention of toner, utilizing a tracer technique during chronic inhalation exposure in rats." Fundam. Appl. Toxicol 17 (1991) p.300-313. "Lung clearance and retention of toner, TiO2, and crystalline silica, utilizing a tracer technique during chronic inhalation exposure in Syrian golden hamsters." Inhal. Toxicol. 10 (1998) p.731-751. "Subchronic inhalation study of toner in rats." Inhal. Toxicol. 2 (1990) p.341-360. "Pulmonary response to toner upon chronic inhalation exposure in rats." Fundam. Appl. Toxicol. 17 (1991) p.280-299. "Pulmonary response to toner, TiO2 and crystalline silica upon chronic inhalation exposure in Syrian golden hamsters." Inhal. Toxicol. 10 (1998) p.699-729.Not Meeting Classification:N/ARoutes of Exposure: Interactive Effects:N/AAbsence of Specific Data:N/A		
Delayed/Immediate Effects:N/ATest Data on Mixture:(Reference 1) "Negative Effect of Long-term Inhalation of Toner on Formation of 8-Hydroxydeoxyguanosine in DNA in the Lungs of Rats in Vivo", Yasuo Morimoto, et. Al., Inhalation Toxicology, Vol. 17 (13) 749-753 (2005). (Reference 2) Studies by Muhle, Bellmann, Creutzenberg et al. "Lung clearance and retention of toner, utilizing a tracer technique during chronic inhalation exposure in rats." Fundam. Appl. Toxicol 17 (1991) p.300-313. "Lung clearance and retention of toner, TiO2, and crystalline silica, utilizing a tracer technique during chronic inhalation exposure in Syrian golden hamsters." Inhal. Toxicol. 10 (1998) p.731-751. "Subchronic inhalation study of toner in rats." Inhal. Toxicol. 2 (1990) p.341-360. "Pulmonary response to toner upon chronic inhalation exposure in rats." Fundam. Appl. Toxicol. 17 (1991) p.280-299. "Pulmonary response to toner, TiO2 and crystalline silica upon chronic inhalation exposure in Syrian golden hamsters." Inhal. Toxicol. 10 (1998) p.699-729.Not Meeting Classification:N/ARoutes of Exposure:N/AInteractive Effects:N/AAbsence of Specific Data:N/A		
Test Data on Mixture:(Reference 1) "Negative Effect of Long-term Inhalation of Toner on Formation of 8-Hydroxydeoxyguanosine in DNA in the Lungs of Rats in Vivo", Yasuo Morimoto, et. Al., Inhalation Toxicology, Vol. 17 (13) 749-753 (2005). (Reference 2) Studies by Muhle, Bellmann, Creutzenberg et al. "Lung clearance and retention of toner, utilizing a tracer technique during chronic inhalation exposure in rats." Fundam. Appl. Toxicol 17 (1991) p.300-313. "Lung clearance and retention of toner, TiO2, and crystalline silica, utilizing a tracer technique during chronic inhalation exposure in Syrian golden hamsters." Inhal. Toxicol. 10 (1998) p.731-751. "Subchronic inhalation study of toner in rats." Inhal. Toxicol. 2 (1990) p.341-360. "Pulmonary response to toner upon chronic inhalation exposure in rats." Fundam. Appl. Toxicol. 17 (1991) p.280-299. "Pulmonary response to toner, TiO2 and crystalline silica upon chronic inhalation exposure in Syrian golden hamsters." Inhal. Toxicol. 10 (1998) p.699-729.Not Meeting Classification:N/ARoutes of Exposure: Interactive Effects:N/AAbsence of Specific Data:N/A		
 8-Hydroxydeoxyguanosine in DNA in the Lungs of Rats in Vivo", Yasuo Morimoto, et. Al., Inhalation Toxicology, Vol. 17 (13) 749-753 (2005). (Reference 2) Studies by Muhle, Bellmann, Creutzenberg et al. "Lung clearance and retention of toner, utilizing a tracer technique during chronic inhalation exposure in rats." Fundam. Appl. Toxicol 17 (1991) p.300-313. "Lung clearance and retention of toner, TiO2, and crystalline silica, utilizing a tracer technique during chronic inhalation exposure in Syrian golden hamsters." Inhal. Toxicol. 10 (1998) p.731-751. "Subchronic inhalation study of toner in rats." Inhal. Toxicol. 2 (1990) p.341-360. "Pulmonary response to toner upon chronic inhalation exposure in rats." Fundam. Appl. Toxicol. 17 (1991) p.280-299. "Pulmonary response to toner, TiO2 and crystalline silica upon chronic inhalation exposure in Syrian golden hamsters." Inhal. Toxicol. 10 (1998) p.699-729. Not Meeting Classification: Routes of Exposure: Interactive Effects: Absence of Specific Data: N/A 	-	
Toxicology, Vol. 17 (13) 749-753 (2005). (Reference 2) Studies by Muhle, Bellmann, Creutzenberg et al. "Lung clearance and retention of toner, utilizing a tracer technique during chronic inhalation exposure in rats." Fundam. Appl. Toxicol 17 (1991) p.300-313. "Lung clearance and retention of toner, TiO2, and crystalline silica, utilizing a tracer technique during chronic inhalation exposure in Syrian golden hamsters." Inhal. Toxicol. 10 (1998) p.731-751. "Subchronic inhalation study of toner in rats." Inhal. Toxicol. 2 (1990) p.341-360. "Pulmonary response to toner upon chronic inhalation exposure in rats." Fundam. Appl. Toxicol. 17 (1991) p.280-299. "Pulmonary response to toner, TiO2 and crystalline silica upon chronic inhalation exposure in Syrian golden hamsters." Inhal. Toxicol. 10 (1998) p.699-729.Not Meeting Classification: Routes of Exposure: Interactive Effects:N/AN/AN/A	Test Data on Mixture:	
 et al. "Lung clearance and retention of toner, utilizing a tracer technique during chronic inhalation exposure in rats." Fundam. Appl. Toxicol 17 (1991) p.300-313. "Lung clearance and retention of toner, TiO2, and crystalline silica, utilizing a tracer technique during chronic inhalation exposure in Syrian golden hamsters." Inhal. Toxicol. 10 (1998) p.731-751. "Subchronic inhalation study of toner in rats." Inhal. Toxicol. 2 (1990) p.341-360. "Pulmonary response to toner upon chronic inhalation exposure in rats." Fundam. Appl. Toxicol. 17 (1991) p.280-299. "Pulmonary response to toner, TiO2 and crystalline silica upon chronic inhalation exposure in Syrian golden hamsters." Inhal. Toxicol. 10 (1998) p.699-729. Not Meeting Classification: N/A Routes of Exposure: N/A Absence of Specific Data: N/A 		
 exposure in rats." Fundam. Appl. Toxicol 17 (1991) p.300-313. "Lung clearance and retention of toner, TiO2, and crystalline silica, utilizing a tracer technique during chronic inhalation exposure in Syrian golden hamsters." Inhal. Toxicol. 10 (1998) p.731-751. "Subchronic inhalation study of toner in rats." Inhal. Toxicol. 2 (1990) p.341-360. "Pulmonary response to toner upon chronic inhalation exposure in rats." Fundam. Appl. Toxicol. 17 (1991) p.280-299. "Pulmonary response to toner, TiO2 and crystalline silica upon chronic inhalation exposure in Syrian golden hamsters." Inhal. Toxicol. 10 (1998) p.699-729. Not Meeting Classification: N/A Routes of Exposure: N/A Absence of Specific Data: N/A 		
toner, TiO2, and crystalline silica, utilizing a tracer technique during chronic inhalation exposure in Syrian golden hamsters." Inhal. Toxicol. 10 (1998) p.731-751. "Subchronic inhalation study of toner in rats." Inhal. Toxicol. 2 (1990) p.341-360. "Pulmonary response to toner upon chronic inhalation exposure in rats." Fundam. Appl. Toxicol. 17 (1991) p.280-299. "Pulmonary response to toner, TiO2 and crystalline silica upon chronic inhalation exposure in Syrian golden hamsters." Inhal. Toxicol. 10 (1998) p.699-729.Not Meeting Classification: Routes of Exposure: 		
Syrian golden hamsters." Inhal. Toxicol. 10 (1998) p.731-751. "Subchronic inhalation study of toner in rats." Inhal. Toxicol. 2 (1990) p.341-360. "Pulmonary response to toner upon chronic inhalation exposure in rats." Fundam. Appl. Toxicol. 17 (1991) p.280-299. "Pulmonary response to toner, TiO2 and crystalline silica upon chronic inhalation exposure in Syrian golden hamsters." Inhal. Toxicol. 10 (1998) p.699-729.Not Meeting Classification: Routes of Exposure: Interactive Effects:N/AN/AN/AAbsence of Specific Data:N/A		
 toner in rats." Inhal. Toxicol. 2 (1990) p.341-360. "Pulmonary response to toner upon chronic inhalation exposure in rats." Fundam. Appl. Toxicol. 17 (1991) p.280-299. "Pulmonary response to toner, TiO2 and crystalline silica upon chronic inhalation exposure in Syrian golden hamsters." Inhal. Toxicol. 10 (1998) p.699-729. Not Meeting Classification: N/A Not Meeting Effects: N/A Absence of Specific Data: 		
 inhalation exposure in rats." Fundam. Appl. Toxicol. 17 (1991) p.280-299. "Pulmonary response to toner, TiO2 and crystalline silica upon chronic inhalation exposure in Syrian golden hamsters." Inhal. Toxicol. 10 (1998) p.699-729. Not Meeting Classification: N/A Routes of Exposure: N/A Interactive Effects: N/A Absence of Specific Data: N/A 		
toner, TiO2 and crystalline silica upon chronic inhalation exposure in Syrian golden hamsters." Inhal. Toxicol. 10 (1998) p.699-729. Not Meeting Classification: Routes of Exposure: N/A Interactive Effects: N/A Absence of Specific Data: N/A		
Inhal. Toxicol. 10 (1998) p.699-729. Not Meeting Classification: N/A Routes of Exposure: N/A Interactive Effects: N/A Absence of Specific Data: N/A		
Not Meeting Classification:N/ARoutes of Exposure:N/AInteractive Effects:N/AAbsence of Specific Data:N/A		
Routes of Exposure:N/AInteractive Effects:N/AAbsence of Specific Data:N/A	Not Meeting Classification	
Interactive Effects: N/A Absence of Specific Data: N/A		
Absence of Specific Data: N/A		



12. ECOLOGICAL INFORMATION

12.1 Eco toxicity:	According to the information provided by the suppliers about the substances contained in this mixture, this mixture is not expected to be harmful to ecology.
12.2 Degradability:	N/A
12.3 Bioaccumulation Potential:	N/A
12.4 Mobility in Soil:	N/A
12.5 PBT & vPvB Assessment:	N/A
12.6 Other Adverse Effects:	None known.

13. DISPOSAL CONSIDERATIONS

Disposal Information:

Dispose as a solid waste in accordance with local authority regulations. Empty container retains product residue.

Physical/Chemical Properties that affect Treatment:

Symbol: This product is not classified as dangerous

Risk Phrases: This product is not classified according to the federal, state and local environmental regulations.

Waste Treatment Information:

Do not shred toner cartridge, unless dust-explosion prevention measures are taken. Finely dispersed particles may form explosive mixtures in air. Dispose of in compliance with federal, state, and local regulations.

Personal Protection Required:

N/A

14. TRANSPORT INFORMATIO	14. TRANSPORT INFORMATION		
14.1 ID Number:	None. Not a regulated material under the United States DOT, IMDG, ADR, RID, or ICAO/IATA.		
14.2 Shipping Name:	None. Not a regulated material under the United States DOT, IMDG, ADR, RID, or ICAO/IATA.		
14.3 Hazard Class:	None. Not a regulated material under the United States DOT, IMDG, ADR, RID, or ICAO/IATA.		
14.4 Packing Group:	N/A		
14.5 Environmental Hazards:	Not a marine pollutant according to the IMDG Code. Not environmentally hazardous according to the UN Model Regulations, ADR, RID or ADN.		
14.6 User Precautions:	Do not open or break a container during transportation unless absolutely needed.		
14.7 Bulk Transport:	N/A		



15. REGULATORY INFORMATION

15.1 **Regulatory Information:** TSCA: All the substances in this mixture are listed or exempted in accordance with TSCA.

EPA Regulatory Information: N/A

CERCLA Reportable Quantity: Not applicable to this mixture.

15.2 Superfund Information:

Hazard Categories:

Immediate: N/A

Delayed: N/A

Fire: N/A

Pressure: N/A

Reactivity: N/A

Section 302 - Extremely Hazardous: Not applicable to this mixture.

Section 311 - Hazardous: Immediate health hazard: No (All the ingredients of this product are bound within the mixture.) Chronic health hazard: No (All the ingredients of this product are bound within the mixture.) Sudden release of pressure hazard: No. Reactive hazard: No.

15.3	State Regulations:	California Proposition 65 (Safe Drinking Water and Toxic Enforcement Act of 1986): This product is in compliance with the regulation as all ingredients are bound within the mixture.
15.4	Other Regulatory Information	This mixture complies with the requirements of the RoHS Directive 2011/65/EU and its amendment directives. Please refer to any other Federal/state/local measures that may be relevant.
16.	OTHER INFORMATION	
Gene		This information is based on our current knowledge. It should not therefore be construed as guaranteeing specific properties of the products as described or their suitability for a particular application

Creation Date of this SDS: 06/11/2015



Key to Abbreviations and Acronyms used in this sheet:

ACGIH = American Conference of Governmental Industrial	NIOSH = National Institute for Occupational Safety and Health
Hygienists	
CERCLA = Comprehensive Environmental Response Compensation	OSHA = Occupational Health and Safety Administration
and Liability Act	
CLP = Classification, Labeling, and Packaging	PEL = Permissible Exposure Limit
DSD = Dangerous Substances Directive	SCBA = Self Contained Breathing Apparatus
EPA = Environmental Protection Agency	STOT = Specific Target Organ Toxicity
GHS = Globally Harmonized System	TLV = Threshold Limit Value
N/A = Not Applicable	UK = United Kingdom
NFPA = National Fire Protection Association	UN = United Nations

Ref:

DISCLAIMER

All trademarks and models referenced are property of their respective holders and are used for identification purposes only.

These products are not sponsored by, affiliated with, manufactured by or distributed by the named manufacturers.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.