MAY BE USED TO	COMPLY WITH O	SHA'S	<i>(</i> in	nover	a				
	NICATION STAND		tech r	nology essentia	a / s				
29CRF 1910.1200									
		-	-						
	DATE PREPAR		IATION TEL	EPHONE NUMBEI	R 1-919-774-3808 REPARER (OPTIONAL)				
				SIGNATORE OF P	REPARER (OF HONAL)				
Product/Chemica			r use in the	Brother HL-2040	Cartridges				
CTG Product No:					ounnageo				
CAS Number:	Mixture								
Other Designatio	ns: N/A								
General Use:	Laser Pri	inter							
SECTION 2 CO	MPOSITION / INF	CAS	EU	DIENTS	OSHA	ACGIH	OTHER		
Ingredient Name:		NUMBER		%	PEL	TLV	LIMITS		
ingreatent Name.		NOMBER	NOMBER		1 LL	TLV	LIWITO		
				Ton	er is regulated under OSF	A as particulat	e not		
					otherwise regu	lated:			
Styrene-Acrylate C	opolymer	26299-47-8	88-92						
Polypropylene		9003-07-0	2-4						
Carbon Black		1222 07 0	2.6						
Carbon Black		1333-07-0	3-6						
Additive		31714-55-3	2-3						
		0	_ •						
NDA = NO DATA	AVAILABLE								
N/A = NOT APPLI									
	ZARDOUS IDEN								
Primary Entry Ro		n					/HMIS		
Target Organs: Acute Effects:	N/A N/A					HEALTH FLMMBLTY.	1		
		ratory tract					0		
	Slight irritation of respiratory tract.       REACTIVITY         Dust may cause irritation by mechanical abrasion.       PPE (Sec.8)						•		
	Slight irritation.								
	ne known.								
Carcinogenicity:	N/A								
Medical Condition	ns Aggravated By I	Long-Term Ex	posure:	Accumulation of du	st in the respiratory system	m			
	may cause cong								
Chronic Effects:				-	rne particles (dust), it is re				
				<b>、</b>	ng to the American Confe	rence of Gover	nment		
	Industrial Hygie ST AID MEASUR		r L v = romg/m	).					
			on symptomati	cally. Call a physicial	n if condition persists				
	Remove to fresh air. Treat any irritation symptomatically. Call a physician if condition persists. In case of contact immediately flush with plenty of low pressure water for at least								
-	15 minutes. Remove any contact lenses to ensure thorough flushing.								
	ash well with soap a	-							
Ingestion: N//	N/A								
	After first aid, get appropriate in-plant paramedic or community medical support								
	erious signs and sy	mptoms perist.							
Note to Physiciar									
• · · <del>•</del> ·									
Special Precaution	ns / Procedures:	N/A							

SECTION 5 FIRE FIGHTING MEASURES									
Flash Point:	N/A								
Flash Point M									
Burning Rate									
-		. Not Determined							
LEL:	Auto Ignition Temperature: Not Determined LEL: N/A								
UEL:	N/A								
Flammability		n: 1 Slight (HMIS, NFPA)							
Extinguishing		Water spray, dry chemical, foam, carbon dioxide, or halon type extinguishers.							
Unusual Fire	-								
Hazardous Co	-								
		Under certain conditions some aliphatic aldehydes and carboxylic acids							
Eiro Eighting	Instructions	may form.							
Fire-Fighting Instructions: Do not release runoff from fire controls methods to sewers or waterways.									
Fire-Fighting	Equipment:	Because fire may produce toxic thermal decomposition products, wear a							
		self-contained breating apparatus (SCBA) with full facepiece operated in pressure-demand or positive-pressure mode.							
SECTION 6	ACCIDENT	AL RELEASE MEASURES							
SECTION 6 Spill / Leak Pr		N/A							
•		a container for disposal, suction up remaining material with a high efficiency							
onian opinioi	vacuum clea								
Large Spills:		a container for disposal, suction up remaining material with a high efficiency							
go opo.	vacuum clea								
Containment:		ills, avoid suspending particles, collect for later disposal. Do not release							
		or waterways.							
Cleanup:		equirements.							
Regulatory R									
		AND STORAGE							
Handling Pred									
	cautions:	Keep containers closed at all times. Avoid creating dust. Keep away from ignition sources.							
		Keep containers closed at all times. Avoid creating dust. Keep away from ignition sources. Store in a cool, dry location.							
Storage Required Regulatory Regulatory Regulatory	irements:	Store in a cool, dry location.							
Storage Requ Regulatory Re	irements: equirement:	Store in a cool, dry location. N/A							
Storage Requ Regulatory Re	irements: equirement: EXPOSURE	Store in a cool, dry location.							
Storage Requine Regulatory Regulatory 8	uirements: equirement: EXPOSURE Controls:	Store in a cool, dry location. N/A							
Storage Requ Regulatory Re SECTION 8 Engineering C	irements: equirement: EXPOSURE Controls: Provide gen	Store in a cool, dry location. N/A E CONTROLS / PERSONAL PROTECTION eral or local exhaust ventilation systems to maintain airborne concentrations							
Storage Requ Regulatory Re SECTION 8 Engineering C	irements: equirement: EXPOSURE Controls: Provide gen below OSH	Store in a cool, dry location. N/A E CONTROLS / PERSONAL PROTECTION eral or local exhaust ventilation systems to maintain airborne concentrations A PELs (sec.2). Local exhaust ventilation is preferred because it prevents contaminant							
Storage Requ Regulatory Re SECTION 8 Engineering C	irements: equirement: EXPOSURE Controls: Provide gen below OSH/ dispersion ir	Store in a cool, dry location. N/A E CONTROLS / PERSONAL PROTECTION eral or local exhaust ventilation systems to maintain airborne concentrations							
Storage Requ Regulatory Ro SECTION 8 Engineering 0 Venilation: Administrativ	irements: equirement: EXPOSURE Controls: Provide gen below OSH/ dispersion ir re Controls:	Store in a cool, dry location. N/A							
Storage Requ Regulatory Ro SECTION 8 Engineering 0 Venilation:	irements: equirement: EXPOSURE Controls: Provide gen below OSH/ dispersion ir re Controls:	Store in a cool, dry location. N/A							
Storage Requ Regulatory Ro SECTION 8 Engineering 0 Venilation: Administrativ	irements: equirement: EXPOSURE Controls: Provide gen below OSH/ dispersion ir re Controls:	Store in a cool, dry location. N/A  E CONTROLS / PERSONAL PROTECTION  eral or local exhaust ventilation systems to maintain airborne concentrations A PELs (sec.2). Local exhaust ventilation is preferred because it prevents contaminant to the work area by controlling it at its source.  Seek professional advise prior to respirator selection and use. Follow OSHA respirator regulations (29 CFR 1910.134) and, if necessary, wear							
Storage Requ Regulatory Ro SECTION 8 Engineering 0 Venilation: Administrativ	irements: equirement: EXPOSURE Controls: Provide gen below OSH/ dispersion ir re Controls:	Store in a cool, dry location. N/A  E CONTROLS / PERSONAL PROTECTION  eral or local exhaust ventilation systems to maintain airborne concentrations A PELs (sec.2). Local exhaust ventilation is preferred because it prevents contaminant into the work area by controlling it at its source.  Seek professional advise prior to respirator selection and use. Follow OSHA respirator regulations (29 CFR 1910.134) and, if necessary, wear a MSHA/NIOSH-approved respirator. Select respirator based on its suitability							
Storage Requ Regulatory Ro SECTION 8 Engineering 0 Venilation: Administrativ	irements: equirement: EXPOSURE Controls: Provide gen below OSH/ dispersion ir re Controls:	Store in a cool, dry location. N/A  ECONTROLS / PERSONAL PROTECTION  eral or local exhaust ventilation systems to maintain airborne concentrations A PELs (sec.2). Local exhaust ventilation is preferred because it prevents contaminant not the work area by controlling it at its source.  Seek professional advise prior to respirator selection and use. Follow OSHA respirator regulations (29 CFR 1910.134) and, if necessary, wear a MSHA/NIOSH-approved respirator. Select respirator based on its suitability to provide adequate worker protection for given working conditions, level of							
Storage Requ Regulatory Ro SECTION 8 Engineering 0 Venilation: Administrativ	irements: equirement: EXPOSURE Controls: Provide gen below OSH/ dispersion ir re Controls:	Store in a cool, dry location. N/A							
Storage Requ Regulatory Ro SECTION 8 Engineering 0 Venilation: Administrativ	irements: equirement: EXPOSURE Controls: Provide gen below OSH/ dispersion ir re Controls:	Store in a cool, dry location. N/A							
Storage Requ Regulatory Ro SECTION 8 Engineering 0 Venilation: Administrativ	irements: equirement: EXPOSURE Controls: Provide gen below OSH/ dispersion ir re Controls:	Store in a cool, dry location. N/A							
Storage Requ Regulatory Ro SECTION 8 Engineering O Venilation: Administrativ Respiratory P	irements: equirement: EXPOSURE Controls: Provide gen below OSHA dispersion ir re Controls: Protection:	Store in a cool, dry location. N/A							
Storage Requ Regulatory Ro SECTION 8 Engineering 0 Venilation: Administrativ	irements: equirement: EXPOSURE Controls: Provide gen below OSHA dispersion ir re Controls: Protection:	Store in a cool, dry location. N/A							
Storage Requ Regulatory Ro SECTION 8 Engineering O Venilation: Administrativ Respiratory P	irements: equirement: EXPOSURE Controls: Provide gen below OSHA dispersion ir re Controls: Protection:	Store in a cool, dry location. N/A							
Storage Requ Regulatory Ro SECTION 8 Engineering O Venilation: Administrativ Respiratory P	irements: equirement: EXPOSURE Controls: Provide gen below OSHA dispersion ir re Controls: Protection:	Store in a cool, dry location. N/A							
Storage Requ Regulatory Ro SECTION 8 Engineering O Venilation: Administrativ Respiratory P	irements: equirement: EXPOSURE Controls: Provide gen below OSHA dispersion ir re Controls: Protection:	Store in a cool, dry location. N/A ECONTROLS / PERSONAL PROTECTION eral or local exhaust ventilation systems to maintain airborne concentrations A PELs (sec.2). Local exhaust ventilation is preferred because it prevents contaminant into the work area by controlling it at its source. Seek professional advise prior to respirator selection and use. Follow OSHA respirator regulations (29 CFR 1910.134) and, if necessary, wear a MSHA/NIOSH-approved respirator. Select respirator based on its suitability to provide adequate worker protection for given working conditions, level of airborne contamination, and presence of sufficient oxygen. For emergency or nonroutine operation (cleaning spills, reactor vessels, or storage tanks), wear an SCBA. <i>Warning! Air-purified respirators do not protect workers in oxygen-deficient</i> <i>atmosheres.</i> ment: Wear chemically protective gloves, boots, aprons, and gauntlets to prevent prolonged or repeated skin contact. Wear protective eyeglasses or chemical safety goggles, per OSHA eye and face protection regulations (29CFR 1910.133). Contact lenses are not eye protective devices. Appropriate							
Storage Requ Regulatory Ro SECTION 8 Engineering C Venilation: Administrativ Respiratory P	irements: equirement: EXPOSURI Controls: Provide gen below OSH/ dispersion ir re Controls: Protection:	Store in a cool, dry location. N/A							
Storage Requ Regulatory Ro SECTION 8 Engineering C Venilation: Administrativ Respiratory P Protective Clo Safety Statior	irements: equirement: EXPOSURE Controls: Provide gen below OSH/ dispersion in re Controls: Protection: Protection:	Store in a cool, dry location. N/A  ECONTROLS / PERSONAL PROTECTION  eral or local exhaust ventilation systems to maintain airborne concentrations A PELs (sec.2). Local exhaust ventilation is preferred because it prevents contaminant to the work area by controlling it at its source.  Seek professional advise prior to respirator selection and use. Follow OSHA respirator regulations (29 CFR 1910.134) and, if necessary, wear a MSHA/NIOSH-approved respirator. Select respirator based on its suitability to provide adequate worker protection for given working conditions, level of airborne contamination, and presence of sufficient oxygen. For emergency or nonroutine operation (cleaning spills, reactor vessels, or storage tanks), wear an SCBA. Warning! Air-purified respirators do not protect workers in oxygen-deficient atmosheres. ment: Wear chemically protective gloves, boots, aprons, and gauntlets to prevent prolonged or repeated skin contact. Wear protection regulations (29 CFR 1910.133). Contact lenses are not eye protective devices. Appropriate protection must be worn instead of, or in conjunction with contact lenses. remergency eyewash stations and washing facilities available in work area.							
Storage Requ Regulatory Ro SECTION 8 Engineering C Venilation: Administrativ Respiratory P Protective Clo Safety Statior	irements: equirement: EXPOSURE Controls: Provide gen below OSH/ dispersion in re Controls: Protection: Protection:	Store in a cool, dry location. N/A							
Storage Requ Regulatory Ro SECTION 8 Engineering C Venilation: Administrativ Respiratory P Protective Clo Safety Statior	irements: equirement: EXPOSURE Controls: Provide gen below OSH/ dispersion in re Controls: Protection: Protection:	Store in a cool, dry location. N/A  ECONTROLS / PERSONAL PROTECTION  eral or local exhaust ventilation systems to maintain airborne concentrations A PELs (sec.2). Local exhaust ventilation is preferred because it prevents contaminant the work area by controlling it at its source.  Seek professional advise prior to respirator selection and use. Follow OSHA respirator regulations (29 CFR 1910.134) and, if necessary, wear a MSHA/NIOSH-approved respirator. Select respirator based on its suitability to provide adequate worker protection for given working conditions, level of airborne contamination, and presence of sufficient oxygen. For emergency or nonroutine operation (cleaning spills, reactor vessels, or storage tanks), wear an SCBA. Warning! Air-purified respirators do not protect workers in oxygen-deficient atmosheres.  ment: Wear chemically protective gloves, boots, aprons, and gauntlets to prevent prolonged or repeated skin contact. Wear protective eyeglasses or chemical safety goggles, per OSHA eye and face protection regulations (29CFR 1910.133). Contact lenses are not eye protective devices. Appropriate protection must be worn instead of, or in conjunction with contact lenses.  remergency eyewash stations and washing facilities available in work area. Separate contaminated wprk clothing from street clothes. Launder before re-use. Remove this material from your shoes and clean personal protective							
Storage Requ Regulatory Ro SECTION 8 Engineering O Venilation: Administrativ Respiratory P Protective Clo Safety Station Contaminated	irements: equirement: EXPOSURE Controls: Provide gen below OSH/ dispersion in re Controls: Protection: Protection:	Store in a cool, dry location. N/A							
Storage Requ Regulatory Ro SECTION 8 Engineering C Venilation: Administrativ Respiratory P Protective Clo Safety Statior	irements: equirement: EXPOSURI Controls: Provide gen below OSH/ dispersion in re Controls: Protection: Protection: othing/Equiption ms: Make d Equipment: Never eat, d	Store in a cool, dry location. N/A  ECONTROLS / PERSONAL PROTECTION  eral or local exhaust ventilation systems to maintain airborne concentrations A PELs (sec.2). Local exhaust ventilation is preferred because it prevents contaminant the work area by controlling it at its source.  Seek professional advise prior to respirator selection and use. Follow OSHA respirator regulations (29 CFR 1910.134) and, if necessary, wear a MSHA/NIOSH-approved respirator. Select respirator based on its suitability to provide adequate worker protection for given working conditions, level of airborne contamination, and presence of sufficient oxygen. For emergency or nonroutine operation (cleaning spills, reactor vessels, or storage tanks), wear an SCBA. Warning! Air-purified respirators do not protect workers in oxygen-deficient atmosheres. ment: Wear chemically protective gloves, boots, aprons, and gauntlets to prevent prolonged or repeated skin contact. Wear protective eyeglasses or chemical safety goggles, per OSHA eye and face protection regulations (29CFR 1910.133). Contact lenses are not eye protective devices. Appropriate protection must be worn instead of, or in conjunction with contact lenses. remergency eyewash stations and washing facilities available in work area. Separate contaminated wprk clothing from street clothes. Launder before re-use. Remove this material from your shoes and clean personal protective							
Storage Requ Regulatory Ro SECTION 8 Engineering O Venilation: Administrativ Respiratory P Protective Clo Safety Station Contaminated	irements: equirement: EXPOSURI Controls: Provide gen below OSH/ dispersion in re Controls: Protection: Protection: othing/Equiption ms: Make d Equipment: Never eat, d	Store in a cool, dry location. N/A							

# SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

SECTION 9 PHY	SICAL AND	CHEMICAL PROPERTIES							
Physical State:			Water Solubility:	Insoluble					
Appearance and O	dor: Blad	ck, free flowing powder, odorless	Other Solubilities:	N/A					
Odor Threshold:	N/A		Boiling Point:	N/A					
Vapor Pressure:	N/A		Freezing/Melting Point:	120 C (Melting Point)					
Vapor Density (Air	<b>=1):</b> Hea	avier than air.	Viscosity:	N/A					
Formula Weight:	, N/A		Refractive Index:	N/A					
Density:	N/A		Surface Tension:	N/A					
Specific Gravity:	(H <sub>2</sub> )	O)=1, at 4°C): 1.1	% Volatile:	N/A					
pH:	N/A		Evaporation Rate:	N/A					
SECTION 10 ST	ABILITY AN	ID REACTIVITY							
Stability: Stab	le Product								
Polymerization:	N/A								
Chemical Incompa	tibilities:	N/A							
Conditions to Avoi	<b>d:</b> N/A								
Hazardous Decom	position Pro	ducts: May include nitrogen ar	nd carbon oxides						
SECTION 11 TO	XICOLOGIO	CAL INFORMATION							
Eye	Effects:	N/A	Toxicity Data:*						
Skin	Effects:	N/A	Acute Inhalation Effects:	N/A					
			Acute Oral Effects:	N/A					
			Chronic Effects:	N/A					
			Carcinogenicity:	N/A					
			J =						
			Mutagenicity: Ames Test	(Estimated from the results of					
			Negative	testing the constituent components)					
			Teratogenicity:	N/A					
*See NIOSH, RTE	ECS for additi	ional toxicity data.							
SECTION 12 EC	OLOGICAL	INFORMATION							
Ecotoxicity:	N/A								
Environmental Fate	e: N/A								
Environmental Deg	radation:	N/A							
Soil Absorption / M	lobility:	N/A							
SECTION 13 DIS Disposal: Was		INSIDERATIONS ay be incinerated / or recycled for	rits Iron Ovide under condition	s which meet					
		and local environmental regulation							
			1.5.						
Disposal Regularto									
Container Cleaning	j and Dispos	sal: N/A							
SECTION 14 TRANSPORT INFORMATION									
DOT Transportation			lly listed.						
Shipping Name:	N/A	Packaging Authorizati	ions	Quantity Limitations					
Shipping Symbol:	N/A	a) Exceptions:	N/A	a) Passenger, Aircraft, or					
Hazard Class:	N/A	b) Non-bulk Packaging:		Railcar: N/A					
				Nalical. IN/A					
ID No: Declaime Crease	N/A	c) Bulk Packaging:	N/A	Vacad Changes Demoiner					
Packing Group:	N/A			Vessel Stowage Requirements					
Label:	N/A			a) Vessel Stowage: N/A					
Special Provisions	: N/A			b) Other: N/A					

## SECTION 15 REGULATORY INFORMATION

### EPA Regulations:

RCRA Hazardous Waste Number: Not listed (40 CFR 261.33) RCRA Hazardous Waste Classification: (40 CFR 261): Not classified CERCLA Hazardous Substance (40 CFR 302.4) listed unlisted specific per RCRA, sec. 3001; CWA sec.311 (b)(4); CWA, Sec. 307(a),CAA,Sec.112 CERCLA Reportable Quantity(RQ), Not listed

SARA 311/312 Codes:

SARA Toxic Chemical (40 CFR 372.65): Not listed

N/A

SARA EHS (Extremely Hazardous Substance) (40CFR 355): Not listed, Threshold Planning Quantity (TPQ)

#### OSHA Regulations:

Air Containment (29 CFR 1910.1000< Table Z-1-A): Particulates not otherwise regulated.

**State Regulations:** Check your states regulations that may specifically list copy machine toner.

### SECTION 16 OTHER INFORMATION

Prepared By: N/A Revision Notes: N/A Additional Hazard Rating System: N/A

> THIS INFORMATION IN THIS MSDS WAS OBTAINED FROM SOURCES WHICH WE BELIEVE ARE RELIABLE. HOWEVER, THE INFORMATION IS PROVIDED WITHOUT ANY WARRANTY EXPRESS OR IMPLIED, REGARDLESS IT'S CORRECTNESS. THE CONDITIONS OR METHODS OF HANDLING, STORAGE, USE AND DISPOSAL OF THE PRODUCT ARE BEYOND OUR CONTROL, AND MAY BE BEYOND OUR KNOWLEDGE. FOR THIS AND OTHER REASONS, WE DO NOT ASSUME RESPONSIBILITY AND EXPRESSLY DISCLAIM LIABILITY FOR LOSS, DAMAGE OR EXPENSE ARISING OUT OF OR IN ANY WAY CONNECTED WITH THE HANDLING, STORAGE, USE OR DISPOSAL OF THE PRODUCT.