ASPEN IMAGING INTL INC -- KYOCERA F 1000 TONER -- 6850-00F029129

=========== Product Identification ================ Product ID: KYOCERA F 1000 TONER MSDS Date: 04/22/1991 FSC:6850 NIIN: 00F029129 MSDS Number: BRVPD === Responsible Party === Company Name: ASPEN IMAGING INTL INC Address:555 ASPEN RIDGE DR City:LAFAYETTE State:CO ZIP:80026-9333 Country: US Info Phone Num: 303-666-5750 Emergency Phone Num: 303-666-5750 CAGE: 65521 === Contractor Identification === Company Name: ASPEN IMAGING INTL INC Address:1500 CHERRY ST Box:City:LAFAYETTE State:CO ZIP:80027-5000 Country: US Phone: 800-955-5555 CAGE: 65521 ====== Composition/Information on Ingredients ======== Ingred Name: 1-PROPENE POLYMER Fraction by Wt: 1-5% Ingred Name: DICHLOROMETHYLSILANE CAS:75-54-7 RTECS #: VV3500000 Fraction by Wt: 0.1-1% Ingred Name: METAL COMPLEX DYE Fraction by Wt: 0-0.1% Ingred Name: RED IRON OXIDE/IRON (III) OXIDE/FERRIC OXIDE/YELLOW FERRIC OXIDE/METAL OXIDE/YELLOW IRON OXIDE/IRON OXIDE PIGMENT/IRON CAS:1309-37-1 RTECS #:NO7400000 Fraction by Wt: 9-15% OSHA PEL:10 MG/M3 (FE) ACGIH TLV:5 MG/M3(FE), B2; 9293 Ingred Name: STYRENE ACRYLIC COPOLYMER Fraction by Wt: 40-65% Ingred Name: IRON OXIDE, MAGNETITE *93-1* CAS:1317-61-9 Fraction by Wt: 20-30% ========== Hazards Identification ================

Routes of Entry: Inhalation: NO Skin: NO Ingestion: NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic: EYES: IRRITATION. ZZINESS OR EYE IRRITANT. Explanation of Carcinogenicity: NONE Effects of Overexposure: EYES: IRRITATION. INHALATION: NAUSEA, HEADACHE, DIZZINESS, LOSS OF CONSCIOUSNESS. First Aid: EYES: FLUSH W/PLENTY OF WATER FOR 15 MIN., LIFTING UPPER/LOWER EYELIDS. SKIN: WASH W/SOAP & WATER. INGESTION: IMMEDIATLEY DRINK WATER TO DILUTE. INHALATION: REMOVE TO FRESH AIR. IF BREATHING IS DIFFIC ULT ADMINISTER OXYGEN, IF BREATHING HASSTOPPED, ARTIFICIAL RESPIRATION SHOULD BE GIVEN. KEEP WARM & AT REST. OBTAIN MEDICAL ATTENTION IN ALL CASES. ========= Fire Fighting Measures ================ Extinguishing Media: USE EXTINGUISHING MEDIA SUITABLE FOR SURROUNDING MATERIALS. Fire Fighting Procedures: USE NORMAL FIRE-FIGHTING EQUIPMENT. Unusual Fire/Explosion Hazard: ABNORMALLY HIGH AIRBORNE CONCENTRATIONS OF DUST CAN PRESENT THE POSSIBILITY OF AN EXPLOSION W/AN ELECTRIC DISCHARGE. ======== Accidental Release Measures =========== Spill Release Procedures: SWEEP OR VACUUM UP & DISPOSE OF PROPERLY. AVOID INHALATION OF DUST. ========== Handling and Storage ================ Handling and Storage Precautions: AVOID INHALATION OF DUST, CONTACT W/SKIN, EYES & CLOTHING. DON'T TAKE INTERNALLY. STORE IN A COOL, DRY WELL VENTILATED PLACE. Other Precautions: DON'T STORE AT TEMPERATURES > 95F. AVOID FORMATION OF DUST ====== Exposure Controls/Personal Protection ========= Ventilation:LOCAL EXHAUST Eve Protection: SAFETY GLASSES Supplemental Safety and Health IN ALL EMERGENCY CASES, ENSURE ADEQUATE VENTILATION & PROVIDE RESPIRATORY PROTECTION BEFORE THE PERSON RETURNS TO WORK. ======== Physical/Chemical Properties ============ Melt/Freeze Pt:M.P/F.P Text:176-203F Spec Gravity:<1.5 Solubility in Water: NEGLIGIBLE Appearance and Odor: BLACK POWDER Percent Volatiles by Volume: 0.5 ========= Stability and Reactivity Data ============== Stability Indicator/Materials to Avoid:YES

STRONG OXIDANTS, PLASTICS CONTAINING PLASTICIZERS.

Stability Condition to Avoid: ELECTRIC DISCHARGE, TEMP >95F Hazardous Decomposition Products: CO & CO2

========== Disposal Considerations ==============

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE W/LOCAL, STATE, & FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.