

# **Safety Data Sheet**

Issuing Date: December 5, 2014 Revision Date: December 5, 2014 Revision Number: 0

1. Identification of the Substance/Preparation and the Company Undertaking

# **GHS Product Identifier**

Skilcraft Medium Line Oil Base Paint Marker - Green **Product Name** 

# **Other Means of Identification**

**Part Number** 7520-01-588-9101

Colors Green

**Formula Code** SKM104

**Synonyms** none

### Recommended use of the chemical and restrictions on use

**Recommended Use** Marker

No information available **Uses Advised Against** 

# **Supplier's Details**

### **Supplier Address**

SKM Industries Inc. 1012 Underwood Road Olyphant, Pa 18447

Telephone: 570-383-3062

# **Emergency Telephone Number**

Chemtrec US 800-424-9300 International 703-527-3887

# 2. HAZARDS IDENTIFICATION

### Classification

This chemical is considered hazardous according to the OSHA Hazard Communications Standard 2012 (29 CFR 1910.1200)

Flammable Liquid Category 3

# **GHS Label Elements, including precautionary statements**

### **Emergency Overview**

Signal Word - warning Hazard Statements -Skin irritation Eye irritation Respiratory irritation May be harmful if swallowed Flammable liquid and vapor





Appearance – Opaque, varies
Physical state- Thin viscosity liquid
Odor – Aromatic Odor

# **Precautionary Statements**

#### Prevention

Do not handle until all safety precautions have been read and understood Keep container tightly closed Avoid breathing dust/vapors/fumes Wash face and hands and any exposed skin thoroughly after handling Wear protective gloves/clothing/eye protection/face protection Use personal protection as required

#### **General Advice**

If exposed or concerned: get medical attention/advice

ACUTE HAZARD: At high concentration, dizziness and unconsciousness may occur. CAUTION: Contains xylene. Harmful or fatal if swallowed. Direct contact may cause skin or eye irritation. KEEP OUT OF REACH OF CHILDREN.

#### **Eyes**

Rinse cautiously with water for several minutes. Remove contact lenses if present. Continue rinsing. If irritation persists seek medical attention/advice.

#### Skin

Remove contaminated clothing. Rinse skin with water/shower. If irritation persists seek medical attention/advice.

### Inhalation

Remove patient to fresh air and keep at rest in a comfortable position for breathing. Seek medical attention immediately

# Ingestion

If accidentally swallowed seek medical attention immediately

#### Fire

Use CO2, dry chemical, foam, or water spray

## **Spills and Leaks**

Contain and collect spillage

### **Storage**

Store in dry well ventilated place. Keep tightly sealed. Prevent unauthorized access.

#### Disposal

Dispose of contents/container in approved waste disposal plant

### **Hazard not Otherwise Classified (HNOC)**

Not applicable

# 3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name	CAS -No	Weight %	Trade Secret
Xylene	1330-20-7	*	*
Titanium Dioxide	13463-67-1	*	*
Resin	proprietary	*	*
Colorant	proprietary	*	*

<sup>\*</sup> The exact percentage (concentration) of composition has been withheld as a trade secret.

### 4. FIRST AID MEASURES

### Description of necessary first-aid measures

**General Advice** In case of doubt, or when symptoms persist, seek medical attention.

**Eye Contact** Immediately flush eyes with plenty of water for at least fifteen (15) minutes.

Get medical attention immediately.

**Skin Contact** Flush skin with plenty of water. Remove contaminated clothing. Was skin

thoroughly with soap and water or use a proprietary skin cleanser.

**Inhalation:** Remove to fresh air, keep patient warm and at rest. If breathing is irregular

seek medical advice. If not breathing, give artificial respiration. If breathing

is difficult, give oxygen. Seek medical attention immediately.

**Ingestion** Seek medical attention immediately. Do not induce vomiting. Never give

anything by mouth to an unconscious person.

Protection of First Aiders Use personal protection equipment.

Most important symptoms/effects, acute and delayed

Most important symptoms/effects No information available

Indication of immediate medical attention and special treatment needed, if necessary

Note to physician Treat symptomatically

# 5. FIRE-FIGHTING MEASURES

# Suitable Extinguishing Media

Dry chemical, carbon dioxide, regular foam. For large fires, use foam or flood with fine water spray

Unsuitable extinguishing media No information available

Specific Hazards arising from the chemical No information available

Flash Point: 70°F

Flammability Limits (% by volume): Lower -1.1%; Upper -6.4%

Unusual Fire Explosion Hazards: none

# **Protective Equipment and Precautions for Firefighters**

Wear appropriate self-contained breathing apparatus MSHA/NIOSH (approved or equivalent) and full protective gear. Cool closed containers exposed to fire with water spray. Avoid inhalation of material or combustion by-products; stay upwind.

# 6. ACCIDENTAL RELEASE MEASURES

### Personal precautions, protective equipment and emergency procedures

**Personal Precautions** Avoid breathing vapours. Evacuate personnel to safe areas. Ensure

adequate ventilation.

Environmental Precautions Avoid release into the environment. Do not allow to enter drains or

watercourses.

# Methods and materials for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so.

Methods for Cleaning Up Contain the spillage with non-combustible absorbent materials such as

sand, earth, vermiculite, diatomaceous earth to soak up the product and place in a suitable container for disposal in accordance with the waste

regulations

### 7. HANDLING AND STORAGE

### **Precautions for safe handling**

**Handling** Avoid skin and eye contact. Avoid the inhalation of vapor and mist.

### Conditions for safe storage, including any incompatibilities

**Storage** Keep away for open flame, hot surfaces and sources of ignition. Keep

containers tightly closed. Observe label precautions. Store between 5-25°

C in a dry, well ventilated place. Prevent unauthorized access.

Incompatible products Unknown

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### **Appropriate engineering controls**

**Engineering Measures** Showers, eyewash stations, ventilation systems

### Individual protection measures, such as personal protective equipment

**Eye/Face protection** None under normal use conditions

Skin and body Protection None under normal use conditions

Respiratory Protection None under normal use conditions. If irritation is experienced, NIOSH/MSHA

approved respiratory protection should be worn

**Hygiene Measures** Use in a well-ventilated area. When using do not eat, drink, or smoke.

Provide regular cleaning of equipment, work areas and clothing.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

# Information on basic physical and chemical properties

### <u>Property</u> <u>Value</u>

Boiling Point: 282 to 286°F

Specific Gravity (H20=1) @70°F: >1
Vapor Pressure (mm-Hg @ 70°F): No Data
Melting Point: No Data

Vapor Density (AIR = 1): Greater than one (1) Evaporation Rate (Butyl Acetate = 1): Less than one (1)

Solubility in Water: Negligible PH: No Data

Appearance and Odor: Opaque, thin viscosity liquid with aromatic odor.

Volatile Organic Compound: 705 grams per liter

# 10. STABILITY AND REACTIVITY

Reactivity No data available

Chemical Stability Stable under normal storage and handling conditions

Possibility of Hazardous reactions None under normal use

Hazardous Polymerization Will not occur

**Conditions to Avoid** Heat, open flame, sparks, and sources of ignition

Incompatible Materials Strong oxidizing and reducing agents, strong alkalis and

strong acids

Hazardous Decomposition -products Carbon dioxide, carbon monoxide, smoke, soot and various

oxidation by-products.

### 11. TOXICOLOGICAL INFORMATION

# Information on likely routes of exposure

**Product Information** None available. There is no data available on the product itself.

### 12. ECOLOGICAL INFORMATION

**Ecotoxity** There is no data available on the product itself

# 13. DISPOSAL CONSIDERATIONS

Waste Disposal Methods Dispose of in accordance with all applicable local, state and federal

regulations.

**Contaminated Packaging** Do not re-use empty containers.

# 14. TRANSPORT INFORMATION

**ORM-D Consumer Commodity** 

Flammable Liquid, n.o.s. (xylene), 3, UN1993, PGIII, (26.1 C), Ltd. Qty, EMS# 3-07

Consumer Commodity, 9, ID 8000, Packing Instruction 910

### 15. REGULATORY INFORMATION

TSCA INVENTORY: The product on this SDS is not listed on the Toxic Substances Control Act Inventory. All ingredients used to manufacture this product are listed on the TSCA Inventory.

### **16. OTHER INFORMATION**

Health Hazard 2 Flammability 3 Reactivity 0 Personal Protection B

SKM has been advised by attorney that the OSHA Hazard Communication Standard does not apply to the SKM products listed in this SDS. The explanation for the exemption is contained in 29 CFR 1910.1200(b)(6)(ix) as amended July 1, 2002 per the code of Federal Regulations. This information contained in this MSDS is forwarded to you for your information, but is not meant to imply that the Hazard Communication Standard covers the product nor is this SDS meant to comply with all requirements of the Hazard Communication Standard.

**End of Safety Data Sheet**