Panasonic

SAFETY DATA SHEET

Page: 1 of 4 SDS No.: 021-001472

Date of issue : 27 May, 2015 Revision Date :

SECTION 1 IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY / UNDERTAKING

PRODUCT NAME: Black Toner for Panasonic Laser Fax KX-FC401, KX-FL501, KX-FL502,

KX-FL503,KX-FL521,KX-FL523,KX-FL551,KX-FLB750,KX-FLB751,
KX-FLB752,KX-FLB753,KX-FLB755,KX-FLB756,KX-FLB758,KX-FLM551,

KX-FLM552, KX-FLM553, KX-FLM558, KX-MC101

PRODUCT NUMBER: Toner Cartridge: KX-FA76A, KX-FA76A, KX-FA76A7, KX-FA76A-CN,

KX-FA76A-E, KX-FA76A-M, KX-FA76X, KX-FA79X, KX-FAC276ACN
Drum Cartridge: KX-FA77D, KX-FA78A, KX-FA78A7, KX-FA78A-CN,

KX-FA78A-E, KX-FA78X

RECOMMENDED USE: Toner for electrophotographic printing apparatus

MANUFACTURER: Panasonic System Networks Co., Ltd.
Office Products Business Division

4-1-62 Minoshima, Hakata-ku, Fukuoka City, 812-8531 Japan

Tel : +81-(0)92-477-1405 Fax : +81-(0)92-477-1487

SECTION 2 HAZARDOUS IDENTIFICATION

EMERGENCY OVERVIEW: Black fine powder, slight plastic odor.

Not a highly flammable, but when suspended in air, is

combustible as with most organic powders.

GHS CLASSIFICATION

PHYSICAL AND CHEMICAL HAZARDS: Classification not possible HEALTH HAZARDS: Classification not possible HAZARDOUS TO THE AQUATIC ENVIRONMENT: CHRONIC TOXICITY: Category 3

GHS LABEL ELEMENTS

PICTOGRAMS OR SYMBOLS : Not required SIGNAL WORD : Not required

HAZARD STATEMENTS: Harmful to aquatic life with long lasting effects.

OTHER HAZARDS: None

SECTION 3 COMPOSITION/INFORMATION ON INGREDIENTS

SUBSTANCE OR MIXTURE : Mixture

INGREDIENTS (Common Name)	CAS #	PROPORTION (% by wt.)	OSHA PEL	ACGIH TLV
• Polyester resin	Trade secret	85 - 95	Not listed	Not listed
Carbon Black	1333-86-4	1 - 5	3.5 mg/m^3	3.5 mg/m^3
• Amorphous silica	68909-20-6	1 - 5	Not listed	Not listed
• Polypropylene	9003-07-0	1 - 5	Not listed	Not listed
• Organic pigment	84179-66-8 109125-50-0 109125-51-1	< 1	Not listed	Not listed

SECTION 4 FIRST AID MEASURES

INHALATION: Remove to fresh air. If effects occur, consult medical personnel. INGESTION: Rinse mouth. If swallowed, drink 1-2 glasses of water and immediately

induce vomiting. Get medical attention.

 ${\tt SKIN \ CONTACT:} \qquad {\tt Wash \ after \ each \ contact.} \ {\tt Get \ medical \ attention \ if \ symptoms \ is \ occur.}$

EYE CONTACT: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Page: 2 of 4 SDS No.: 021-001472

SECTION 5 FIRE FIGHTING MEASURES

FLASH POINT : No data available. FLAMMABLE LIMITS : No data available.

EXTINGUISHING MEDIA: Water fog, dry chemical, foam or CO2.

UNSUITABLE EXTINGUISHING None

HAZARDOUS COMBUSTION PRODUCTS: Carbon monoxide, Carbon dioxide and Smoke.

FIRE-FIGHTING EQUIPMENT: Wear full bunker gear including a positive pressure

self-contained breathing apparatus in case of

burning in large quantities.

SECTION 6 ACCIDENTAL RELEASE MEASURES

Minimize the release of particulates. Wear personal protective equipment. Do not use vacuum cleaner.

After by lightly spraying with water to prevent development of dust, spills should be swept up or wiped up. Then residuals can be removed with soap and water. Preferred to use the material in a place, covering up the floor and surrounding matters with suitable sheets such as paper, in a case of being not fit to scrub the floor with water. These used sheets should be wrapped up in spills and transfer into a suitable container for disposal.

Garments may be washed or dry cleaned, after removal of loose toner.

SECTION 7 HANDLING AND STORAGE

HANDLING: Avoid creating dust. Clean up all spills promptly.

Inhalation and contact with skin or eyes should be avoided. Provide general ventilation. Good general ventilation

should be sufficient of most conditions.

STORAGE: Store in a cool, well ventilated place away from flames

and spark-producing equipment.

SECTION 8 EXPOSURE CONTROLS/PERSONAL PROTECTION

EXPOSURE GUIDELINES : ACGIH TLV= $10 \, \text{mg/m}^3 (\text{Total dust})$, $3 \, \text{mg/m}^3 (\text{Respirable dust})$

OSHA PEL= 15mg/m³(Total dust), 5mg/m³(Respirable dust)

ENGINEERING CONTROLS : Good general ventilation is recommended.

RESPIRATORY Not required under normal conditions. For use other than PROTECTION: in normal operating procedures (such as in the event of

large spill), goggles and respirators may be required.

SKIN PROTECTION: No precautions should be needed under normal use. EYE PROTECTION: No precautions should be needed under normal use.

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: Black fine powder
ODOR: Slight plastic odor

pH: Not applicable

SOFTENING POINT: 110°C

BOILING POINT:

VAPOR PRESSURE:

Not applicable

NAPOR DENSITY:

Not applicable

SPECIFIC GRAVITY: 1.1

SOLUBILITY IN WATER: No data

PARTITION COEFFICIENT(n-octanol/water): No data

AUTO-IGNITION TEMPERATURE: No data

DECOMPOSITION TEMPERATURE: No data

VISCOSITY: No data

Page: 3 of 4 SDS No.: 021-001472

EXPLOSIVE PROPERTIES: Can form explosive dust-air mixtures when finely

dispersed in air.

OXIDISING PROPERTIES: No data

SECTION 10 STABILITY AND REACTIVITY

REACTIVITY: None

CHEMICAL STABILITY: This is a stable product.

POSSIBILITY OF HAZARDOUS REACTIONS : None CONDITIONS TO AVOID : None

INCOMPATIBLE MATERIALS: Oxidizing materials

HAZARDOUS DECOMPOSITION PRODUCTS: Carbon oxides, hydrocarbons(by high heat and fire)

SECTION 11 TOXICOLOGICAL INFORMATION

ACUTE TOXICITY: No data SKIN CORROSION/IRRITATION: No data EYE CORROSION/IRRITATION: No data SKIN SENSITISATION: No data

REPEATED DOSE TOXICITY :

In study in rats (H. Muhle) by chronic inhalation exposure to a typical toner, a mild to moderate degree of lung fibrosis was observed in 92% of the rats in the high concentration (16mg/m^3) exposure group, and a minimal to mild degree of fibrosis was noted in 22% of the animals in the middle (4mg/m^3) exposure group.

But no pulmonary change was reported in the lowest $(1mg/m^3)$ exposure group, the most relevant level to potential human exposure.

CARCINOGENICITY :

In 1996, the IARC revaluated carbon black as a GROUP 2B carcinogen (possible human carcinogen). This evaluation is given to carbon black for which there is inadequate human evidence, but sufficient animal evidence. The latter is based upon the development of lung tumors in rat receiving chronic inhalation exposures to free carbon black at level that induce particle overload of the lung.

Studies performed in animal models other than rats have not demonstrated an association between carbon black and lung tumors. Moreover, a two-year cancer bioassay using a typical toner preparation containing carbon black demonstrated no association between toner exposure and tumor development in rats.

MUTAGENICITY: Negative in the Ames test (main ingredients)

REPRODUCTIVE TOXICITY: Not available

SECTION 12 ECOLOGICAL INFORMATION

No data available.

SECTION 13 DISPOSAL CONSIDERATION

WASTE DISPOSAL METHOD: When disposing of the waste or recovered material, consult

federal, state and/or local regulations for the proper

disposal method.

SECTION 14 TRANSPORT INFORMATION

TRANSPORT INFORMATION: This is not a hazardous product.

UN NUMBER:

UN SHIPPING NAME:

None allocated

None allocated

None allocated

None allocated

None allocated

None allocated

Not regulated

Not regulated

Page: 4 of 4 SDS No.: 021-001472

SECTION 15 REGULATORY INFORMATION

USA INFORMATION :

All chemical substances in this product comply with all applicable rules or orders under TSCA.

AUSTRALIA INFORMATION :

Not classified as hazardous according to criteria of NOHSC.

EU INFORMATION :

(EC) No 1907/2006 : AUTHORISATION ON USE : Not regulated

RESTRICTIONS ON USE: Not regulated

(EC) No 1272/2008 : CLASSIFICATION : None

HAZARD CLASS: Aquatic Chronic 3

HAZARD STATEMENT: Harmful to aquatic life with long

lasting effects.

SECTION 16 OTHER INFORMATION

REFERENCES :

IARC(2010) IARC Monographs on the Evaluation of the Carcinogenic Risk of Chemicals to Humans, Vol. 93, Carbon Black, Titanium Dioxide and Talc. Lyon FRANCE, PP.193-276.

H.Muhle, B.Bellmann, O.Creutzenberg, C.Dasenbrock, H.Ernst, R.Kilpper, J.C.Mackenzie, P.Morrow, U.Mohr, S.Takenaka and R.Mermelstein (1991) Pulmonary Response to Toner upon Chronic Inhalation Exposure in Rats. Fundamental and Applied Toxicology 17, pp.280-299.

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. It does not represent a guarantee for the properties of the product described in terms of the legal warranty.