# **Panasonic**

# SAFETY DATA SHEET

Page: 1 of 5 SDS No.: 021-001561

Date of issue : 4 October, 2013 Revision Date : 9 November, 2015

SECTION 1 IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY / UNDERTAKING

PRODUCT NAME: Toner Cartridge for Panasonic Laser Fax, Model KX-FL300 series,

KX-FL400/FLC400 series & KX-FLB800 series

PRODUCT NUMBER: KX-FA85, KX-FA85A, KX-FA85A, KX-FA85E, KX-FA85E-CN,

KX-FA85E-D, KX-FA85E-M, KX-FA86, KX-FA86A, KX-FA86A7,
KX-FA86E, KX-FA86E-CN, KX-FA87, KX-FA87A, KX-FA87E,
KX-FA87E-CN, KX-FAT88, KX-FAT88A, KX-FAT88A7, KX-FAT88E,

KX-FAT88E-M, KX-FAT90E, KX-FAT90E-CN, KX-FAC296CN,

KX-FAC298CN, KX-FAD297CN, KX-FAD299CN, KX-FAD89, KX-FAD89A, KX-FAD89A7, KX-FAD89E, KX-FAD91E, KX-FAD91E-CN, KX-FAC285ECN,

KX-FAC287ECN, KX-FAC290ECN

RECOMMENDED USE: Toner for electrophotographic printing apparatus

MANUFACTURER: Panasonic System Networks Co., Ltd.

Office Products Business Division
4-1-62 Minoshima, Hakata-ku, Fukuoka City, 812-8531 Japan

Tel : +81-(0)92-477-1405 Fax : +81-(0)92-477-1487

SECTION 2 HAZARDOUS IDENTIFICATION

EMERGENCY OVERVIEW: Black fine powder, slight plastic odor.

Not a highly flammable, but when suspended in air, is

combustible as with most organic powders.

GHS CLASSIFICATION: Classification not possible

GHS LABEL ELEMENTS

PICTOGRAMS OR SYMBOLS : Not required SIGNAL WORD : Not required HAZARD STATEMENTS : Not required

OTHER HAZARDS : None

SECTION 3 COMPOSITION/INFORMATION ON INGREDIENTS

SUBSTANCE OR MIXTURE : Mixture

INGREDIENTS(Common Name) CAS # PROPORTION(% by wt.)

Polyester resin Confidential Confidential
 Carbon Black 1333-86-4 Confidential
 Other components Confidential

SECTION 4 FIRST AID MEASURES

INHALATION: Remove to fresh air and keep at rest in a position comfortable for

breathing.

INGESTION: Call a POISON CENTER or doctor/physician if you feel unwell.

SKIN CONTACT: Gently wash with plenty of water and soap.

EYE CONTACT: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

Page: 2 of 5 SDS No.: 021-001561

### SECTION 5 FIRE FIGHTING MEASURES

EXTINGUISHING MEDIA: Water spray, powder

NOT SUITABLE EXTINGUISHING MEDIA: No information available

SPECIFIC HAZARDS: May produce irritating or toxic gases in a fire.

SPECIFIC METHODS: Keep away from sources of ignition and use

appropriate extinguishing media.

Fight fire from upwind position if possible.

PROTECTION OF FIRE FIGHTERS: Use goggles in combination with dust mask, and other

protections as appropriate to situation.

### SECTION 6 ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURE :

Use mask, goggles and protective gloves.

Large spills: Remove person to safety. Ensure adequate ventilation. Treat from upwind position. Do not discharge into the drains, surface waters

or ground water directly.

METHODS FOR CLEANING UP: Prevent dispersion of dust. Sweep or vacuum by

dust-explosion-proof type cleaner.

PREVENTION OF SECONDARY HAZARDS: No information available

### SECTION 7 HANDLING AND STORAGE

ENVIRONMENTAL PRECAUTIONS :

HANDLING

TECHNICAL MEASURES: Facilities storing or utilizing this material

should be equipped with an eyewash facility and a

safety shower.

PRECAUTIONS: Avoid inhalation of fine dust.

SAFE HANDLING ADVICE: Use an adequate ventilation. Wash thoroughly after

handling. If needed, use personal protective equipment as required. Prevent generation of dust. This material may cause risk of dust explosion.

STORAGE

SUITABLE STORAGE CONDITIONS : Keep container tightly closed. Protect from sun.

Store in a well-ventilated room (under 40°C).

Store locked up.

SAFE PACKAGING MATERIALS: No information available

## SECTION 8 EXPOSURE CONTROLS/PERSONAL PROTECTION

ENGINEERING MEASURES: Facilities storing or utilizing this material should be

equipped with an eyewash facility and a safety shower. Use local exhaust ventilation, in case of generation of dust.

LIMIT VALUES

ACGIH (TLV): 3.5 mg/m3 TWA [Carbon black]

10 mg/m3 TWA (inhalable particles, recommended); 3 mg/m3 TWA (respirable particles, recommended) [Particulates (insoluble or

poorly soluble) not otherwise specified (PNOS)]

OSHA (PEL): 3.5 mg/m3 TWA [Carbon black]

15 mg/m3 TWA (total dust); 5 mg/m3 TWA (respirable fraction)

[Particulates not otherwise regulated]

PERSONAL PROTECTIVE EQUIPMENT

RESPIRATORY PROTECTION: Use dust mask, as appropriate to situation.

HAND PROTECTION: Rubber gloves
EYE PROTECTION: Safety glasses
SKIN AND BODY PROTECTION: Full-body suit

HYGIENE MEASURES: No information available

Page: 3 of 5 SDS No.: 021-001561

### SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE

PHYSICAL STATES: Pulverizing powder

COLOUR: Black
ODOUR: Odourless
pH: Not applicable

SPECIFIC TEMPERATURES/TEMPERATURE RANGES AT WHICH CHANGES IN PHYSICAL STATE OCCUR

BOILING POINT: No information available MELTING POINT: No information available

FLASH POINT : Not applicable

FLAMMABILITY OR EXPLOSIVE PROPERTIES

FLAMMABILITY OR EXPLOSIVE LIMITS: No information available

VAPOUR PRESSURE:

No information available

VAPOUR DENSITY:

No information available

DENSITY (SPECIFIC GRAVITY): 1.2 g/mL (20°C) (68°F)

SOLUBILITY

WATER SOLUBILITY: Insoluble

SOLVENT SOLUBILITY: Partially soluble in toluene, chloroform and

tetrahydrofurane.

PARTITION COEFFICIENT: n-OCTANOL / WATER (log Pow): No information available

AUTO-IGNITION TEMPERATURE: No information available DECOMPOSITION TEMPERATURE: No information available ODOUR THRESHOLD: No information available EVAPORATION RATE: No information available FLAMMABILITY (SOLID,GAS): No information available VISCOSITY: No information available OTHER DATA: No information available

# SECTION 10 STABILITY AND REACTIVITY

CHEMICAL STABILITY: Stable in general. POSSIBILITY OF HAZARDOUS REACTIONS: Stable.

CONDITIONS TO AVOID: No information available INCOMPATIBLE MATERIALS: No information available

HAZARDOUS DECOMPOSITION PRODUCTS: No information available

OTHERS: No information available

# SECTION 11 TOXICOLOGICAL INFORMATION

ACUTE TOXICITY: No data SKIN CORROSION/IRRITATION: No data EYE CORROSION/IRRITATION: No data SKIN SENSITISATION: No data

REPEATED DOSE TOXICITY :

In study in rats (H. Muhle) by chronic inhalation exposure to a typical toner, a mild to moderate degree of lung fibrosis was observed in 92% of the rats in the high concentration  $(16\text{mg/m}^3)$  exposure group, and a minimal to mild degree of fibrosis was noted in 22% of the animals in the middle  $(4\text{mg/m}^3)$  exposure group.

But no pulmonary change was reported in the lowest  $(1mg/m^3)$  exposure group, the most relevant level to potential human exposure.

Page: 4 of 5 SDS No.: 021-001561

#### CARCINOGENICITY :

In 1996, the IARC revaluated carbon black as a GROUP 2B carcinogen (possible human carcinogen). This evaluation is given to carbon black for which there is inadequate human evidence, but sufficient animal evidence. The latter is based upon the development of lung tumors in rat receiving chronic inhalation exposures to free carbon black at level that induce particle overload of the lung.

Studies performed in animal models other than rats have not demonstrated an association between carbon black and lung tumors. Moreover, a two-year cancer bioassay using a typical toner preparation containing carbon black demonstrated no association between toner exposure and tumor development in rats.

MUTAGENICITY: Negative in the Ames test.

(Estimated from the data of other products or information

of constituent components from raw material manufacturer.)

REPRODUCTIVE TOXICITY: Not available

#### SECTION 12 ECOLOGICAL INFORMATION

ECOTOXICITY:

No information available
PERSISTENCE / DEGRADABILITY: No information available
MOBILITY IN SOIL:

No information available
BIOACCUMULATIVE POTENTIAL:
No information available
OTHER ADVERSE EFFECTS:
No information available

#### SECTION 13 DISPOSAL CONSIDERATION

Review "HANDLING AND STORAGE (Section 7)".

Passed to a licensed waste contractor. This product may cause risk of dust explosion. Dispose of waste in accordance with local, state and federal regulations.

### SECTION 14 TRANSPORT INFORMATION

Follow all regulations in your country or region

INTERNATIONAL REGULATIONS

UN CLASS / UN NUMBER : Not applicable

DOT, IMO or IATA: Not hazardous classification

SPECIAL PRECAUTIONS FOR USER: Review "ACCIDENTAL RELEASE MEASURES (Section 6)".

Review "HANDLING AND STORAGE (Section 7)". Ensure containers without breakage or leakage.

Ensure containers tightly fixed.

Follow all regulations in your country or region.

Avoid heating (keep under 40°C).

#### SECTION 15 REGULATORY INFORMATION

USA INFORMATION :

All chemical substances in this product comply with all applicable rules or orders under TSCA.

AUSTRALIA INFORMATION :

Not classified as hazardous according to criteria of NOHSC.

EU INFORMATION :

(EC) No 1907/2006 : AUTHORISATION ON USE : Not regulated

RESTRICTIONS ON USE: Not regulated

(EC) No 1272/2008 : CLASSIFICATION : None

HAZARD CLASS : None HAZARD STATEMENT : None

Page: 5 of 5 SDS No.: 021-001561

### SECTION 16 OTHER INFORMATION

### REFERENCE :

-Safety data sheet for chemical products - Part 1: Content and order of sections(ISO 11014-1)

-International Chemical Safety Cards(ICSC) (Compiler's Guide)(1994)

-IARC(2010) IARC Monographs on the Evaluation of the Carcinogenic Risk of Chemicals to Humans, Vol. 93, Carbon Black, Titanium Dioxide and Talc. Lyon FRANCE, PP.193-276.

-H.Muhle, B.Bellmann, O.Creutzenberg, C.Dasenbrock, H.Ernst, R.Kilpper, J.C.Mackenzie, P.Morrow, U.Mohr, S.Takenaka and R.Mermelstein (1991) Pulmonary Response to Toner upon Chronic Inhalation Exposure in Rats. Fundamental and Applied Toxicology 17, pp.280-299.

To the best of the manufacturer's knowledge, the information contained herein is accurate. However, neither the manufacturer, nor any of its affiliates, make any representations or warranties (expressed or implied), nor assumes any liability (including liability for any direct, incidental, consequential, or other damages) with respect to the accuracy or completeness of the information contained herein. Such information may be (without limitation) invalid if the specified material is used in combination with another, in a particular process, or under unusual conditions. Determination of suitability of any material for any given purpose is the sole responsibility of the user who assumes all risk and responsibility therefore. All materials may present unknown hazards and should be used with appropriate caution. The manufacturer cannot and does not guarantee that the hazards described herein are the only ones that exist.