

# SAFETY DATA SHEET

OSHA HCS (29 CFR 1910.1200)

## SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

### Product identifier

Chemical Name	Mixture
CAS No.	Mixture
Trade Name	Perfect Data Eco II Duster
Product Code	50-501207 to 50-501213

### Relevant identified uses of the substance or mixture and uses advised against

Identified Use(s)	Dusting agent
Uses Advised Against	None

Company Identification	Spray Products Corporation P.O. Box 737 Norristown, PA 19404
------------------------	--

Telephone	(610) 277-1010
Fax	(610) 277-4390
E-Mail (competent person)	<a href="mailto:sds@sprayproducts.com">sds@sprayproducts.com</a>

### Emergency telephone number

Emergency Phone No.	<b>Transportation Emergency:</b> CHEMTREC 24 hr. 1-800-424-9300 / 1 (703) 527-3887 (Collect calls accepted)
---------------------	---

## SECTION 2: HAZARDS IDENTIFICATION

Note: This product is a consumer product and is labeled in accordance with the US Consumer Product Safety Commission regulations which take precedence over OSHA Hazard Communication labeling. The actual container label will not include the label elements below. The labeling below applies to industrial/professional products under OSHA Hazard Communication labeling .

### Classification of the substance or mixture

OSHA HCS (29 CFR 1910.1200)	Flam. Aerosol 1; Liquefied Gas; Simple Asphyxiant
-----------------------------	---

### Label elements

Hazard Symbol



Signal word(s)

**DANGER**

Hazard Statement(s)

Extremely flammable aerosol.  
Contains gas under pressure; may explode if heated.  
May displace oxygen and cause rapid suffocation.

Precautionary Statement(s)

Keep away from heat/sparks/open flames/hot surfaces. – No smoking.  
 Do not spray on an open flame or other ignition source.  
 Do not pierce or burn, even after use.  
 Avoid breathing spray.  
 Store in a well-ventilated place. Do not use in confined spaces.  
 Protect from sunlight and do not expose to temperatures exceeding 50 °C/122 °F.  
 Wear eye/face protection.  
 Wash hands and exposed skin after use.  
 Keep out of reach of children.

**Other hazards**

Intentional inhalation of gas from container may be fatal.

**SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

Hazardous Ingredient(s)	% wt. *	CAS No.	Hazard classification
1,1-Difluoroethane	98 - 100	75-37-6	Flam. Gas 1; H220 Liquified Gas; H280 Simple Asphyxiant

**Additional Information** - None

\* The exact percentage withheld as a trade secret in accordance with 29 CFR 1910.1200.

**SECTION 4: FIRST AID MEASURES**



**Description of first aid measures**

Inhalation: Move person to fresh air. If breathing is labored, administer oxygen. If symptoms develop, obtain medical attention.

Skin Contact: Wash affected skin with soap and water. If symptoms develop, obtain medical attention.

Eye Contact: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If symptoms occur obtain medical attention.

Ingestion: Unlikely to be required but if necessary treat symptomatically. Do not give anything by mouth to an unconscious person. Seek medical treatment.

**Most important symptoms and effects, both acute and delayed**

Liquid contact with skin or eyes may cause frostbite.

**Indication of any immediate medical attention and special treatment needed**

IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.

**SECTION 5: FIRE-FIGHTING MEASURES**

**Extinguishing Media**

-Suitable Extinguishing Media: Extinguish with carbon dioxide, dry chemical, foam or water spray.  
 -Unsuitable Extinguishing Media: Do not use water jet.

**Special hazards arising from the substance or mixture**

Highly flammable vapor (flash point below 23°C).

**Advice for fire-fighters**

A self contained breathing apparatus and suitable protective clothing should be worn in fire conditions. Keep containers cool by spraying with water if exposed to fire.

## SECTION 6: ACCIDENTAL RELEASE MEASURES

**Personal precautions, protective equipment and emergency procedures**

Keep away from heat/sparks/open flames/hot surfaces. – No smoking. Avoid contact with skin and eyes. Avoid breathing vapors.

**Environmental precautions**

Not normally required.

**Methods and material for containment and cleaning up**

Gaseous. Not normally required.

**Reference to other sections**

None

**Additional Information**

None

## SECTION 7: HANDLING AND STORAGE

**Precautions for safe handling**

Keep away from heat/sparks/open flames/hot surfaces. – No smoking. Avoid contact with skin and eyes. Use product in a well-ventilated area only. Do not use in confined spaces.

**Conditions for safe storage, including any incompatibilities**

-Storage temperature

Protect from sunlight. Keep in a cool, well ventilated place. Store at temperatures not exceeding 50 °C / 122 °F.

-Incompatible materials

This product should be stored away from sources of strong heat or oxidizing chemicals. Materials to avoid: Alkalai or Alkaline Earth Metals (Al, Zn).

**Specific end use(s)**

Dusting agent

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

**Occupational Exposure Limits**

SUBSTANCE.	CAS No.	(8hr TWA)		(STEL)		Note:
		PEL (OSHA)	TLV (ACGIH)	PEL (OSHA)	TLV (ACGIH)	
None	-----	-----	-----	-----	-----	#

\*Assure minimum oxygen content of work atmosphere.

**Recommended monitoring method**

None

**Exposure controls**

**Appropriate engineering controls**

Ensure adequate ventilation.

**Personal protection equipment**

Eye/face protection

Wear protective eyewear (goggles, face shield, or safety glasses).



Skin protection (Hand protection/ Other)



Wear suitable gloves if prolonged skin contact is likely (Nitrile rubber)

Respiratory protection



Normally no personal respiratory protection is necessary. In case of insufficient ventilation, wear suitable respiratory equipment. A dust mask is not acceptable.

Thermal hazards

Not normally required. Use gloves with insulation for thermal protection, when needed.

**Environmental Exposure Controls**

None known

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### Information on basic physical and chemical properties

Appearance	Liquified Gas
Color.	Colorless
Odor	Slight ethereal odor
Odor Threshold (ppm)	Not available
pH (Value)	Not available
Melting Point (°C) / Freezing Point (°C)	Not available
Boiling point/boiling range (°C):	-25 (1,1-Difluoroethane)
Flash Point (°C)	-50, est. (1,1-Difluoroethane)
Evaporation Rate	>1 (Ethyl ether =1) (1,1-Difluoroethane)
Flammability (solid, gas)	Extremely flammable
Explosive Limit Ranges	3.9% - 16.9% v/v (1,1-Difluoroethane)
Vapor pressure (Pascal)	$5.3 \times 10^5$ @ 21°C (1,1-Difluoroethane)
Vapor Density (Air=1)	2.4 (1,1-Difluoroethane)
Density (g/ml)	Not available
Solubility (Water)	0.28% @ 21°C (1,1-Difluoroethane)
Solubility (Other)	Not available
Partition Coefficient (n-Octanol/water)	Not available
Auto Ignition Point (°C)	440 (1,1-Difluoroethane)
Decomposition Temperature (°C)	Not available
Kinematic Viscosity	Not available
Explosive properties	Not explosive.
Oxidizing properties	Not oxidizing.
<b>Other information</b>	Not available

## SECTION 10: STABILITY AND REACTIVITY

<b>Reactivity</b>	Stable under normal conditions.
<b>Chemical stability</b>	Stable.
<b>Possibility of hazardous reactions</b>	None anticipated.
<b>Conditions to avoid</b>	Avoid contact with heat and ignition sources.
<b>Incompatible materials</b>	Strong oxidizing agents. Materials to avoid: Alkalai or Alkaline Earth Metals (Al, Zn).
<b>Hazardous decomposition product(s)''</b>	Hydrofluoric Acid and Carbonyl Halides.

## SECTION 11: TOXICOLOGICAL INFORMATION

**Exposure routes:** Inhalation, Skin Contact, Eye Contact

Acute toxicity (Inhalation)

ALC (approximate lethal concentration) = 383000 ppm  
4 hr exposure

## SECTION 12: ECOLOGICAL INFORMATION

### Aquatic toxicity:

Short term	Not available
Long Term	Not available

## SECTION 13: DISPOSAL CONSIDERATIONS

Waste treatment methods	Disposal should be in accordance with local, state or national legislation. Consult an accredited waste disposal contractor or the local authority for advice.
-------------------------	--

## SECTION 14: TRANSPORT INFORMATION

	<u>U.S. DOT</u>	<u>Sea transport (IMDG)</u>	<u>Air transport (ICAO/IATA)</u>
UN number	1030	1030	1030
Proper Shipping Name	1,1-Difluoroethane	1,1-Difluoroethane	1,1-Difluoroethane
Transport hazard class(es)	2.1	2.1	2.1
Packing group	Not applicable	Not applicable	Not applicable
Environmental hazards	None assigned	None assigned	None assigned
Special precautions for user	None assigned	None assigned	None assigned

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code: Not applicable

## SECTION 15: REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture:

TSCA (Toxic Substance Control Act) - Inventory Status: All components listed or polymer exempt.

Designated Hazardous Substances and Reportable Quantities (40 CFR 302.4):

Chemical Name	CAS No.	Typical %wt.	RQ (Pounds)
None	----	----	----

SARA 311/312 - Hazard Categories: See SECTION 2: HAZARDS IDENTIFICATION

SARA 313 - Toxic Chemicals (40 CFR 372):

Chemical Name	CAS No.	Typical %wt.
Isopropanol	67-63-0	0.0087

SARA 302 - Extremely Hazardous Substances(40 CFR 355):

Chemical Name	CAS No.	Typical %wt.	TPQ (pounds)
None	----	----	----

California Proposition 65 List:

Chemical Name	CAS No.	Type of Toxicity
None	----	----

## SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements: 1-16.

Date of preparation: June 8, 2016

**Hazard Statement(s) and Risk Phrases Listed in: SECTION 2:/ SECTION 3:**

**Hazard Statement(s)**

- H220: Extremely flammable gas.
- H280: Contains gas under pressure; may explode if heated.

**Training advice:** None.

Disclaimer: We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for the user's own particular use.