MATERIAL SAFETY DATA SHEET

Coin/Currency Products

PM Company 1500 Kemper Meadow Drive Cincinnati, OH 45240-1638

FOR ALL COIN/CURRENCY PRODUCTS

Company contact: Jodie Winters Telephone number: 513-742-7623

SECTION #1 — Hazardous Ingredients/Identity Information				
Hazardous Components (Specific Chemical Identity; Common Names)	OSHA PEL	ACGIH TLV	Other Limits Recommended	%
1) Ammonia CAS #1336-21-6	25 ppm	25 ppm	5	UAIF U
Health Rating: Fire: 0 Health: 1 Reactivity: 0	nd anjanobarni Seramon da an		to Con adustr entition of the start the Shot Lamation of the start bedso, No.	enige sel ange ske El boyne d
* paratipile AUS	attention of the second		unengg MR	d negatil ar
			1720001	e-aprofit as
	+			

SECTION #2 - Physical/Chemical Characteristics

Boiling Point	212° F	Specific Gravity (H ₂ O=1)	.95
Vapor Pressure (mm Hg)	N/A	Melting Point	N/A
Vapor Density (AIR=1)	N/A	Evaporation Rate (Butyl Acetate=1)	1.0
Solubility in Water: Dilutable in water		clons for Safe Mandling and Usa	wezariA - Po
Dilutable III Water			

SECTION #3 — Fire and Explosion Hazard Data

Flash Point (Method Used) N/A	Flammable Limits N/A	LEL N/A	UEL N/A	
Extinguishing Media:	Water, CO ₂ , Foam for the dry film			
Special Fire Fighting Procedures:	Self-contained breathing apparatus rec	commended		
Usual Fire and Explosion Hazards: None known to PM Compa				

^{&#}x27;4 = Not Applicable/Not Available

CTION #	4 — Reactivity I	Data	(*)			
Stability	Unstable			Conditions to Avoid		
10	Stable	 				
		×				
Incompatibility (Materials to Avoid)			Strong oxidizing	agent		
Hazardous Decon	nposition or Byproducts			or Carbon Monoxide	· ·	
Hazardous May Occur Polymerization			Conditions to Avoid			
	Will Not Occur					
	200	X				
- 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000						
	5 - Health Hazar	d Data				
	Route(s) of Entry:		alation?	Skin?	Ingestion?	
Company of the State of the Sta	CONTACT Health Hazards (Acute and Chronic)		es	Yes	Yes	
		e can cause in	ditation of the na			
or nause	n. Over exposur	e can cause in	nation of the no	se and throat. Can cal	use headaches, dizziness	
		irritation of the	Ovoc avalling	or reddening of the eye		
3) Skin Cor	ntact: Slight irrita	tion of the ekin	Over exposur	e can cause reddening		
4) Delayed	Effects: N/A	HOLLOI LITE SKIL	. Over exposur	e can cause reddening	of the skin	
Carcinogenicity:	Liteota. 14/A		NTP?	IARC Monographs?	00114 D 1 10	
	to PM Company	·.		IANG Monographs?	OSHA Regulated?	
is and Sympto						
	nazards, above.					
	s Generally Aggravated by					
	to PM Company	•				
	n: Provide fresh	air or oxygen i	mmediately Ca	III physician		
2) Ingestion	n: If individual is	awake dive w	ater to drink Ca	all physician		
3) Eve or S	kin Contact: Flus	sh eves with w	ater for 15 minut	tes If reddening or irri	tation continues call	
 Eye or Skin Contact: Flush eyes with water for 15 minutes. If reddening or irritation continues, call physician. 						
SECTION #	6 - Precautions	or Safe Hand	ling and Use			
Steps to be Taken in Case Material is Released or Spilled						
Dam up area to prevent spreading of material. Provide ventilation. Dry up compound using an absorbent						
material.					2 - 2	
Waste Disposal Method						
Dispose of absorbent material and compound according to local, state and federal regulations. Precautions to Be Taken in Handling and Storing						
Store in a well ventilated area at 50°-60°F						
Other Precautions			****			
Protect from freezing.						

SECTION #7 - Control Measures

Respiratory Protecti NIOSH appro	tion (Specify Type) oved organic vapor cartridge	e type mas	sk		
ntilation	Local Exhaust YES	Special			
N/A	Mechanical (General) yes	Other			
Protective Gloves			Eye Protection		
Impervious type			Splash Goggles		
Other Protective Clothing or Equipment					
None Required					
Work/Hygienic Prac					
Follow norma	al hygiene practice. Wash ha	ands after	handling papers and before eating or drinking food and		
beverages.					

DISCLAIMER OF EXPRESSED AND IMPLIED WARRANTIES

Although reasonable care has been taken in the preparation of this document, we extend no warranties and make no representations as to the accuracy or completeness of the information contained therein, and assume no responsibility regarding the suitability of this information of the user's intended purposes or for the consequences of its use. Each individual should make a determination as to the suitability of the information for their particular purpose(s).

PM COMPANY