

SAFETY DATA SHEET

LYSOL® Power & Fresh 6 Automatic Toilet Cleaner - All Scents



HEALTH • HYGIENE • HOME

1. Product and company identification

Product name : LYSOL® Power & Fresh 6 Automatic Toilet Cleaner - All Scents**Distributed by** : Reckitt Benckiser LLC.
Morris Corporate Center IV
399 Interpace Parkway (P.O. Box 225)
Parsippany, New Jersey 07054-0225
+1 973 404 2600Reckitt Benckiser (Canada) Inc.
1680 Tech Avenue, Unit #2
Mississauga, Ontario L4W 5S9
CANADA
Telephone: +1 905 283 7000**Emergency telephone number (Medical)** : 1-800-338-6167**Emergency telephone number (Transport)** : 1-800-424-9300 (U.S. & Canada) CHEMTREC
Outside U.S. and Canada (North America), call Chemtrec:703-527-3887**Website:** : <http://www.rbnainfo.com>**Product use** : Toilet bowl cleaner

This SDS is designed for workplace employees, emergency personnel and for other conditions and situations where there is greater potential for large-scale or prolonged exposure, in accordance with the requirements of USDOL Occupational Safety and Health Administration.

This SDS is not applicable for consumer use of our products. For consumer use, all precautionary and first aid language is provided on the product label in accordance with the applicable government regulations, and shown in Section 15 of this SDS.

SDS # : D8293167 v8.0**Formulation #:** : Forest Rain - FF8286970 v2.0; Altantic Fresh - FF8286092 v2.0**UPC Code / Sizes** : Club Pack of 3 Twin Packs - 3x78g = 234g (8.25 oz.) blocks in PET blister, paperback card

2. Hazards identification

Classification of the substance or mixture : EYE IRRITATION - Category 2A**GHS label elements****Hazard pictograms** :

D8293167 v8.0

2. Hazards identification

| | |
|---|--|
| Signal word | : Warning |
| Hazard statements | : Causes serious eye irritation. |
| <u>Precautionary statements</u> | |
| General | : Keep out of reach of children. If medical advice is needed, have product container or label at hand. |
| Prevention | : Wear protective gloves/protective clothing/eye protection/face protection. |
| Response | : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists, get medical advice/attention. |
| Storage | : Not applicable. |
| Disposal | : Not applicable. |
| Supplemental label elements | : Contains Sodium dodecyl benzenesulfonate and Sodium lauryl sulfate. |
| Hazards not otherwise classified | : None known. |

3. Composition/information on ingredients

Substance/mixture : Mixture

| Ingredient name | % | CAS number |
|---|---------|------------|
| sodium dodecylbenzenesulfonate | 30 - 60 | 25155-30-0 |
| sodium chloride | 10 - 30 | 7647-14-5 |
| Sulfuric acid, mono-C12-18-alkyl esters, sodium salts | 1 - 5 | 68955-19-1 |
| alpha-Pinene | 0.1 - 1 | 80-56-8 |
| 2-Methylundecanal | 0.1 - 1 | 110-41-8 |
| 4-tert-Butylcyclohexyl acetate | 0.1 - 1 | 32210-23-4 |
| Eucalyptol | 0.1 - 1 | 470-82-6 |

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

4. First aid measures

Description of necessary first aid measures

| | |
|---------------------|--|
| Eye contact | : Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention. |
| Inhalation | : Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. |
| Skin contact | : Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse. |

D8293167 v8.0

4. First aid measures

Ingestion : Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Most important symptoms/effects, acute and delayed

Potential acute health effects

Eye contact : Causes serious eye irritation.
Inhalation : No known significant effects or critical hazards.
Skin contact : No known significant effects or critical hazards.
Ingestion : No known significant effects or critical hazards.

Over-exposure signs/symptoms

Eye contact : Adverse symptoms may include the following:
 pain or irritation
 watering
 redness

Inhalation : No specific data.
Skin contact : No specific data.
Ingestion : No specific data.

Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician : Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.

Specific treatments : No specific treatment.

Protection of first-aiders : No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

See toxicological information (Section 11)

5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media : Use an extinguishing agent suitable for the surrounding fire.

Unsuitable extinguishing media : None known.

Specific hazards arising from the chemical : Fire water contaminated with this material must be contained and prevented from being discharged to any waterway, sewer or drain.

Hazardous thermal decomposition products : Decomposition products may include the following materials:
 carbon dioxide
 carbon monoxide
 sulfur oxides
 halogenated compounds
 metal oxide/oxides

D8293167 v8.0

5. Fire-fighting measures

Special protective actions for fire-fighters : Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

Special protective equipment for fire-fighters : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel : No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.

For emergency responders : If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

Environmental precautions : Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Water polluting material. May be harmful to the environment if released in large quantities.

Methods and materials for containment and cleaning up

Small spill : Move containers from spill area. Avoid dust generation. Using a vacuum with HEPA filter will reduce dust dispersal. Place spilled material in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor.

Large spill : Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Avoid dust generation. Do not dry sweep. Vacuum dust with equipment fitted with a HEPA filter and place in a closed, labeled waste container. Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

7. Handling and storage

Precautions for safe handling

Protective measures : Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid release to the environment. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.

Conditions for safe storage, including any incompatibilities : Store between the following temperatures: 5 to 30°C (41 to 86°F). Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

D8293167 v8.0

8. Exposure controls/personal protection

Control

Occupational exposure limits

| Ingredient name | Exposure limits |
|-----------------|---|
| alpha-Pinene | ACGIH TLV (United States, 3/2015). Skin sensitizer. TWA: 20 ppm 8 hours. |
| Citral | ACGIH TLV (United States, 4/2014). Absorbed through skin. Skin sensitizer. TWA: 5 ppm 8 hours. Form: Inhalable fraction and vapor |

- Appropriate engineering controls** : Good general ventilation should be sufficient to control worker exposure to airborne contaminants.
- Environmental exposure controls** : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Individual protection measures

- Hygiene measures** : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

- Eye/face protection** : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles.

Skin protection

- Hand protection** : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.

- Body protection** : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

- Other skin protection** : Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

- Respiratory protection** : Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

D8293167 v8.0

9. Physical and chemical properties

Appearance

| | |
|---|--|
| Physical state | : Solid. |
| Color | : Blue. Green. |
| Odor | : Characteristic. |
| Odor threshold | : Not available. |
| pH | : 6.5 to 11 [Conc. (% w/w): 1%] |
| Melting point | : Not available. |
| Boiling point | : Not available. |
| Flash point | : Closed cup: >93.3°C (>199.9°F) |
| Evaporation rate | : Not available. |
| Flammability (solid, gas) | : Not available. |
| Lower and upper explosive (flammable) limits | : Not available. |
| Vapor pressure | : Not available. |
| Vapor density | : Not available. |
| Relative density | : Not available. |
| Solubility | : Easily soluble in the following materials: cold water and hot water. |
| Partition coefficient: n-octanol/water | : Not available. |
| Auto-ignition temperature | : Not available. |
| Decomposition temperature | : Not available. |
| Viscosity | : Not available. |
| Flow time (ISO 2431) | : Not available. |

10. Stability and reactivity

| | |
|---|--|
| Reactivity | : No specific test data related to reactivity available for this product or its ingredients. |
| Chemical stability | : The product is stable. |
| Possibility of hazardous reactions | : Under normal conditions of storage and use, hazardous reactions will not occur. |
| Conditions to avoid | : No specific data. |
| Incompatible materials | : No specific data. |
| Hazardous decomposition products | : Under normal conditions of storage and use, hazardous decomposition products should not be produced. |

11. Toxicological information

Information on toxicological effects

Acute toxicity

D8293167 v8.0

11. Toxicological information

| Product/ingredient name | Result | Species | Dose | Exposure |
|--------------------------------|-------------|--------------------|-------------|----------|
| sodium dodecylbenzenesulfonate | LD50 Oral | Rat - Male, Female | 1080 mg/kg | - |
| sodium chloride | LD50 Oral | Rat | 3000 mg/kg | - |
| Dihydromyrcenol | LD50 Dermal | Rabbit | >5000 mg/kg | - |
| | LD50 Oral | Rat | 3600 mg/kg | - |
| Eucalyptol | LD50 Oral | Rat | 2480 mg/kg | - |
| 2-Methylundecanal | LD50 Dermal | Rabbit | >10 g/kg | - |
| | LD50 Oral | Rat | >5 g/kg | - |
| alpha-Pinene | LD50 Dermal | Rabbit | >5000 mg/kg | - |
| | LD50 Oral | Rat | 3700 mg/kg | - |
| 4-tert-Butylcyclohexyl acetate | LD50 Dermal | Rabbit | >5000 mg/kg | - |
| | LD50 Oral | Rat | 3550 mg/kg | - |
| Citral | LD50 Dermal | Rabbit | 2250 mg/kg | - |
| | LD50 Oral | Rat | 3.45 g/kg | - |
| d-Limonene | LD50 Dermal | Rabbit | >5000 mg/kg | - |
| | LD50 Oral | Rat | 4400 mg/kg | - |
| Linalool | LD50 Dermal | Rabbit | 5610 mg/kg | - |
| | LD50 Dermal | Rat | 5610 mg/kg | - |
| | LD50 Oral | Rat | 2790 mg/kg | - |
| alpha-iso-Methylionone | LD50 Dermal | Rabbit | >5000 mg/kg | - |
| | LD50 Oral | Rat | >5000 mg/kg | - |

Conclusion/Summary : Based on available data, the classification criteria are not met.

Irritation/Corrosion

| Product/ingredient name | Result | Species | Score | Exposure | Observation |
|--------------------------------|--------------------------|------------|-------|-------------------------|-------------|
| sodium dodecylbenzenesulfonate | Eyes - Severe irritant | Rabbit | - | 24 hours 250 Micrograms | - |
| | Eyes - Severe irritant | Rabbit | - | 1 Percent | - |
| | Skin - Moderate irritant | Rabbit | - | 24 hours 20 milligrams | - |
| sodium chloride | Eyes - Moderate irritant | Rabbit | - | 24 hours 100 milligrams | - |
| | Eyes - Moderate irritant | Rabbit | - | 10 milligrams | - |
| | Skin - Mild irritant | Rabbit | - | 24 hours 500 milligrams | - |
| Dihydromyrcenol | Skin - Mild irritant | Rabbit | - | 24 hours 500 milligrams | - |
| | Eyes - Mild irritant | Rabbit | - | 7.5 Percent | - |
| | Skin - Mild irritant | Rabbit | - | 4 hours 0.5 Milliliters | - |
| alpha-Pinene | Skin - Severe irritant | Man | - | 100 Percent | - |
| | Skin - Moderate irritant | Rabbit | - | 24 hours 500 milligrams | - |
| 4-tert-Butylcyclohexyl acetate | Skin - Mild irritant | Guinea pig | - | 4 hours 3 Percent | - |
| | Skin - Moderate irritant | Rabbit | - | 4 hours 100 Percent | - |
| | Skin - Moderate irritant | Rabbit | - | 24 hours 500 milligrams | - |
| Citral | Skin - Moderate irritant | Guinea pig | - | 48 hours 1 Percent | - |
| | Skin - Severe irritant | Guinea pig | - | 24 hours 100 milligrams | - |
| | Skin - Mild irritant | Human | - | 24 hours 40 milligrams | - |

D8293167 v8.0

11. Toxicological information

| | | | | | | |
|------------------------|--|--------------------------|------------|-------------------------|-------------------------|---|
| d-Limonene | Skin - Severe irritant | Man | - | 48 hours 16 milligrams | - | |
| | Skin - Severe irritant | Pig | - | 48 hours 50 milligrams | - | |
| | Skin - Moderate irritant | Rabbit | - | 24 hours 500 milligrams | - | |
| | Skin - Severe irritant | Rabbit | - | 24 hours 100 milligrams | - | |
| | Skin - Mild irritant | Rabbit | - | 24 hours 10 Percent | - | |
| | Linalool | Eyes - Moderate irritant | Rabbit | - | 1 hours 0.1 Milliliters | - |
| | | Eyes - Moderate irritant | Rabbit | - | 100 microliters | - |
| | | Skin - Moderate irritant | Guinea pig | - | 24 hours 100 milligrams | - |
| | | Skin - Mild irritant | Human | - | 72 hours 32 Percent | - |
| | Lysol Power & Fresh 6_Wave_D8293167 NA | Skin - Mild irritant | Man | - | 48 hours 16 milligrams | - |
| Skin - Mild irritant | | Rabbit | - | 24 hours 500 milligrams | - | |
| Skin - Severe irritant | | Rabbit | - | 24 hours 100 milligrams | - | |
| Eyes - Irritant | | In vitro | - | - | - | |

Conclusion/Summary

- Skin** : Based on available data, the classification criteria are not met.
- Eyes** : Based on Calculation method: Causes serious eye irritation.
- Respiratory** : Based on available data, the classification criteria are not met.

Sensitization

Not available.

Conclusion/Summary

- Skin** : Based on available data, the classification criteria are not met.
- Respiratory** : Based on available data, the classification criteria are not met.

Mutagenicity

Not available.

- Conclusion/Summary** : Based on available data, the classification criteria are not met.

Carcinogenicity

Not available.

- Conclusion/Summary** : Based on available data, the classification criteria are not met.

Classification

| Product/ingredient name | OSHA | IARC | NTP |
|-------------------------|------|------|-----|
| d-Limonene | - | 3 | - |

Reproductive toxicity

Not available.

- Conclusion/Summary** : Based on available data, the classification criteria are not met.

D8293167 v8.0

11. Toxicological information

Teratogenicity

Not available.

Conclusion/Summary : Based on available data, the classification criteria are not met.

Specific target organ toxicity (single exposure)

Not available.

Specific target organ toxicity (repeated exposure)

Not available.

Aspiration hazard

| Name | Result |
|--------------|--------------------------------|
| alpha-Pinene | ASPIRATION HAZARD - Category 1 |
| d-Limonene | ASPIRATION HAZARD - Category 1 |

Information on the likely routes of exposure : Not available.

Potential acute health effects

- Eye contact** : Causes serious eye irritation.
- Inhalation** : No known significant effects or critical hazards.
- Skin contact** : No known significant effects or critical hazards.
- Ingestion** : No known significant effects or critical hazards.

Symptoms related to the physical, chemical and toxicological characteristics

- Eye contact** : Adverse symptoms may include the following:
pain or irritation
watering
redness
- Inhalation** : No specific data.
- Skin contact** : No specific data.
- Ingestion** : No specific data.

Delayed and immediate effects and also chronic effects from short and long term exposure

Short term exposure

- Potential immediate effects** : Not available.
- Potential delayed effects** : Not available.

Long term exposure

- Potential immediate effects** : Not available.
- Potential delayed effects** : Not available.

Potential chronic health effects

Not available.

- Conclusion/Summary** : Based on available data, the classification criteria are not met.
- General** : No known significant effects or critical hazards.
- Carcinogenicity** : No known significant effects or critical hazards.

D8293167 v8.0

11. Toxicological information

- Mutagenicity** : No known significant effects or critical hazards.
- Teratogenicity** : No known significant effects or critical hazards.
- Developmental effects** : No known significant effects or critical hazards.
- Fertility effects** : No known significant effects or critical hazards.

Numerical measures of toxicity

Acute toxicity estimates

Not available.

12. Ecological information

Toxicity

| Product/ingredient name | Result | Species | Exposure |
|--------------------------------|---|---|----------|
| sodium dodecylbenzenesulfonate | Acute EC50 29000 µg/l Fresh water | Algae - Chlorella pyrenoidosa - Exponential growth phase | 96 hours |
| | Acute EC50 7.81 mg/l Fresh water | Crustaceans - Ceriodaphnia dubia - Neonate | 48 hours |
| | Acute EC50 5.88 ppm Fresh water | Daphnia - Daphnia magna | 48 hours |
| | Acute IC50 112.4 mg/l | Algae - Pseudokirchneriella subcapitata - Exponential growth phase | 72 hours |
| sodium chloride | Acute LC50 1.18 ppm Fresh water | Fish - Lepomis macrochirus | 96 hours |
| | Acute EC50 2430000 µg/l Fresh water | Algae - Navicula seminulum | 96 hours |
| | Acute EC50 28.85 mg/dm ³ Fresh water | Algae - Pseudokirchneriella subcapitata | 72 hours |
| | Acute EC50 519.6 mg/l Fresh water | Crustaceans - Cypris subglobosa | 48 hours |
| Eucalyptol | Acute EC50 402600 µg/l Fresh water | Daphnia - Daphnia magna | 48 hours |
| | Acute IC50 6.87 g/L Fresh water | Aquatic plants - Lemna minor | 96 hours |
| | Acute LC50 1000000 µg/l Fresh water | Fish - Morone saxatilis - Larvae | 96 hours |
| | Chronic LC10 781 mg/l Fresh water | Crustaceans - Hyalella azteca - Juvenile (Fledgling, Hatchling, Weanling) | 3 weeks |
| | Chronic NOEC 6 g/L Fresh water | Aquatic plants - Lemna minor | 96 hours |
| | Chronic NOEC 0.314 g/L Fresh water | Daphnia - Daphnia pulex | 21 days |
| | Chronic NOEC 100 mg/l Fresh water | Fish - Gambusia holbrooki - Adult | 8 weeks |
| | Acute LC50 102000 µg/l Fresh water | Fish - Pimephales promelas | 96 hours |
| | Acute LC50 41000 µg/l Fresh water | Daphnia - Daphnia magna | 48 hours |
| | Acute LC50 5.28 mg/l Fresh water | Fish - Lepomis macrochirus | 96 hours |
| d-Limonene | Chronic NOEC 8800 µg/l Fresh water | Daphnia - Daphnia magna | 48 hours |
| | Acute EC50 421 µg/l Fresh water | Daphnia - Daphnia magna | 48 hours |
| | Acute EC50 688 µg/l Fresh water | Fish - Pimephales promelas - Juvenile (Fledgling, Hatchling, Weanling) | 96 hours |
| Linalool | Acute EC50 36.7 ppm Fresh water | Daphnia - Daphnia magna | 48 hours |
| | Acute LC50 28.8 ppm Fresh water | Fish - Oncorhynchus mykiss | 96 hours |

Conclusion/Summary : Based on available data, the classification criteria are not met.

Persistence and degradability

D8293167 v8.0

12. Ecological information

| Product/ingredient name | Test | Result | Dose | Inoculum |
|-------------------------|------|----------------------------|------|----------|
| Linalool | - | 62.4 % - Readily - 28 days | - | - |

| Product/ingredient name | Aquatic half-life | Photolysis | Biodegradability |
|-------------------------|-------------------|------------|------------------|
| Linalool | - | - | Readily |

Bioaccumulative potential

| Product/ingredient name | LogP _{ow} | BCF | Potential |
|---|--------------------|-------|-----------|
| sodium dodecylbenzenesulfonate | 1.96 | - | low |
| Sulfuric acid, mono-C12-18-alkyl esters, sodium salts | -2.1 | - | low |
| 3-Methoxy-3-methyl-1-butanol | - | 3.16 | low |
| Dihydromyrcenol | 3.25 | - | low |
| Eucalyptol | 2.74 | - | low |
| alpha-Pinene | 4.487 | - | high |
| 4-tert-Butylcyclohexyl acetate | 4.8 | - | high |
| Citral | 2.76 | 89.72 | low |
| d-Limonene | 4.38 | - | high |
| Linalool | 2.84 | - | low |

Mobility in soil

Soil/water partition coefficient (K_{oc}) : Not available.

Other adverse effects : No known significant effects or critical hazards.

13. Disposal considerations

Disposal methods : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

14. Transport information

D8293167 v8.0

14. Transport information

| Regulatory information | UN number | Proper shipping name | Classes | PG* | Label | Additional information |
|------------------------------|---------------|----------------------|----------------|-----|-------|------------------------|
| DOT Classification | Not Regulated | Not applicable. | Not available. | - | | - |
| TDG Classification | Not Regulated | Not applicable. | Not available. | - | | - |
| Mexico Classification | Not Regulated | Not applicable. | Not available. | - | | - |
| IMDG Class | Not Regulated | Not applicable. | Not available. | - | | - |
| IATA-DGR Class | Not Regulated | Not applicable. | Not available. | - | | - |

Special precautions for user : **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

PG* : Packing group

15. Regulatory information

U.S. Federal regulations : **TSCA 8(a) PAIR:** 2-methylundecanal; dodecanal
TSCA 8(a) CDR Exempt/Partial exemption: Not determined
United States inventory (TSCA 8b): All components are listed or exempted.
Clean Water Act (CWA) 307: 29H,31H-phthalocyaninato(2-)-N29,N30,N31,N32 copper; polychloro copper phthalocyanine
Clean Water Act (CWA) 311: sodium dodecylbenzenesulfonate

Clean Air Act Section 112 (b) Hazardous Air Pollutants (HAPs) : Not listed

Clean Air Act Section 602 Class I Substances : Not listed

Clean Air Act Section 602 Class II Substances : Not listed

DEA List I Chemicals (Precursor Chemicals) : Not listed

DEA List II Chemicals (Essential Chemicals) : Not listed

D8293167 v8.0

15. Regulatory information**SARA 302/304****Composition/information on ingredients**

No products were found.

SARA 304 RQ : Not applicable.**SARA 311/312****Classification** : Immediate (acute) health hazard**Composition/information on ingredients**

| Name | % | Fire hazard | Sudden release of pressure | Reactive | Immediate (acute) health hazard | Delayed (chronic) health hazard |
|--|---------|-------------|----------------------------|----------|---------------------------------|---------------------------------|
| sodium dodecylbenzenesulfonate | 30 - 60 | Yes. | No. | No. | Yes. | No. |
| 3-Methoxy-3-methyl-1-butanol | 1 - 2.5 | Yes. | No. | No. | Yes. | No. |
| Dihydromyrcenol | 1 - 2.5 | Yes. | No. | No. | Yes. | No. |
| Eucalyptol | 0.1 - 1 | Yes. | No. | No. | Yes. | No. |
| alpha-Methyl-1,3-benzodioxole- | 0.1 - 1 | No. | No. | No. | Yes. | No. |
| 5-propionaldehyde | | | | | | |
| 2-Methylundecanal | 0.1 - 1 | Yes. | No. | No. | Yes. | No. |
| alpha-Pinene | 0.1 - 1 | Yes. | No. | No. | Yes. | No. |
| 4-tert-Butylcyclohexyl acetate | 0.1 - 1 | No. | No. | No. | Yes. | No. |
| 1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone | 0.1 - 1 | No. | No. | No. | Yes. | No. |
| Citral | 0.1 - 1 | No. | No. | No. | Yes. | No. |
| d-Limonene | 0.1 - 1 | Yes. | No. | No. | Yes. | No. |
| Linalool | 0.1 - 1 | Yes. | No. | No. | Yes. | No. |
| alpha-iso-Methylionone | 0.1 - 1 | No. | No. | No. | Yes. | No. |

State regulations

- Massachusetts** : The following components are listed: SODIUM DODECYLBENZENE SULFONATE; SODIUM SULFATE (SOLUTION); STARCH DUST
- New York** : The following components are listed: Sodium dodecylbenzene sulfonate; Dodecylbenzene sulfonate
- New Jersey** : The following components are listed: SODIUM DODECYLBENZENE SULFONATE; BENZENESULFONIC ACID, DODECYL-, SODIUM SALT; TITANIUM DIOXIDE; TITANIUM OXIDE (TiO2)
- Pennsylvania** : The following components are listed: BENZENESULFONIC ACID, DODECYL-, SODIUM SALT; SODIUM SULFATE (SOLUTION); STARCH; TITANIUM OXIDE (TiO2)

Canada

- WHMIS (Canada)** : Class D-2A: Material causing other toxic effects (Very toxic).
Class D-2B: Material causing other toxic effects (Toxic).

Canadian lists

- Canadian NPRI** : None of the components are listed.
- CEPA Toxic substances** : None of the components are listed.
- Canada inventory** : All components are listed or exempted.

Label elements

- Signal word** : CAUTION
- Hazard statements** : CAUSES EYE IRRITATION.

D8293167 v8.0

15. Regulatory information

- Precautionary measures** : Keep out of the reach of children. Do not get in eyes.
- Additional information** : Contains Sodium dodecyl benzenesulfonate and Sodium lauryl sulfate. IF SWALLOWED: Immediately call a POISON CENTER or doctor. Do NOT induce vomiting. If in eyes, immediately rinse eyes with water. Remove any contact lenses if present and continue rinsing for 15 minutes. If irritation persists, get medical attention.

16. Other information

Hazardous Material Information System (U.S.A.) :

| | | |
|---------------------|---|---|
| Health | * | 2 |
| Flammability | | 0 |
| Physical hazards | | 0 |
| Personal protection | | B |

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings are not required on MSDSs under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered mark of the National Paint & Coatings Association (NPCA). HMIS® materials may be purchased exclusively from J. J. Keller (800) 327-6868.

The customer is responsible for determining the PPE code for this material.

National Fire Protection Association (U.S.A.) :



Reprinted with permission from NFPA 704-2001, Identification of the Hazards of Materials for Emergency Response Copyright ©1997, National Fire Protection Association, Quincy, MA 02269. This reprinted material is not the complete and official position of the National Fire Protection Association, on the referenced subject which is represented only by the standard in its entirety.

Copyright ©2001, National Fire Protection Association, Quincy, MA 02269. This warning system is intended to be interpreted and applied only by properly trained individuals to identify fire, health and reactivity hazards of chemicals. The user is referred to certain limited number of chemicals with recommended classifications in NFPA 49 and NFPA 325, which would be used as a guideline only. Whether the chemicals are classified by NFPA or not, anyone using the 704 systems to classify chemicals does so at their own risk.

- Key to abbreviations** :
- ATE = Acute Toxicity Estimate
 - BCF = Bioconcentration Factor
 - GHS = Globally Harmonized System of Classification and Labelling of Chemicals
 - IATA = International Air Transport Association
 - IBC = Intermediate Bulk Container
 - IMDG = International Maritime Dangerous Goods
 - LogPow = logarithm of the octanol/water partition coefficient
 - MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)
 - UN = United Nations

Date of issue : 12/09/2018

Date of previous issue : 15/05/2018

Version : 8

Code # : D8293167 (NA)

SDS # : D8293167 v8.0

Date of issue : 12/09/2018

14/15

D8293167 v8.0

16. Other information

Prepared by : Reckitt Benckiser India Ltd
Plot No 48
Sector - 32
Institutional Area
Gurgaon, Haryana
India - 122001

Revision comments : Section 3 ranges update

✔ Indicates information that has changed from previously issued version.

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.



RB is a member of the CSPA Product Care Product Stewardship Program.