



Pony Testing International Group

Report No.: MDINK98U679347A16

# SDS Report

Sample Description  
& Model

Lithium ion Battery 18650

Applicant

KINGTA TECHNOLOGY CO., LIMITED

Address

6 FLOOR C BUILDING FUTING INDUSTRIAL ZONE  
ZHUCUN GUANLAN LONGHUA DISTRICT  
SHENZHEN CHINA

No.: MDINK98U67934716  
Code: m1yg872v1



**PONY 谱尼测试**  
Pony Testing International Group

www.ponytest.com

Hotline 400-819-5688

北京实验室: (010) 82618116

长春实验室: (0431) 85150908

上海实验室: (021) 64851999

深圳实验室: (0755) 26050909

青岛实验室: (0532) 88706866

哈尔滨实验室: (0451) 88104651

宁波实验室: (0574) 87736499

广州实验室: (020) 89224310

天津实验室: (022) 27360730

大连实验室: (0411) 84650820

杭州实验室: (0571) 87219096

武汉实验室: (027) 83997127

新疆实验室: (0991) 6684186

郑州实验室: (0371) 69350670

苏州实验室: (0512) 62997900

厦门实验室: (0592) 5568048





Pony Testing International Group

Report No. : MDINK98U679347A16

Date: 01.12.2017 Page 1 of 13

## Safety Data Sheet

According to ST/SG/AC.10/30/Rev.6 (GHS)

### Section 1 - Chemical Product and Company Identification

#### Chemical product identification

**Sample Description:** Lithium ion Battery**Sample Model:** 18650**Recommended Uses:** N/A**Restrictions on use:** N/A**Supplier name:** SHENZHEN ZHONGKAIHENG TECHNOLOGY CO., LTD**Address:** 5F 2B LILIN TECHNOLOGY ZONE BAIHUADONG GUANGMING DISTRICT SHENZHEN**Phone number:** 0755-23096502**FAX:** 0755-23772331**E-mail:** wlei1985@126.com**Emergency phone number:** 0755-23096502

### Section 2 - Hazards Identification

**Emergency overview:** This product is an article which contains a chemical substance. Safety information is given for exposure to the article as sold. Intended use of the product should not result in exposure to the chemical substance. This is a battery. In case of rupture: the below hazards exist.

**CAS# 7440-50-8**

#### Classification according to GHS

Sensitisation, skin (1, 1A, 1B)

Specific target organ toxicity, single exposure (1) (digestive system)

Specific target organ toxicity, single exposure; Respiratory tract irritation (3)

#### Label elements

**Hazard pictogram(s):****Signal word:**

Danger

[www.ponytest.com](http://www.ponytest.com)

©Hotline 400-819-5688

北京实验室: (010) 82618116

青岛实验室: (0532) 88706866

天津实验室: (022) 27360730

新疆实验室: (0991) 6684186

长春实验室: (0431) 85150908

哈尔滨实验室: (0451) 88104651

大连实验室: (0411) 84650820

郑州实验室: (0371) 69350670

上海实验室: (021) 64851999

宁波实验室: (0574) 87736499

杭州实验室: (0571) 87219096

苏州实验室: (0512) 62997900

深圳实验室: (0755) 26050909

广州实验室: (020) 89224310

武汉实验室: (027) 83997127

厦门实验室: (0592) 5568048





Pony Testing International Group

**Hazard statement(s):**

H317 May cause an allergic skin reaction  
 H370 Causes damage to organs (digestive system)  
 H335 May cause respiratory irritation

**Precautionary statement(s):**
**Prevention:**

P260 Do not breathe dust, fume.  
 P272 Contaminated work clothing should not be allowed out of the workplace.  
 P280 Wear protective gloves, eye protection, face protection.  
 P264 Wash skin and clothing thoroughly after handling.  
 P270 Do not eat, drink or smoke when using this product.  
 P271 Use only outdoors or in a well-ventilated area.

**Response:**

P302 + P352 IF ON SKIN: Wash with plenty water.  
 P333 + P313 If skin irritation or rash occurs: Get medical advice.  
 P321 Specific treatment (See additional emergency instructions).  
 P362 + P364 Take off contaminated clothing and wash it before reuse.  
 P308 + P311 IF exposed or concerned: Call a POISON CENTER.  
 P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
 P312 Call a POISON CENTER if you feel unwell.

**Storage**

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.  
 P405 Store locked up.

**Disposal:**

P501 Contents handling to approved waste treatment plants.

**CAS# 7429-90-5**
**Classification according to GHS**

Substances and mixtures which, in contact with water, emit flammable gases (2, 3)  
 Specific target organ toxicity, repeated exposure (1) (Lung)  
 Hazardous to the aquatic environment, long-term hazard (4)

**Label elements**
**Hazard pictogram(s):**

**Signal word:**

Danger





Pony Testing International Group

**Hazard statement(s):**

H261 In contact with water releases flammable gas

H372 Causes damage to organs through prolonged or repeated exposure (Lung)

H413 May cause long lasting harmful effects to aquatic life

**Precautionary statement(s):**
**Prevention:**

P223 Do not allow contact with water.

P231 + P232 Handle and store contents under inert gas, Protect from moisture.

P280 Wear protective gloves, protective clothing, eye protection and face protection.

P260 Do not breathe dust.

P264 Wash skin and clothing thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P273 Avoid release to the environment.

**Response:**

P302 + P335 + P334 IF ON SKIN: Brush off loose particles from skin and immerse in cool water.

P370 + P378 In case of fire: Use the appropriate media put out the fire.

P314 Get medical advice if you feel unwell.

**Storage**

P402 + P404 Store in a dry place. Store in a closed container.

**Disposal:**

P501 Contents handling to approved waste treatment plants.

**CAS# 616-38-6**
**Classification according to GHS**

Flammable liquids (2)

Specific target organ toxicity, single exposure; Narcotic effects (3)

Reproductive toxicity (2)

**Label elements**
**Hazard pictogram(s):**

**Signal word:**

Danger

**Hazard statement(s):**

H225 Highly flammable liquid and vapour

H336 May cause drowsiness or dizziness





Pony Testing International Group

Report No. : MDINK98U679347A16 Date: 01.12.2017 Page 4 of 13

H361 Suspected of damaging fertility or the unborn child

**Precautionary statement(s):**

**Prevention:**

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P233 Keep container tightly closed.

P240 Ground and bond container and receiving equipment.

P241 Use explosion-proof equipment.

P242 Use non-sparking tools.

P243 Take action to prevent static discharges.

P280 Wear protective gloves, protective clothing, eye protection and face protection.

P261 Avoid breathing gas, mist, vapours and spray.

P271 Use only outdoors or in a well-ventilated area.

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

**Response:**

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.

P370 + P378 In case of fire: Use the appropriate media put out the fire.

P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P312 Call a POISON CENTER or doctor, if you feel unwell.

P308 + P313 IF exposed or concerned: Get medical advice.

**Storage**

P403 + P235 Store in a well-ventilated place. Keep cool.

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

**Disposal:**

P501 Contents handling to approved waste treatment plants.

**Other hazards**

**Physical and chemical hazards:** See Section 10

**Human health hazards:** See Section 11

**Environmental hazards:** See Section 12

## Section 3 – Composition/Information on Ingredients




**Chemical characterization: Mixture**

Chemical Composition	CAS No.	EC#	Weight (%)
Cobaltate, lithium	12190-79-3	235-362-0	40~45
Graphite	7782-42-5	231-955-3	18~22
Copper	7440-50-8	231-159-6	9~13
Aluminium	7429-90-5	231-072-3	4~6
1,3-Dioxolan-2-one	96-49-1	202-510-0	0.5~1
Carbonic acid, dimethyl ester	616-38-6	210-478-4	1~2
Carbonic acid, ethyl methyl ester	623-53-0	613-014-2	1~2
Phosphate(1-), hexafluoro-, lithium	21324-40-3	244-334-7	7~9

**Section 4 - First Aid Measures**
**Description of first aid measures**

**General information** No special measures required.

**After eye contact**

Flush eyes with plenty of water for several minutes while holding eyelids open. Get medical attention if irritation persists.

**After skin contact**

Remove contaminated clothing and shoes. Immediately wash with water and soap and rinse thoroughly. Wash clothing and shoes before reuse. If irritation occurs, get medical attention.

**After inhalation**

Remove victim to fresh area. Administer artificial respiration if breathing is difficult. Seek medical attention.

**After swallowing**

Do not induce vomiting. Get medical attention.

**Personal protective equipment for first-aid responders:** No data available.

**Most important symptoms/effects, acute and delayed:** No data available.

**Indication of immediate medical attention and special treatment needed:** No data available.

www.ponytest.com ☎Hotline 400-819-5688

北京实验室: (010) 82618116  
 青岛实验室: (0532) 88706866  
 天津实验室: (022) 27360730  
 新疆实验室: (0991) 6684186

长春实验室: (0431) 85150908  
 哈尔滨实验室: (0451) 88104651  
 大连实验室: (0411) 84650820  
 郑州实验室: (0371) 69350670

上海实验室: (021) 64851999  
 宁波实验室: (0574) 87736499  
 杭州实验室: (0571) 87219096  
 苏州实验室: (0512) 62997900

深圳实验室: (0755) 26050909  
 广州实验室: (020) 89224310  
 武汉实验室: (027) 83997127  
 厦门实验室: (0592) 5568048





Pony Testing International Group

Report No. : MDINK98U679347A16 Date: 01.12.2017 Page 6 of 13

## Section 5 - Fire Fighting Measures

### Suitable extinguishing media:

Use extinguishing agent suitable for local conditions and the surrounding environment .  
Such as dry powder , CO<sub>2</sub>.

### Unsuitable extinguishing media:

No data available.

### Specific Hazards arising from the chemical:

Special hazards arising from the substance or mixture

Battery may burst and release hazardous decomposition products when exposed to a fire situation. Lithium ion batteries contain flammable electrolyte that may vent, ignite and produce sparks when subjected to high temperature(>150°C(302°F)), when damaged or abused (e.g. mechanical damage or electrical overcharging); may burn rapidly with flare-burning effect; may ignite other batteries in clothes proximity.

### Specific protective actions for fire-fighters:

Protective equipment: Wear self-contained respirator. Wear fully protective impervious suit.

## Section 6 - Accidental Release Measures

### Personal precautions:

Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation

### Protective equipment:

No data available.

### Emergency procedures:

Remove ignition sources, evacuate area. Sweep up using a method that does not generate dust. Collect as much of the spilled material as possible, placed the spilled material into a suitable disposal container. Keep spilled material out of sewers, ditches and bodies of water.

### Environmental precautions:

Do not allow material to be released to the environment without proper governmental permits.

### Methods and materials for containment and cleaning up:

All waste must refer to the United Nations, the national and local regulations for disposal.

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.





## Section 7 - Handling and Storage

### Precautions for safe handling:

Consumption of food and beverage should be avoided in work areas.

Wash hands with soap and water before eating, drinking.

Ground containers when transferring liquid to prevent static accumulation and discharge.

### Information about fire and explosion protection

Batteries may explode or cause burns, if disassembled, crushed or exposed to fire or high temperatures. Do not short or install with incorrect polarity.

### Conditions for safe storage, including any incompatibilities:

#### Requirements to be met by storerooms and receptacles

Store in a cool, dry, well-ventilated place.

#### Information about storage in one common storage facility

Keep away from heat, avoiding the long time of sunlight.

#### Further information about storage conditions

Keep container tightly sealed.

#### Specific and use

No data available.

## Section 8 - Exposure Controls/Personal Protection

### Control parameters

CAS No.	ACGIH	NIOSH	OSHA
12190-79-3	N/A	N/A	N/A
7782-42-5	TLV-TWA 2mg/m <sup>3</sup>	REL-TWA 2.5mg/m <sup>3</sup>	PEL-TWA 15mppcf PEL-TWA 20mppcf
7440-50-8	TLV-TWA 0.2mg/m <sup>3</sup> TLV-TWA 1mg/m <sup>3</sup>	REL-TWA 1mg/m <sup>3</sup> REL-TWA 0.1mg/m <sup>3</sup>	PEL-TWA 0.1mg/m <sup>3</sup> PEL-TWA 1mg/m <sup>3</sup>
7429-90-5	TLV-TWA 1mg/m <sup>3</sup>	REL-TWA 2mg/m <sup>3</sup> REL-TWA 5mg/m <sup>3</sup> REL-TWA 10mg/m <sup>3</sup>	PEL-TWA 5mg/m <sup>3</sup> PEL-TWA 15mg/m <sup>3</sup>
96-49-1	N/A	N/A	N/A
616-38-6	N/A	N/A	N/A
623-53-0	N/A	N/A	N/A
21324-40-3	N/A	N/A	N/A





#### Appropriate engineering controls:

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Remove all soiled and contaminated clothing immediately.

Wash hands before breaks and at the end of work.

#### Personal Protective Equipment

**Respiratory protection:** Wear suitable protective mask in order to reduce the respiratory system. A large number of leakage, wear chemical protective clothing, including self-contained breathing apparatus.

**Hand Protection:** Wear appropriate protective gloves to reduce skin contact.

**Eyes Protection:** Wear safety goggles or eye protection combined with respiratory protection.

**Skin and Body Protection:** Working environment required, wear suitable protective clothing to minimize contact with skin. The type of protective equipment must be according to the concentration and the content of certain hazardous substances in the workplace.

## Section 9 - Physical and Chemical Properties

#### Information on basic physical and chemical properties

Colour:	Blue.
Physical State:	Cylindrical.
Odour:	Not available.
Odour threshold:	Not available.
pH:	Not available.
Melting point/freezing point:	Not available.
Initial boiling point and boiling range:	Not available.
Flash Point:	Not available.
Evaporation rate:	Not available.
Flammability (solid, gas):	Not available.
Explosion Limits (vol% in air):	Not available.
Vapour pressure, kPa at 20°C:	Not available.
Vapor density:	Not available.
Density/Relative density (water = 1):	Not available.
Solubility(ies):	Not available.

www.ponytest.com ☎Hotline 400-819-5688

北京实验室: (010) 82618116

青岛实验室: (0532) 88706866

天津实验室: (022) 27360730

新疆实验室: (0991) 6684186

长春实验室: (0431) 85150908

哈尔滨实验室: (0451) 88104651

大连实验室: (0411) 84650820

郑州实验室: (0371) 69350670

上海实验室: (021) 64851999

宁波实验室: (0574) 87736499

杭州实验室: (0571) 87219096

苏州实验室: (0512) 62997900

深圳实验室: (0755) 26050909

广州实验室: (020) 89224310

武汉实验室: (027) 83997127

厦门实验室: (0592) 5568048





Pony Testing International Group

Report No. : MDINK98U679347A16

Date: 01.12.2017 Page 9 of 13

Partition coefficient: n-octanol/water:	Not available.
Auto-ignition temperature:	Not available.
Decomposition temperature:	Not available.
Viscosity:	Not available.
Other information:	
Voltage	3.7V
Electric capacity	2000mAh
Electric Energy	7.4Wh

### Section 10 - Stability and Reactivity

**Reactivity:** No data available.

**Chemical stability:** Stable.

**Possibility of hazardous reactions:** No data available.

**Conditions to Avoid:** Flames, sparks, and other sources of ignition, incompatible materials.

**Incompatibilities materials:** Oxidizing agents, acid, base.

**Hazardous decomposition products:** Carbon monoxide, carbon dioxide, lithium oxide fumes.

### Section 11 - Toxicological Information

**Acute Toxicity:**

CAS No.	LC50/LD50
12190-79-3	No data available.
7782-42-5	No data available.
7440-50-8	No data available.
7429-90-5	No data available.
96-49-1	LD50 Rat (oral): 10g/kg
616-38-6	LD50 Rat (oral): 6400-12800mg/kg; LC50 Rat (Inhalation: Vapours) ≥140 mg/L
623-53-0	No data available.
21324-40-3	No data available.

**Skin corrosion/irritation:** No data available.

www.ponytest.com ☎Hotline 400-819-5688

北京实验室: (010) 82618116  
 青岛实验室: (0532) 88706866  
 天津实验室: (022) 27360730  
 新疆实验室: (0991) 6684186

长春实验室: (0431) 85150908  
 哈尔滨实验室: (0451) 88104651  
 大连实验室: (0411) 84650820  
 郑州实验室: (0371) 69350670

上海实验室: (021) 64851999  
 宁波实验室: (0574) 87736499  
 杭州实验室: (0571) 87219096  
 苏州实验室: (0512) 62997900

深圳实验室: (0755) 26050909  
 广州实验室: (020) 89224310  
 武汉实验室: (027) 83997127  
 厦门实验室: (0592) 5568048





**Serious eye damage/irritation:** No data available.

**Respiratory or Skin sensitization:** No data available.

**Germ Cell mutagenicity:** No data available.

**Carcinogenicity:** No data available.

**Reproductive toxicity:** No data available.

**Specific target organ toxicity-Single exposure:** No data available.

**Specific target organ toxicity-Repeated exposure:** No data available.

**Aspiration hazard:** No data available.

**Information on the likely routes of exposure:** No data available.

**Eye:** No data available.

**Skin:** No data available.

**Ingestion:** No data available.

**Inhalation:** No data available.

## Section 12 - Ecological Information

**Ecological Toxicity:** No data available.

**Persistence and degradability:** No data available.

**Bioaccumulative Potential:** No data available.

**Mobility in Soil:** No data available.

**Other adverse effects:** No data available.

## Section 13 - Disposal Considerations

**Disposal methods:**

**Recommendation:**

Consult state, local or national regulations to ensure proper disposal.

**Uncleaned packaging**

**Recommendation:** Disposal must be made according to official regulations.

## Section 14 - Transport Information

**UN Number**

**IATA** UN3481

**IMDG** UN3481

**Model Regulation** UN3481





Pony Testing International Group

Report No. : MDINK98U679347A16

Date: 01.12.2017 Page 11 of 13

<b>UN Proper shipping name</b>	
IATA	Lithium ion batteries contained in equipment
IMDG	LITHIUM ION BATTERIES CONTAINED IN EQUIPMENT
Model Regulation	LITHIUM ION BATTERIES CONTAINED IN EQUIPMENT
<b>Transport hazard class(es)</b>	
IATA	9
IMDG	9
Model Regulation	9
<b>Packing group</b>	
IATA	N/A
IMDG	N/A
Model Regulation	N/A
<b>Packaging Sign</b>	
IATA	N/A
IMDG	N/A
Model Regulation	N/A
<b>Environmental hazards</b>	
Marine pollutant:	No
Special precautions for user	Not applicable.

**Transport information:** The Lithium ion Battery 18650 has passed the test UN38.3, according to the report ID: MDINK98U67931721, MDINK98U679317A21.

According to the Packing Instruction 967 section II of IATA DGR 58<sup>th</sup> Edition for transportation.

According to the special provision 188 of IMDG (37-14) or the <<Recommendations On The Transport Of Dangerous Goods-Model Regulations>> (19<sup>th</sup>). The products are not subject to dangerous goods.

**Note:** Batteries weight in the package <5kg (By air, Batteries installed in equipment).

**Transport Fashion:** By air, by sea, by railway, by road.

## Section 15 - Regulatory Information

**Safety, health and environmental regulations/legislation specific for the substance or mixture**

[www.ponytest.com](http://www.ponytest.com)

☎Hotline 400-819-5688

 北京实验室: (010) 82618116  
 青岛实验室: (0532) 88706866  
 天津实验室: (022) 27360730  
 新疆实验室: (0991) 6684186

 长春实验室: (0431) 85150908  
 哈尔滨实验室: (0451) 88104651  
 大连实验室: (0411) 84650820  
 郑州实验室: (0371) 69350670

 上海实验室: (021) 64851999  
 宁波实验室: (0574) 87736499  
 杭州实验室: (0571) 87219096  
 苏州实验室: (0512) 62997900

 深圳实验室: (0755) 26050909  
 广州实验室: (020) 89224310  
 武汉实验室: (027) 83997127  
 厦门实验室: (0592) 5568048





CAS No.	TSCA	IECSC	DSL/NDSL	EINECS/ ELINCS/ NLP
12190-79-3	Listed	Listed	Listed DSL	Listed
7782-42-5	Listed	Listed	Listed DSL	Listed
7440-50-8	Listed	Listed	Listed DSL	Listed
7429-90-5	Listed	Listed	Listed DSL	Listed
96-49-1	Listed	Listed	Listed DSL	Listed
616-38-6	Listed	Listed	Listed DSL	Listed
623-53-0	Listed	Listed	Listed DSL	Listed
21324-40-3	Listed	Listed	Listed DSL	Listed

### Section 16 - Other Information

Issue Time: 2017-01-12

Issue Department: Technical department

Modification record:

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

Other Information:

CAS: (Chemical Abstracts Service);

EC: (European Commission);

ACGIH: (American Conference of Governmental Industrial Hygienists);

NIOSH: (US National Institute for Occupational Safety and Health);

OSHA: (US Occupational Safety and Health);

TLV: (Threshold Limit Value)

TWA: (Time Weighted Average);

STEL: (Short Term Exposure Limit);

PEL: (Permissible Exposure Level);

REL: (Recommended Exposure Limit);

PC-STEL: (Permissible concentration-time weighted average);





PC-TWA: (Permissible concentration-short time exposure limit);  
 LC50: (Lethal concentration, 50 percent kill);  
 LD50: (Lethal dose, 50 percent kill);  
 IARC: (International Agency for Research on Cancer);  
 EC50: (Median effective concentration);  
 BCF: (Bioconcentration Factor);  
 BOD: (Biochemical oxygen demand);  
 NOEC: (No observed effect concentration);  
 NTP: (US National Toxicology Program);  
 RTECS: (Registry of Toxic Effects of Chemical Substances);  
 IATA: (International Air Transport Association);  
 IMDG: (International Maritime Dangerous Goods);  
 TDG: (Recommendations on the TRANSPORT OF DANGEROUS GOODS Model Regulations);  
 TOC: (Total Organic Carbon);  
 TSCA: (Toxic Substances Control Act of USA);  
 DSL: (the Domestic Substances List of Canada);  
 NDSL: (the Non-domestic Substances List of Canada)

\*\*\*End of report\*\*\*