

Version 1.0	Revision Date 05/11/2015	Print Date 02/15/2017

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Material name	:	A07768 TM LEMON LIME 30 DAY 12N6.6	
Material number	:	0000000001042798	
Manufacturer or supplier's details			
Company	:	Zep Inc.	
Address	:	1310 Seaboard Industrial Blvd., NW Atlanta, GA 30318	
Telephone	:	404-352-1680	

Emergency telephone nu	mbe	rs
For SDS Information	:	Compliance Services 1-877-428-9937
For a Medical Emergency	:	877-541-2016 Toll Free - All Calls Recorded
For a Transportation	:	CHEMTREC: 800-424-9300 - All Calls Recorded.
Emergency		In the District of Columbia 202-483-7616

SECTION 2. HAZARDS IDENTIFICATION

Emergency Overview

Appearance	Aerosol containing a liquefied gas
Colour	colourless
Odour	characteristic

GHS Classification

Flammable aerosols Gases under pressure Eye irritation Skin sensitisation Specific target organ toxicity - single exposure	 Category 1 Liquefied gas Category 2A Category 1 Category 3 (Central nervous system)
GHS Label element	
Hazard pictograms	
Signal word	: Danger
Hazard statements	 H222 Extremely flammable aerosol. H280 Contains gas under pressure; may explode if heated. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness.
Precautionary statements	: Prevention: P210 Keep away from heat, hot surfaces, sparks, open flames



sion 1.0	Revision Date 05/11/2015	Print Date 02/15/2017
	and other ignition sources. No sm P211 Do not spray on an open fla P251 Pressurized container: Do r use. P261 Avoid breathing dust/ fume/ P264 Wash skin thoroughly after P271 Use only outdoors or in a w P272 Contaminated work clothing the workplace. P280 Wear eye protection/ face p P280 Wear protective gloves.	ame or other ignition source. not pierce or burn, even after gas/mist/vapours/spray. handling. vell-ventilated area. g should not be allowed out of
	 Response: P302 + P352 IF ON SKIN: Wash P304 + P340 + P312 IF INHALED and keep at rest in a position com POISON CENTER or doctor/ phy P305 + P351 + P338 IF IN EYES for several minutes. Remove cont easy to do. Continue rinsing. P333 + P313 If skin irritation or ra advice/ attention. P337 + P313 If eye irritation persi attention. P363 Wash contaminated clothing Storage: P403 + P233 Store in a well-venti tightly closed. P405 Store locked up. P410 + P412 Protect from sunlightemperatures exceeding 50 °C/ 1 Disposal: P501 Dispose of contents/contair regulation. 	2: Remove victim to fresh air infortable for breathing. Call a sician if you feel unwell. 3: Rinse cautiously with water tact lenses, if present and ash occurs: Get medical ists: Get medical advice/ g before reuse. lated place. Keep container ht. Do not expose to 22 °F.
Potential Health Effects		
Carcinogenicity:		
IARC	No component of this product presen equal to 0.1% is identified as probabl human carcinogen by IARC.	
ACGIH	No component of this product presen equal to 0.1% is identified as a carcir carcinogen by ACGIH.	
OSHA	No component of this product presen equal to 0.1% is identified as a carcir carcinogen by OSHA.	•
NTP	No component of this product presen equal to 0.1% is identified as a know	-

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture



Version 1.0

Revision Date 05/11/2015

Print Date 02/15/2017

Hazardous components

Chemical Name	CAS-No.	Concentration [%]
acetone	67-64-1	>= 70 - < 90
propane	74-98-6	>= 20 - < 30
(R)-p-mentha-1,8-diene	5989-27-5	>= 0.1 - < 1
Hydrocarbons, terpene processing by-products	68956-56-9	>= 0.1 - < 1
coumarin	91-64-5	>= 0.1 - < 1
cinnamaldehyde	104-55-2	>= 0.1 - < 1
(E)-anethole	4180-23-8	>= 0.1 - < 1
citral	5392-40-5	>= 0.1 - < 1
pin-2(3)-ene	80-56-8	>= 0.1 - < 1
(-)-pin-2(10)-ene	18172-67-3	>= 0.1 - < 1

SECTION 4. FIRST AID MEASURES

General advice	: Move out of dangerous area. Show this safety data sheet to the doctor in attendance. Do not leave the victim unattended.
If inhaled	: Consult a physician after significant exposure. If unconscious place in recovery position and seek medical advice.
In case of skin contact	 If skin irritation persists, call a physician. Wash off immediately with plenty of water for at least 15 minutes. If on clothes, remove clothes.
In case of eye contact	 Rinse immediately with plenty of water for at least 15 minutes. If eye irritation persists, consult a specialist. Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing.
If swallowed	 Keep respiratory tract clear. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Take victim immediately to hospital.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	Vater spray jet Carbon dioxide (CO2) Alcohol-resistant foam Dry chemical	
Unsuitable extinguishing media	ligh volume water jet	
Specific hazards during firefighting	Do not allow run-off from fire fighting to enter courses.	drains or water



Version 1.0	Revision Date 05/11/2015	Print Date 02/15/2017
Hazardous combustion products Specific extinguishing methods	 Carbon dioxide (CO2) Carbon monoxide Smoke Use extinguishing measures that circumstances and the surroundir 	
Further information	: Collect contaminated fire extingui must not be discharged into drain Fire residues and contaminated f be disposed of in accordance wit For safety reasons in case of fire, separately in closed containment Use a water spray to cool fully clo	shing water separately. This is. ire extinguishing water must h local regulations. , cans should be stored s.
Special protective equipment for firefighters	: Wear self-contained breathing ap necessary.	paratus for firefighting if

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	: Use personal protective equipment. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.
Environmental precautions	: Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.
Methods and materials for containment and cleaning up	: Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Sweep up or vacuum up spillage and collect in suitable container for disposal.

SECTION 7. HANDLING AND STORAGE

Advice on safe handling	 Avoid exposure - obtain special instructions before use. Avoid contact with skin and eyes. For personal protection see section 8. Do not breathe vapours or spray mist. Take precautionary measures against static discharges. Provide sufficient air exchange and/or exhaust in work rooms. Dispose of rinse water in accordance with local and national regulations. Always replace cap after use.
Conditions for safe storage	: BEWARE: Aerosol is pressurized. Keep away from direct sun exposure and temperatures over 50 °C. Do not open by force or throw into fire even after use. Do not spray on flames or red-hot objects. No smoking.



Version 1.0	Revision Date 05/11/2015	Print Date 02/15/2017
	Observe label precautions. Keep in a dry, cool and well-ventila Electrical installations / working ma the technological safety standards.	aterials must comply with
Materials to avoid	: Store and keep away from bases a Do not store near acids.	and alkalies.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
acetone	67-64-1	TWA	500 ppm	ACGIH
		STEL	750 ppm	ACGIH
		TWA	250 ppm 590 mg/m3	NIOSH REL
		TWA	1,000 ppm 2,400 mg/m3	OSHA Z-1
		TWA	750 ppm 1,800 mg/m3	OSHA P0
		STEL	1,000 ppm 2,400 mg/m3	OSHA P0
propane	74-98-6	TWA	1,000 ppm	ACGIH
		TWA	1,000 ppm 1,800 mg/m3	NIOSH REL
		TWA	1,000 ppm 1,800 mg/m3	OSHA Z-1
		TWA	1,000 ppm 1,800 mg/m3	OSHA P0

Components with workplace control parameters

Biological occupational exposure limits

Component	CAS-No.	Control parameters	Biological specimen	Sampling time	Permissible concentration	Basis
2-PROPANONE	67-64-1	Acetone	Urine	End of shift (As soon as possible after exposure ceases)	50 mg/l	ACGIH BEI

Personal protective equipment

Respiratory protection	: Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstra that exposures are within recommended exposure guideli	ates
Hand protection Remarks	: The suitability for a specific workplace should be discusse with the producers of the protective gloves.	èd



Revision Date 05/11/2015	Print Date 02/15/2017
: Safety glasses Ensure that eyewash stations and safety showers are close	
: impervious clothing Choose body protection according	
 Concentration of the dangerous su When using do not eat or drink. When using do not smoke. Wash hands before breaks and at 	
	 Safety glasses Ensure that eyewash stations and the workstation location. impervious clothing Choose body protection according concentration of the dangerous su When using do not eat or drink. When using do not smoke.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: Aerosol containing a liquefied gas	3
Colour	: colourless	
Odour	: characteristic	
Odour Threshold	: no data available	
рН	: no data available	
Melting point/freezing point	: not applicable	
Boiling point	: not applicable	
Flash point	:	
	not applicable	
Evaporation rate	: no data available	
Flammability (solid, gas)	: Extremely flammable aerosol.	
Line of some line line it		
Upper explosion limit	: not applicable	
Lower explosion limit	: not applicable	
Vapour pressure	: 4,827 hPa	
Relative vapour density	: no data available	
Density	: 0.7 g/cm3	
Solubility(ies)		
Water solubility	: slightly soluble	
Partition coefficient: n- octanol/water	: no data available	
Auto-ignition temperature	: not determined	
Thermal decomposition	: no data available	
Viscosity		
Viscosity, kinematic	: no data available	
Heat of combustion	: 36.53 kJ/g	
	-	



Version 1.0

Revision Date 05/11/2015

Print Date 02/15/2017

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Stable
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: No decomposition if stored and applied as directed.
	Vapours may form explosive mixture with air.
Conditions to avoid	: Heat, flames and sparks. Extremes of temperature and direct sunlight.
Incompatible materials	: Acids Oxidizing agents Bases
Hazardous decomposition products	: Carbon dioxide (CO2) Carbon monoxide

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Acute oral toxicity	: Acute toxicity estimate : > 5,000 mg/kg Method: Calculation method
Components:	
acetone: Acute oral toxicity	: LD50 rat: 5,800 mg/kg
Acute inhalation toxicity	: LC50 rat: 132 mg/l Exposure time: 3 h
	LC50 rat: 50.1 mg/l
Acute dermal toxicity	: LD50 guinea pig: > 7,426 mg/kg
	LD50 rabbit: > 7,426 mg/kg
propane: Acute inhalation toxicity	: LC50 mouse: 1,237 mg/l Exposure time: 2 h
	LC50 rat: 658 mg/l Exposure time: 4 h



Version 1.0	Revision Date 05/11/2015	Print Date 02/15/2017
	REVISION Date 03/11/2013	FIIII Dale 02/15/2017
	LC50 rat: 1,355 mg/l	
(R)-p-mentha-1,8-diene:		
Acute oral toxicity	: LD50 Oral rat: 4,400 mg/kg	
Acute dermal toxicity	: LD50 Dermal rabbit: > 5,000 mg/kg	
coumarin:		
Acute oral toxicity	: LD50 Oral rat: 293 mg/kg	
cinnamaldehyde:		
Acute oral toxicity	: LD50 Oral rat: 2,220 mg/kg	
pin-2(3)-ene:		
Acute oral toxicity	: LD50 rat: 3,700 mg/kg	
Skin corrosion/irritation		
Product:		
Remarks: May irritate skin.		
Serious eye damage/eye irrita	tion	
Product:		
Remarks: Irritating to eyes.		
Respiratory or skin sensitisation	on	
Product:		
Remarks: Causes sensitisa	tion.	
.		
Germ cell mutagenicity		
no data available Carcinogenicity		
no data available		
Reproductive toxicity		
no data available		
acetone:		
propane: (R)-p-mentha-1,8-diene:		
Hydrocarbons, terpene pr coumarin:	ocessing by-products:	
cinnamaldehyde:		
(E)-anethole: citral:		
pin-2(3)-ene:		
(-)-pin-2(10)-ene:		



Version 1.0

Revision Date 05/11/2015

Print Date 02/15/2017

STOT - single exposure

no data available

STOT - repeated exposure

no data available

Aspiration toxicity

no data available

Further information

Product:

Remarks: Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting., Concentrations substantially above the TLV value may cause narcotic effects., Solvents may degrease the skin.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

no data available

Persistence and degradability

no data available **Bioaccumulative potential**

Product:

<u>Product.</u>	
Partition coefficient: n- octanol/water <u>Components:</u> cinnamaldehyde :	: Remarks: no data available
Partition coefficient: n- octanol/water citral :	: Pow: 1.83
Partition coefficient: n- octanol/water pin-2(3)-ene :	: Pow: 2.76
Partition coefficient: n- octanol/water	: log Pow: 4.834
Mobility in soil	
no data available	
Other adverse effects	
no data available <u>Product:</u>	
Regulation	40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances
Remarks	This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S.



Version 1.0	Revision Date 05/11/2015	Print Date 02/15/2017
	Clean Air Act Section 602 (40 C + B).	FR 82, Subpt. A, App.A
Additional ecological information	: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal., Harmful aquatic life with long lasting effects.	

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods	
Waste from residues	 Dispose of in accordance with local regulations. Do not contaminate ponds, waterways or ditches with chemical or used container. The product should not be allowed to enter drains, water courses or the soil.
Contaminated packaging	 Empty remaining contents. Dispose of as unused product. Do not re-use empty containers. Do not burn, or use a cutting torch on, the empty drum.

SECTION 14. TRANSPORT INFORMATION

Transportation Regulation: 49 CFR (USA): ORM-D, CONSUMER COMMODITY

Transportation Regulation: IMDG (Vessel): UN1950, AEROSOLS, 2.1, - Limited quantity

Transportation Regulation: IATA (Cargo Air): UN1950, Aerosols, flammable, 2.1, - Limited quantity

Transportation Regulation: IATA (Passenger Air): UN1950, Aerosols, flammable, 2.1, - Limited quantity

Transportation Regulation: TDG (Canada): UN1950, AEROSOLS, 2.1, - Limited quantity

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity



rsion 1.0		Revision Date 05/1	1/2015	Print Date 02/15/201
Components		CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
acetone		67-64-1	5000	*
*: Calculated RQ exc	eeds reasonat	bly attainable upper	limit.	
SARA 304 Extreme	ly Hazardous	Substances Repo	rtable Quantity	
This material does n	ot contain any	components with a	section 304 EHS	RQ.
SARA 311/312 Haza	Ac	udden Release of P cute Health Hazard re Hazard	ressure Hazard	
SARA 302	: SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.			
SARA 313	cc th	ARA 313: This mate omponents with kno reshold (De Minimis tle III, Section 313.	wn CAS numbers	
California Prop 65	Ca	nis product does no alifornia to cause ca productive harm.		nicals known to State of , or any other
The components of	this product	are reported in the	e following inven	tories:
TSCA DSL AICS NZIOC PICCS IECSC	On TSCA Inventory This product contains one or several components that are not on the Canadian DSL nor NDSL. Not in compliance with the inventory Not in compliance with the inventory Not in compliance with the inventory Not in compliance with the inventory			
Inventory Acronym	and Validity	Area Legend:		
AICS (Australia), DS (Japan), KECI (Korea				ion), ENCS (Japan), ISF A (USA)




Version 1.0

Revision Date 05/11/2015

Print Date 02/15/2017

Further information



HMIS III:

HEALTH	3
FLAMMABILITY	4
PHYSICAL HAZARD	2

0 = not significant, 1 =Slight,

OSHA GHS Label Information:

Hazard pictograms	
Signal w ord	: Danger:
Hazard statements	 Extremely flammable aerosol. Contains gas under pressure; may explode if heated. May cause an allergic skin reaction. Causes serious eye irritation. May cause drow siness or dizziness.
Precautionary statements	
	 Prevention: Keep aw ay from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use. Avoid breathing dust/fume/gas/mist/vapours/spray. Wash skin thoroughly after handling. Use only outdoors or in a w ell-ventilated area. Contaminated w ork clothing should not be allow ed out of the w orkplace. Wear eye protection/face protection. Wear protective gloves. Response: IF ON SKIN: Wash with plenty of soap and w ater. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unw ell. IF IN EYES: Rinse cautiously with w ater for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If skin irritation or rash occurs: Get medical advice/ attention. If eye irritation persists: Get medical advice/ attention. Wash contaminated clothing before reuse. Storage: Store in a w ell-ventilated place. Keep container tightly closed. Store locked up. Protect fromsunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F. Disposal: Dispose of contents/container in accordance with local regulation.

Version:	10
Revision Date:	05/11/2015
Print Date:	02/15/2017

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organization supporting this manufacturer, supplier or distributor.

^{2 =} Moderate, 3 = High 4 = Extreme, * = Chronic



Version 1.0

Revision Date 05/11/2015

Print Date 02/15/2017

Zep Inc. markets products under well recognized and established brand names such as Zep®, Zep Commercial®,Zep Professional®, Enforcer®, National Chemical™, Selig™, Misty®, Next Dimension™, Petro®, i-Chem®, TimeMist®, TimeWick™, MicrobeMax®, Country Vet®, Konk®, Original Bike Spirits®, Blue Coral®, Black Magic®, Rain-X®, Niagara National™, FC Forward Chemicals®,Rexodan®, Mykal™, and a number of private labeled brands.