MATERIAL SAFETY DATA SHEET

Thermal Facsimile Paper

PM Company

1500 Kemper Meadow Drive Cincinnati, OH 45240-1638

Company contact: Darlene Walsh Telephone number: 513-742-7708

SECTION #1 — Hazardous Ingredients	Identity Inforn	mation			
Hazardous Components (Specific Chemical Identity; Common Names)	OSHA PEL	ACGIH TLV	Other Limits Recommended	%	
None. Under normal conditions of use. PM Co's Thermal Paper does not release or otherwise result in exposure to a hazardous chemical subject to disclosure requirements of the Hazard Communication Standard.					

SECTION #2 — Physical/Chemical Characteristics

Boiling Point/Freezing Point	N/A	Specific Gravity (H ₂ O=1)	1.02
Vapor Pressure (mm Hg)	N/A	Melting Point	N/A
Vapor Density (AIR=1)	<1	Evaporation Rate	N/D
		(Butyl Acetate=1)	
Solubility in Water:	·	· · ·	<u>.</u>
Insoluble			
Appearance and Odor:			
Paper in roll or sheet form; fair	nt odor		

SECTION #3 — Fire and Explosion Hazard Data

Flash Point (Method Used)	Flammable Li	mits	LEL	UEL
>200° F	N/D		N/A	N/A
Extinguishing Media:	Water, CO ₂ , Foam, Dry chemicals			
Special Fire Fighting Procedures:	None believed required			
Usual Fire and Explosion Hazards:				
None known to PM Company.				

N/A = Not Applicable/Not Available

N/D = Not Determined

SECTION #4 — Reactivity Data

Stability	Unstable			Conditions to Avoid
				None
	Stable			
		X		
Incompatibility (Materials to Avoid)		Str	Strong oxidizers	
Hazardous Decomposition or Byproducts		None known to PM Company.		
Hazardous	May Occur			Conditions to Avoid
Polymerization	on			
	Will Not Occur			None known to PM Company.
		X		

SECTION #5 - Health Hazard Data

Route(s) of Entry:	Inhalation?	Skin?	Ingestion?
CONTACT		X	Unlikely
Lie alth Lie and Annie and Ohnenia)			

Health Hazards (Acute and Chronic)

None known to PM Company. Affects, if any, will be similar to those of handling large amounts of any type of paper, i.e., drying or chapping of skin, mild skin irritation, etc. Chronic overexposure to product may cause irritation of skin and eyes (paper dust).

Carcinogenicity: NTP? IARC Monographs? OSHA Regulated?

None known to PM Company.

Signs and Symptoms of Exposure

See health hazards, above.

Medical Conditions Generally Aggravated by Exposure

None known to PM Company.

Emergency and First Aid Procedures

None required. If skin drying, chapping or irritation occurs and is believed due to paper handling, wash hands thoroughly with mild soap and water and apply a mild skin lotion or cream.

SECTION #6 - Precautions for Safe Handling and Use

Steps to be Taken in Case Material is Released or Spilled

N/A

Waste Disposal Method

PM Company Thermal Paper is not a hazardous waste as defined in 40 CFR 261. PM Company Thermal Paper may be recycled, incinerated or disposed of in an approved landfill in accordance with state and local regulations.

Precautions to Be Taken in Handling and Storing

Do not store/handle products in presence of heat, sparks or open flame.

Other Precautions

Do not take internally.

SECTION #7 - Control Measures

Respiratory Protection (Specify Type)				
Not necessary under normal use condition.				
Ventilation	Local Exhaust	Sp	pecial	
	Not required.			
N/A	Mechanical (General)	Other		
	Is satisfactory			
Protective Gloves			Eye Protection	
Not required in normal use.			Not Required	
Other Protective Clothing or Equipment				
Clothing protection – paper cuts				

work/Hygienic Practices Follow normal hygiene practice. Wash hands after handling papers and before eating or drinking food and beverages. Keep work area clean.

DISCLAIMER OF EXPRESSED AND IMPLIED WARRANTIES

Although reasonable care has been taken in the preparation of this document, we extend no warranties and make no representations as to the accuracy or completeness of the information contained therein, and assume no responsibility regarding the suitability of this information of the user's intended purposes or for the consequences of its use. Each individual should make a determination as to the suitability of the information for their particular purpose(s).

PM COMPANY