

# SAFETY DATA SHEET

Confirms to OSHA Hazard Communication Standard (CFR 29 1910.1200) HazCom 2012

**GOO  
GONE.**

**Product:** Tough Task Wipes- 2000

**Revision Date:** 16-Nov-2015

## SECTION 1 – IDENTIFICATION

### Product Identifier

**Product Name:** Tough Task Wipes

**Product Code:** 2000

### Recommended Use of the Chemical and Restrictions for Use

**Recommended Use:** Cleaner

**Restrictions for Use:** Use only as directed.

### Details of the Supplier

**Manufacturer:** Goo Gone  
755 Tri-State Parkway  
Gurnee, IL 60031  
855-364-8135

### Emergency Phone Number

**24-Hour Number:** 1-800-535-5053

**International:** 1-352-323-3500

## SECTION 2 – HAZARDS IDENTIFICATION

### Classification

Hazard Class	Category
Skin corrosion/irritation	2
Eye damage/irritation	1
Skin sensitization	1
Aspiration hazard	1

### Label Elements

#### Hazard Symbols(s):



**Signal Word(s):** Danger

**Hazard Statement(s):** Causes skin irritation. Causes serious eye damage. May cause allergic skin reaction. May be fatal if swallowed and allowed to enter airways.

**Precautionary Statement(s):** Wash hands thoroughly after handling. Wear protective gloves. Wear eye protection/face protection. Avoid breathing fume/mist/vapor/spray. Contaminated work clothing must not be allowed out of the workplace. If on skin: Wash with plenty of water. If skin irritation or rash occurs: Get medical advice/attention. Take off contaminated clothing and wash before reuse. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. If swallowed: Immediately call a poison center/doctor. Do NOT induce vomiting. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations.

### Other Hazards

None known

## SECTION 3 – COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name	CAS Number	Wt %
Terpene hydrocarbons	5989-27-5	<10
Naphtha (petroleum), hydrotreated heavy	64742-48-9	<5
Distillates (petroleum), hydrotreated light	64742-47-8	30-60
Alcohols, C12-13, ethoxylated	66455-14-9	<1
Alcohols, C12-15, ethoxylated	68131-39-5	<10

# SAFETY DATA SHEET

Confirms to OSHA Hazard Communication Standard (CFR 29 1910.1200) HazCom 2012

**GOO  
GONE.**

**Product:** Tough Task Wipes- 2000

**Revision Date:** 16-Nov-2015

The exact percentage (concentration) of composition has been withheld as a trade secret in accordance with paragraph (i) of §1910.1200.

## SECTION 4 – FIRST AID MEASURES

### First Aid Measures

**Inhalation:** If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical advice/attention if you feel unwell.

**Eye Contact:** Rinse immediately with water for at least 15 minutes. Remove contact lenses, if worn. Seek medical attention immediately.

**Ingestion:** If swallowed, do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Seek medical attention immediately.

**Skin:** In case of contact, immediately flush skin with plenty of water. Remove contaminated clothing and shoes. Wash with soap and water. If irritation persists, seek medical attention.

### Most Important Symptoms and Effects (Acute and Delayed)

**Inhalation:** May cause respiratory track irritation.

**Eye Contact:** Causes serious eye damage. Symptoms may include discomfort or pain, excess blinking and tear production, with possible redness and swelling.

**Ingestion:** May be fatal if swallowed and enters airways. This product may be aspirated into the lungs and cause chemical pneumonitis. May cause stomach distress, nausea, or vomiting.

**Skin:** May cause skin irritation. Symptoms may include redness, drying, defatting and cracking of the skin. May cause sensitization by skin contact.

### Indication of any Immediate Medical Attention and Special Treatment Needed

**Note to Physician:** Treat symptomatically.

## SECTION 5 – FIRE FIGHTING MEASURES

### Extinguishing Media

**Suitable:** Treat for surrounding material.

**Unsuitable:** None known.

### Specific Hazards Arising from Chemical

Products of combustion include but are not limited to: oxides of carbon.

### Protective Equipment and Precautions for Firefighters

Keep upwind of fire. Wear full fire fighting turn-out gear (full Bunker gear) and respiratory protection (SCBA). As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## SECTION 6 – ACCIDENTAL RELEASE MEASURES

### Personal Precautions, Protective Equipment, and Emergency Procedures

**Personal Precautions:** Use personal protective equipment as required.

**Environmental Precautions:** See Section 12 for ecological information.

### Methods and Material for Containment and Cleaning Up

Contain and/or absorb spill with inert material (e.g. sand, vermiculite), then place in a suitable container. Do not flush to sewer or allow to enter waterways. Use appropriate Personal Protective Equipment (PPE). For cleaning up scoop up material and place in a disposal container.

## SECTION 7 – HANDLING AND STORAGE

### Precautions for Safe Handling

**Handling:** Avoid contact with skin and eyes. Avoid breathing fume/mist/vapor/spray. Handle in accordance with good industrial hygiene and safety practice. Wash hands after use. Do not eat, drink, or smoke when using this product.

# SAFETY DATA SHEET

Confirms to OSHA Hazard Communication Standard (CFR 29 1910.1200) HazCom 2012



**Product:** Tough Task Wipes- 2000

**Revision Date:** 16-Nov-2015

**General Hygiene Advice:** Launder contaminated clothing before use. Wash hands before eating, drinking, or smoking.

## Conditions for Safe Storage, Including any Incompatibilities

**Storage Conditions:** Keep container closed when not in use. Store in a dry, cool, and well-ventilated area. Keep out of reach of children.

**Incompatible Materials:** None known.

## SECTION 8 – EXPOSURE CONTROLS/PERSONAL PROTECTION

### Control Parameters

#### **Exposure Guidelines:**

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Terpene hydrocarbons (5989-27-5)	Not available	Not available	Not available
Naphtha (petroleum), hydrotreated heavy (64742-48-9)	Not available	100 ppm	Not available
Distillates (petroleum), hydrotreated light (64742-47-8)	200 mg/m <sup>3</sup>	100 ppm	Not available
Alcohols, C12-13, ethoxylated (66455-14-9)	Not available	Not available	Not available
Alcohols, C12-15, ethoxylated (68131-39-5)	Not available	Not available	Not available

### Appropriate Engineering Controls

Use ventilation adequate to keep exposures (airborne levels of dust, fume, vapor, etc.) below recommended exposure limits.

### Individual Protection Measures

**Respiratory Protection:** None required under normal use conditions. In case of insufficient ventilation, wear suitable respiratory equipment. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

**Skin and Body Protection:** Wear suitable protective clothing. Wear protective gloves.

**Eye/Face Protection:** Wear approved eye protection (properly fitted dust- or splash-proof goggles) and face protection (face shield).

**General Work/Hygienic Practices:** Do not eat, smoke or drink where material is handled, processed or stored. Wash hands carefully before eating or smoking. Handle in accordance with good industrial hygiene and safety practice.

## SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:** Wipe saturated with liquid

**Odor:** Citrus

**Odor threshold:** Not determined

**pH:** 4.9

**Melting point/freezing point:** Not determined

**Initial boiling point and boiling range:** Not determined

**Flash point:** >93.3°C (>200°F) TCC

**Evaporation rate:** Not determined

**Flammability (solid, gas):** Not flammable

**Upper/lower flammability or explosive limits:** Not determined

**Vapor pressure:** Not determined

**Vapor density:** Not determined

**Relative density:** 0.89

**Solubility(ies):** Not determined

**Partition coefficient (n-octanol/water):** Not determined

**Auto-ignition temperature:** Not determined

**Decomposition temperature:** Not determined

# SAFETY DATA SHEET

Confirms to OSHA Hazard Communication Standard (CFR 29 1910.1200) HazCom 2012



**Product:** Tough Task Wipes- 2000

**Revision Date:** 16-Nov-2015

**Viscosity:** Not determined

## SECTION 10 – STABILITY AND REACTIVITY

**Reactivity:** Not reactive under normal conditions.

**Chemical stability:** Stable under recommended storage conditions.

**Possibility of hazardous reactions:** None under normal use.

**Conditions to avoid:** Heat. Incompatible materials.

**Incompatible materials:** None known.

**Hazardous decomposition products:** May include and are not limited to: oxides of carbon.

## SECTION 11 - TOXICOLOGICAL INFORMATION

### Information on Toxicological Effects

**Likely Routes of Exposure:** Inhalation, skin contact, eye contact, ingestion

### Information Related to Physical, Chemical, and Toxicological Effects

See section 4 of this SDS.

### Delayed and Immediate Effects as well as Chronic Effects from Short and Long-term Exposure

**Carcinogenicity:** NTP: No IARC: No OSHA: No

### Numerical Measures of Toxicity

Product	
ATE (oral)	7727 mg/kg, rat (calculated)
ATE (dermal)	Not available
ATE (inhalation)	Not available

### **Component Information:**

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Terpene hydrocarbons (5989-27-5)	4400 mg/kg (rat)	>5000 mg/kg (rabbit)	Not available
Naphtha (petroleum), hydrotreated heavy (64742-48-9)	>5000 mg/kg (rat)	>5000 mg/kg (rabbit)	> 5000 mg/m <sup>3</sup> vapor (rat)
Distillates (petroleum), hydrotreated light (64742-47-8)	>5000 mg/kg (rat)	>5000 mg/kg (rabbit)	> 5000 mg/m <sup>3</sup> /8 hr vapor (rat)
Alcohols, C12-13, ethoxylated (66455-14-9)	1400-7600 mg/kg (rat)	3300 mg/kg (rabbit)	Not available
Alcohols, C12-15, ethoxylated (68131-39-5)	>2000 mg/kg (rat)	>2000 mg/kg (rabbit)	Not available

## SECTION 12 - ECOLOGICAL INFORMATION

**Ecotoxicity:** Not established

**Persistence and degradability:** Not established

**Bioaccumulative potential:** Not established

**Mobility in soil:** No additional information available

**Other adverse effects:** No additional information available.

## SECTION 13 – DISPOSAL CONSIDERATIONS

See section 8 of this SDS for exposure controls and personal protection.

Dispose of the product and container in accordance with all applicable local, state, and federal regulations.

## SECTION 14 – TRANSPORT INFORMATION

**Note:** Classification changes based on quantity, packaging, and method of shipment. See current shipping paper for most up to date shipping information.

**DOT (Ground):** Not regulated

# SAFETY DATA SHEET

Confirms to OSHA Hazard Communication Standard (CFR 29 1910.1200) HazCom 2012



**Product:** Tough Task Wipes- 2000

**Revision Date:** 16-Nov-2015

**IATA (Air):** Not regulated

**IMDG (Vessel):** Not regulated

## SECTION 15 – REGULATORY INFORMATION

All ingredients in this product are listed or are excluded from listing on the US Toxic Substances Act (TSCA) Chemical Substance Inventory.

This product is labeled in accordance with regulations administered by the Consumer Product Safety Commission (CPSC). The use pattern and exposure in the workplace are generally not consistent with those experienced by consumers. The requirements of the Occupational Safety and Health Administration (OSHA) applicable to this Safety Data Sheet differ from the requirements of the CPSC and as a result, this SDS may contain additional health hazard information not pertinent to consumer use and not found on the product label.

## SECTION 16 – OTHER INFORMATION

**Issue Date:** 16-Nov-2015

**Revision Date:** 16-Nov-2015

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information, and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal, and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designed and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**