

Safety Data Sheet

SDS #: B-20028 Drum Cartridge - Black

Issuing Date 2017-03-16 Revision Date 2017-03-20 Version 1

Active

1. PRODUCT AND COMPANY IDENTIFICATION

Trade Name Drum Cartridge for Xerox® VersaLink B600 Printer, Xerox® VersaLink B605

Multifunction, Xerox® VersaLink B610 Printer, Xerox®

VersaLink B615 Multifunction

Part no. 101R00582

Color Black
Pure substance/mixture Mixture

Identified uses Xerographic printing

Manufactured by Xerox Corporation

Rochester, NY 14644

Emergency telephone Safety Information US: (800) 275-9376

Chemical Emergency only (Chemtrec) (800) 424-9300

2. HAZARDS IDENTIFICATION

OSHA Hazard Classification

Emergency Overview

The product contains no substances which, in the form utilized and at their given concentrations, are considered to be hazardous to health.

ColorAppearancePhysical stateOdorBlackPowderSolidFaint

Classification of the substance or mixture

Customer use / Cartridges and sealed bottles

This product is an article which contains a mixture / preparation in powder form. Safety information is given for exposure to the article as sold and used by the customer. Intended use of the product is not expected to result in exposure to the mixture / preparation based on the production and method of dispassing.

on the packaging and method of dispensing.

While this material is not considered hazardous by the OSHA hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information for the safe handling and proper use of the product. This SDS should be retained and made available to

employees and other users of this product.

Label elements

Signal Word None

Hazard Statements None required



SDS #: B-20028 Page 2/7 **Drum Cartridge - Black**

None required **Precautionary Statements**

Potential Health Effects

Principle Routes of Exposure

Acute Toxicity

Inhalation

No known effect Eyes Skin No known effect No known effect Inhalation No known effect Ingestion

Chronic effects

Chronic toxicity No known effects under normal use conditions

Main symptoms Overexposure may cause:

mild respiratory irritation similar to nuisance dust.

Aggravated Medical Conditions

None under normal use conditions

Environmental hazard The environmental impact of this product has not been fully investigated. However, this

preparation is not expected to present significant adverse environmental effects.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No.	Weight %
Ferrite	66402-68-4	80-90
Resin	Proprietary	<10
Carbon Black	1333-86-4	<1
Titanium dioxide	13463-67-7	<1

4. FIRST AID MEASURES

General advice For external use only. When symptoms persist or in all cases of doubt seek medical advice.

Show this material safety data sheet to the doctor in attendance.

Eve contact Immediately flush with plenty of water. After initial flushing, remove any contact lenses and

continue flushing for at least 15 minutes

Skin contact Wash skin with soap and water

Inhalation Move to fresh air

Ingestion Rinse mouth with water and afterwards drink plenty of water or milk

Notes to physician Treat symptomatically

Protection of first-aiders No special protective equipment required

5. FIRE-FIGHTING MEASURES

Flammable properties Not flammable. Will not readily ignite

Flash point Not applicable

Suitable extinguishing media Use water spray or fog; do not use straight streams, Foam

Unsuitable extinguishing media Do not use a solid water stream as it may scatter and spread fire

Specific hazards arising from the chemical



SDS #: B-20028 Drum Cartridge - Black Page 3/7

_

Fine dust dispersed in air, in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard

Hazardous combustion products

Hazardous decomposition products due to incomplete

combustion, Carbon oxides, Nitrogen oxides (NOx)

Explosion Data

Sensitivity to Mechanical Impact Not impact sensitive

Sensitivity to Static Discharge Fine dust dispersed in air, in sufficient concentrations, and in the

presence of an ignition source is a potential dust explosion

hazard

Protective Equipment and Precautions for Firefighters

In the event of fire and/or explosion do not breathe fumes. Wear fire/flame resistant/retardant clothing. Use self-contained pressure-demand breathing apparatus if needed to prevent exposure to smoke or airborne toxins.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions Avoid breathing dust

Environmental Precautions No special environmental precautions required

Methods for containment Prevent dust cloud

Methods for cleaning up Prevent dust cloud, Sweep up or vacuum up spillage and collect in suitable container for

disposal, Use non-sparking tools and equipment

Other information The environmental impact of this product has not been fully investigated, However, this

preparation is not expected to present significant adverse environmental effects

7. HANDLING AND STORAGE

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice, Avoid dust

accumulation in enclosed space, Prevent dust cloud

Technical measures and storage

conditions

Keep container tightly closed in a dry and well-ventilated place, Store at room temperature

Hygiene measures None under normal use conditions

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure guidelines

Product Information

No information available

ACGIH TLV TWA

ACGIH TLV TWA

OSHA PEL TWA

OSHA PEL TWA

OSHA PEL TWA

OSHA PEL TWA

Serox Exposure Limit

Xerox Exposure Limit

Xerox Exposure Limit

Xerox Exposure Limit

Xerox Exposure Limit

ACGIM TLV TWA

3 mg/m³ (respirable dust)

5 mg/m³ (respirable dust)

2.5 mg/m³ (total dust)

0.4 mg/m³ (respirable dust)

Other information

The results obtained from a Xerox sponsored Chronic Toner Inhalation Study demonstrated no lung changes in rats for the lowest (1 mg/m³) exposure level (the level most relevant to potential human exposure). A very slight degree of fibrosis was noted in 25% of animals at the middle (4mg/m³) exposure level, while a slight degree of fibrosis was noted in all the animals at the highest (16 mg/m³) exposure level. These findings are attributed to "lung overloading", a generic response to excessive amounts of any dust retained in the lungs for a prolonged period. This study was conducted using a special test toner to comply with an EPA testing protocol.



SDS #: B-20028 Drum Cartridge - Black Page 4/7

Occupational exposure controls

Engineering measures None under normal use conditions

Personal Protective Equipment

Customer use / Cartridges and sealed bottles

Eye/Face protectionNo special protective equipment required

Skin and body protectionNo special protective equipment required

Hand protection No special protective equipment required

PHYSICAL AND CHEMICAL PROPERTIES

AppearancePowderOdorFaintOdor thresholdNot applicablePhysical stateSolidpHNot applicableColorBlack

Flash point Not applicable Boiling Not applicable

Softening point 49 - 60 °C / 120 - 140 °F Autoignition Not applicable

temperature

Flammability Limits in Air Not applicable

Explosive properties Fine dust dispersed in air, in sufficient concentrations, and in the presence of an ignition

source is a potential dust explosion hazard

Vapor pressure Not applicable Vapor density Not applicable Water solubility Negligible **Viscosity** Not applicable Partition coefficient Not applicable **Evaporation rate** Not applicable Melting point/range Not determined Freezing point Not applicable **Decomposition temperature** Not determined

Specific gravity ~ 1

10. STABILITY AND REACTIVITY

Reactivity No dangerous reaction known under conditions of normal use

Stability Stable under normal conditions

Incompatible products None

Conditions to Avoid Prevent dust cloud, Fine dust dispersed in air, in sufficient concentrations, and in the

presence of an ignition source is a potential dust explosion hazard

Hazardous Decomposition Products None under normal use

Hazardous polymerization Hazardous polymerization does not occur



SDS #: B-20028 Drum Cartridge - Black Page 5/7

Hazardous reactions None under normal processing

11. TOXICOLOGICAL INFORMATION

The toxicity data noted below is based on the test results of similar reprographic materials.

Acute Toxicity

Product Information

Irritation No skin irritation, No eye irritation

 Oral LD50
 > 5 g/kg (rat)

 Dermal LD50
 > 5 g/kg (rabbit)

 LC50 Inhalation
 > 5 mg/L (rat, 4 hr)

EyesNo known effectSkinNo known effectInhalationNo known effectIngestionNo known effect

Chronic toxicity Product Information

Chronic effects No known effects under normal use conditions

Main symptoms Overexposure may cause: mild respiratory irritation similar to nuisance dust.

Aggravated Medical ConditionsNone under normal use conditions
Carcinogenicity
See "Other Information" in this section.

Chemical Name	IARC	NTP
Carbon Black	2B	
Titanium dioxide	2B	

Other information

The IARC (International Agency for Research on Cancer) has listed carbon black as "possibly carcinogenic to humans". However, Xerox has concluded that the presence of carbon black in this mixture does not present a health hazard. The IARC classification is based on studies evaluating pure, "free" carbon black. In contrast, toner is a formulation composed of specially prepared polymer and a small amount of carbon black (or other pigment). In the process of making toner, the small amount of carbon black becomes encapsulated within a matrix. Xerox has performed extensive testing of toner, including a chronic bioassay (test for potential carcinogenicity). Exposure to toner did not produce evidence of cancer in exposed animals. The results were submitted to regulatory agencies and published extensively.

The IARC (International Agency for Research on Cancer) has listed titanium dioxide as "possibly carcinogenic to humans". However, Xerox has concluded that the presence of titanium dioxide in this mixture does not present a health hazard. The IARC classification is based on studies in rats using high concentrations of pure, unbound TiO2 particles of respirable size. The Titanium Dioxide Industry REACH Consortium has concluded that these effects were species-specific, attributable to lung overload and not specific to TiO2, i.e. similar effects would also be seen for other low solubility dusts. Toxicological and epidemiological studies do not suggest a carcinogenic effects in humans. In addition, the titanium dioxide in this mixture is encapsulated in a matrix or bound to the surface of the toner.

Other toxic effects

Product Information

Sensitization No sensitization responses were observed

Mutagenic effects Not mutagenic in AMES Test

Target organ effects None known

Other adverse effects None known Aspiration Hazard Not applicable

12. ECOLOGICAL INFORMATION

Ecotoxicity



SDS #: B-20028 Drum Cartridge - Black Page 6/7

_

The environmental impact of this product has not been fully investigated. However, this preparation is not expected to present significant adverse environmental effects.

13. DISPOSAL CONSIDERATIONS

Waste Disposal Methods This material, as supplied, is not a hazardous waste according to Federal regulations (40

CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local

regulations for additional requirements.

Contaminated packaging Dispose of in accordance with local regulations.

14. TRANSPORT INFORMATION

Note This material is not subject to regulation as a hazardous material for shipping

15. REGULATORY INFORMATION

OSHA Regulatory Status

This product is an article which contains a mixture / preparation in powder form. Safety information is given for exposure to the article as sold and used by the customer. Intended use of the product is not expected to result in exposure to the mixture / preparation based on the packaging and method of dispensing.

While this material is not considered hazardous by the OSHA hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information for the safe handling and proper use of the product. This SDS should be retained and made available to employees and other users of this product.

International Inventories

TSCA Complies DSL/NDSL Complies

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Clean Water Act

This product is not regulated as a pollutant pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

Clean Air Act, Section 112 Hazardous Air Pollutants (HAPs) (see 40 CFR 61)

This product is not regulated as a hazardous air pollutant (HAPS) under Section 112 of the Clean Air Act Amendments of 1990. CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

TSCA

TSCA 12(b) does not apply to this product.

US State Regulations

California Proposition 65

Carbon black is regulated under California Proposition 65 only if in the form of "airborne, unbound particles of respirable size". Toner products do not contain carbon black in the form of "airborne, unbound particles of respirable size". Therefore, the requirements of Proposition 65 do not apply to this product.



SDS #: B-20028 Drum Cartridge - Black Page 7/7

Titanium dioxide is regulated under California Proposition 65 only if a product results in exposure in the form of "airborne, unbound particles of respirable size". Toner products do not result in exposure to titanium dioxide in the form of "airborne, unbound particles of respirable size". Therefore, the requirements of Proposition 65 do not apply to this product.

Chemical Name	CAS No.	California Prop. 65
Carbon Black	1333-86-4	Carcinogen
Titanium dioxide	13463-67-7	Carcinogen

U.S. State Right-to-Know Regulations

Although this product contains substances included in some U.S. State Right-to-Know regulations, the particles are bound in a unique matrix and, therefore, the product does not pose any specific hazard.

Canada

This product has been classified in accordance with the hazard criteria of the Hazardous Products Regulations (HPR), and the SDS contains all the information required by the HPR.

16. OTHER INFORMATION

Issuing Date 2017-03-16

Revision Date 2017-03-20

Revision Note Initial Release

Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

end