

Version 1.0	Revision Date 02/19/2015	Print Date 06/01/2015			
SECTION 1. PRODUCT AND COMPANY IDENTIFICATION					

Material name	: A00169 ZEP PRO FM CTRS DGRS R06801 20N19
Material number	: 0000000001040817
Manufacturer or supplie	er's details
Company	: Zep Inc.
Address	: 1310 Seaboard Industrial Blvd., NW Atlanta, GA 30318
Telephone	: 404-352-1680

Emergency telephone numbers		
For SDS Information	: Compliance Services 1-877-428-9937	
For a Medical Emergency	: 877-541-2016 Toll Free - All Calls Recorded	
For a Transportation Emergency	: CHEMTREC: 800-424-9300 - All Calls Recorded. In the District of Columbia 202-483-7616	

SECTION 2. HAZARDS IDENTIFICATION

Emergency Overview

Appearance	Aerosol containing a liquefied gas
Colour	white
Odour	like fruit

GHS Classification

Gases under pressure Eye irritation		Liquefied gas Category 2A
GHS Label element		
Hazard pictograms	:	
Signal word	:	Warning
Hazard statements	:	H280 Contains gas under pressure; may explode if heated. H319 Causes serious eye irritation.
Precautionary statements	:	Prevention: P264 Wash skin thoroughly after handling. P280 Wear eye protection/ face protection. Response: P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337 + P313 If eye irritation persists: Get medical advice/ attention.



Version 1.0	Revision Date 02/19/2015	Print Date 06/01/2015
	Storage: P410 + P403 Protect from sunligh place.	t. Store in a well-ventilated
Potential Health Effects		
Carcinogenicity:		
IARC	No component of this product present equal to 0.1% is identified as probable human carcinogen by IARC.	
ACGIH	No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.	
OSHA	No component of this product present equal to 0.1% is identified as a carcin carcinogen by OSHA.	
NTP	No component of this product present equal to 0.1% is identified as a known by NTP.	5

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture	:	Mixture
---------------------	---	---------

Hazardous components

Chemical Name	CAS-No.	Concentration [%]
butane	106-97-8	>= 1 - < 5
Alcohols, C9-11, ethoxylated	68439-46-3	>= 1 - < 5
1-propoxypropan-2-ol	1569-01-3	>= 1 - < 5

SECTION 4. FIRST AID MEASURES

General advice	love out of dangerous area. how this safety data sheet to the docto o not leave the victim unattended.	or in attendance.
If inhaled	unconscious place in recovery positio dvice. symptoms persist, call a physician.	n and seek medical
In case of skin contact	skin irritation persists, call a physician /ash off immediately with plenty of wat inutes. on clothes, remove clothes.	
In case of eye contact	emove contact lenses. rotect unharmed eye. eep eye wide open while rinsing. eye irritation persists, consult a specia in eyes, rinse with water for 15 minute	
If swallowed	lean mouth with water and drink after	vards plenty of water.



Version 1.0		Revision Date 02/19/2015	Print Date 06/01/2015
		Keep respiratory tract clear. Never give anything by mouth to a If symptoms persist, call a physicia DO NOT induce vomiting unless d physician or poison control center.	an. irected to do so by a
SECTION 5. FIREFIGHTING MEA	SU	RES	
Suitable extinguishing media	:	Dry chemical Water Carbon dioxide (CO2) Foam	
Unsuitable extinguishing media	:	High volume water jet	
Specific hazards during firefighting	:	Do not allow run-off from fire fightin courses.	ng to enter drains or water
Hazardous combustion products	:	Carbon dioxide (CO2) Carbon monoxide Smoke	
Specific extinguishing methods	:	Use extinguishing measures that a circumstances and the surrounding	
Further information	:	Standard procedure for chemical fi Use extinguishing measures that a	

	circumstances and the surrounding environment.
Special protective equipment for firefighters	: Wear self-contained breathing apparatus for firefighting if necessary.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	:	Use personal protective equipment. Ensure adequate ventilation. Evacuate personnel to safe areas. Remove all sources of ignition. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.
Environmental precautions	:	Prevent further leakage or spillage if safe to do so.
Methods and materials for containment and cleaning up	:	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Sweep up or vacuum up spillage and collect in suitable container for disposal.

SECTION 7. HANDLING AND STORAGE

- Advice on safe handling
- : Avoid contact with skin and eyes.



Version 1.0	Revision Date 02/19/2015	Print Date 06/01/2015
	For personal protection see sectio Smoking, eating and drinking show application area. Always replace cap after use. Dispose of rinse water in accordar regulations. Do not breathe vapours or spray n	uld be prohibited in the nce with local and national
Conditions for safe storage	 BEWARE: Aerosol is pressurized. exposure and temperatures over 5 or throw into fire even after use. D red-hot objects. Observe label precautions. Keep in a dry, cool and well-ventilis Electrical installations / working m the technological safety standards No smoking. 	50 °C. Do not open by force o not spray on flames or ated place. aterials must comply with
Materials to avoid	: Strong oxidizing agents	

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
butane	106-97-8	TWA	800 ppm 1,900 mg/m3	NIOSH REL
		TWA	800 ppm 1,900 mg/m3	OSHA P0

Components with workplace control parameters

Personal protective equipme	ent
Respiratory protection	 In case of insufficient ventilation, wear suitable respiratory equipment. Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.
Hand protection Remarks	: The suitability for a specific workplace should be discussed with the producers of the protective gloves.
Eye protection	: Ensure that eyewash stations and safety showers are close to the workstation location. Tightly fitting safety goggles
Skin and body protection	: impervious clothing Choose body protection according to the amount and concentration of the dangerous substance at the work place.
Hygiene measures	: When using do not eat or drink. When using do not smoke.



Version 1.0

Revision Date 02/19/2015

Print Date 06/01/2015

Wash hands before breaks and at the end of workday.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	Aerosol containing a liquefied gas
Colour	:	white
Odour	:	like fruit
Odour Threshold	:	no data available
рН	:	no data available
Melting point/freezing point	:	no data available
Boiling point	:	no data available
Flash point	:	not applicable
Evaporation rate	:	> 1 n-Butyl Acetate = 1.0
Flammability (solid, gas)	:	The product is not flammable.
Upper explosion limit	:	no data available
Lower explosion limit	:	no data available
Vapour pressure	:	no data available
Relative vapour density	:	no data available
Density	:	1 g/cm3
Solubility(ies)		
Water solubility	:	soluble
Partition coefficient: n- octanol/water	:	no data available
Auto-ignition temperature	:	not determined
Thermal decomposition	:	no data available
Viscosity		
Viscosity, kinematic	:	no data available
Heat of combustion	:	3.90 kJ/g

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Stable
Chemical stability	: Stable under normal conditions.
Possibility of hazardous	: Vapours may form explosive mixture with air.



Version 1.0	Revision Date 02/19/2015	Print Date 06/01/2015
reactions	No decomposition if stored and ap	oplied as directed.
Conditions to avoid	: Heat, flames and sparks. Extremes of temperature and dire	ct sunlight.
Incompatible materials	: Strong oxidizing agents	
Hazardous decomposition products	: Carbon oxides	

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Product:

Acute oral toxicity	:	Acute toxicity estimate : > 5,000 mg/kg Method: Calculation method
---------------------	---	---

Components:

Alcohols, C9-11, ethoxylated	:	
Acute oral toxicity	:	LD50 Oral rat: 1,400 mg/kg

Skin corrosion/irritation

Product:

Remarks: May cause skin irritation and/or dermatitis.

Serious eye damage/eye irritation

Product:

Remarks: Severe eye irritation

Respiratory or skin sensitisation

no data available

Germ cell mutagenicity

no data available

Carcinogenicity

no data available

Reproductive toxicity

no data available

butane: Alcohols, C9-11, ethoxylated: 1-propoxypropan-2-ol:

STOT - single exposure

no data available

STOT - repeated exposure



		Lepinc
A00169 ZEP PRO FM (CTRS DGRS R06801 20N19	
Version 1.0	Revision Date 02/19/2015	Print Date 06/01/2015
no data available		
Aspiration toxicity		
no data available		
Further information		
Product:		
Remarks: no data availab	e	
SECTION 12. ECOLOGICAL INF	ORMATION	
Ecotoxicity		
no data available		
Persistence and degradability		
no data available Bioaccumulative potential		
Product:		
Partition coefficient: n- octanol/water <u>Components:</u> butane :	: Remarks: no data available	
Partition coefficient: n- octanol/water	: Pow: 2.89	
Mobility in soil		
no data available		
Other adverse effects		
no data available Product:		
Regulation	40 CFR Protection of Environm Stratospheric Ozone - CAA Sec Substances	-
Remarks	This product neither contains, r with a Class I or Class II ODS a Clean Air Act Section 602 (40 0 + B).	as defined by the U.S.

Additional ecological : no data available information

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods



Version 1.0	Revision Date 02/19/2015	Print Date 06/01/2015
Waste from residues	: Dispose of in accordance with loca	al regulations.
	Do not dispose of waste into sewe Do not contaminate ponds, waterv chemical or used container.	
Contaminated packaging	 Empty remaining contents. Dispose of as unused product. Do not re-use empty containers. Do not burn, or use a cutting torch 	on, the empty drum.

SECTION 14. TRANSPORT INFORMATION

Transportation Regulation: 49 CFR (USA): ORM-D, CONSUMER COMMODITY

Transportation Regulation: IMDG (Vessel): UN1950, AEROSOLS, NON-FLAMMABLE, 2.2, - Limited quantity

Transportation Regulation: IATA (Cargo Air): UN1950, AEROSOLS, NON-FLAMMABLE, 2.2, - Limited quantity

Transportation Regulation: IATA (Passenger Air): UN1950, AEROSOLS, NON-FLAMMABLE, 2.2, - Limited quantity

Transportation Regulation: TDG (Canada): UN1950, AEROSOLS, NON-FLAMMABLE, 2.2, - Limited quantity

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
2,2'-iminodiethanol	111-42-2	100	*

*: Calculated RQ exceeds reasonably attainable upper limit.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards	:	Sudden Release of Pressure Hazard Acute Health Hazard
SARA 302	:	SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.




Version 1.0	Revision Date 02/19/2015	Print Date 06/01/2015
SARA 313	: SARA 313: This material does not components with known CAS num threshold (De Minimis) reporting le Title III, Section 313.	bers that exceed the
California Prop 65 2,2'-	WARNING! This product contains State of California to cause cancel minodiethanol	
The components of	this product are reported in the following i	nventories:
TSCA	On TSCA Inventory	
DSL	This product contains one or several components that are not on the Canadian DSL nor NDSL.	
AICS	Not in compliance with the inventory	
NZIoC	Not in compliance with the inventory	
PICCS	Not in compliance with the inventory	
IECSC	Not in compliance with the inventory	

Inventory Acronym and Validity Area Legend:

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIOC (New Zealand), PICCS (Philippines), TSCA (USA)

SECTION 16. OTHER INFORMATION



OSHA GHS Label Information:

Hazard pictograms

Signal word Hazard statements Precautionary statements Warning: Contains gas under pressure; may explode if heated. Causes serious eye irritation.

Prevention: Wash skin thoroughly after handling. Wear eye protection/ face protection. **Response:** IF IN EYES: Rinse cautiously with water for several minutes. Remove



Version 1.0

Revision Date 02/19/2015

Print Date 06/01/2015

contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/ attention. Storage: Protect from sunlight. Store in a well-ventilated place.

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organization supporting this manufacturer, supplier or distributor.

Zep Inc. markets products under well recognized and established brand names such as Zep®, Zep Commercial®,Zep Professional®, Enforcer®, National Chemical[™], Selig[™], Misty®, Next Dimension[™], Petro®, i-Chem®, TimeMist®, TimeWick[™], MicrobeMax®, Country Vet®, Konk®, Original Bike Spirits®, Blue Coral®, Black Magic®, Rain-X®, Niagara National[™], FC Forward Chemicals®,Rexodan®, Mykal[™], and a number of private labeled brands.