

Version 1.2

Revision Date 01/12/2017

Print Date 02/15/2017

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Material name	:	BZ7597 ZC MILDEW STN RMV ZUMILDEW32 12QT
Material number	:	0000000001041725
Manufacturer or supplier's o	leta	ils
Company	:	Zep Inc.
Address	:	1310 Seaboard Industrial Blvd., NW Atlanta, GA 30318
Telephone	:	404-352-1680

Emergency telephone numbers

For SDS Information	:	Compliance Services 1-877-428-9937
For a Medical Emergency	:	877-541-2016 Toll Free - All Calls Recorded
For a Transportation	:	CHEMTREC: 800-424-9300 - All Calls Recorded.
Emergency		In the District of Columbia 202-483-7616

Recommended use of the chemical and restrictions on use

Recommended use	:	Bathroom	Care	Maintenance
-----------------	---	----------	------	-------------

SECTION 2. HAZARDS IDENTIFICATION

Emergency Overview

Appearance	liquid	
Colour	colourless	
Odour	slight chlorine	

GHS Classification

Skin corrosion Serious eye damage	: Category 1 : Category 1
GHS label elements	
Hazard pictograms	
Signal word	: Danger
Hazard statements	: H314 Causes severe skin burns and eye damage.
Precautionary statements	 Prevention: P264 Wash skin thoroughly after handling. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. Response: P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. P303 + P361 + P353 IF ON SKIN (or hair): Take off



R77507 7C MIL DEW STN DMV 7UMIL DEW22120T

Version 1.2	Revision Date 01/12/2017	Print Date 02/15/2017
	immediately all contaminated c water/shower. P304 + P340 + P310 IF INHALI and keep comfortable for breath POISON CENTER/doctor. P305 + P351 + P338 + P310 IF water for several minutes. Rem and easy to do. Continue rinsin CENTER/doctor. P363 Wash contaminated cloth Storage: P405 Store locked up. Disposal: Dispose of contents/container regulation.	ED: Remove person to fresh ai hing. Immediately call a F IN EYES: Rinse cautiously wir ove contact lenses, if present ig. Immediately call a POISON hing before reuse.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous components

Chemical name	CAS-No.	Concentration [%]
sodium hypochlorite	7681-52-9	>= 1 - < 5
The exact percentages of disclosed substances are withheld as trade secrets.		

SECTION 4. FIRST AID MEASURES

General advice	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance. Do not leave the victim unattended.
If inhaled	 If unconscious place in recovery position and seek medical advice. If symptoms persist, call a physician.
In case of skin contact	 Immediate medical treatment is necessary as untreated wounds from corrosion of the skin heal slowly and with difficulty. Wash off immediately with plenty of water for at least 15 minutes. Remove contaminated clothing and shoes. Wash contaminated clothing before reuse. If skin irritation persists, call a physician.
In case of eye contact	 Small amounts splashed into eyes can cause irreversible tissue damage and blindness. Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Continue rinsing eyes during transport to hospital. Remove contact lenses. Protect unharmed eye. If eye irritation persists, consult a specialist.



Version 1.2	Revision Date 01/12/2017	Print Date 02/15/2017
If swallowed	 Clean mouth with water and drink Keep respiratory tract clear. DO NOT induce vomiting unless physician or poison control cente Never give anything by mouth to If symptoms persist, call a physic Take victim immediately to hospit 	directed to do so by a r. an unconscious person. ian.
Most important symptoms and effects, both acute and delayed	: Symptoms may include blistering Causes severe skin burns and ey Review section 2 of SDS to see a	ve damage.
Notes to physician	: Treat symptomatically. Symptom	ns may be delayed.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	Vater spray jet Ncohol-resistant foam Carbon dioxide (CO2) Dry chemical	
Unsuitable extinguishing media	ligh volume water jet	
Specific hazards during firefighting	Do not allow run-off from fire fighting to enter ourses.	drains or water
Hazardous combustion products	lo hazardous combustion products are know	vn
Specific extinguishing methods	Jse extinguishing measures that are appropri ircumstances and the surrounding environm	
Further information	Collect contaminated fire extinguishing water nust not be discharged into drains. Fire residues and contaminated fire extinguis re disposed of in accordance with local regu	shing water must
Special protective equipment for firefighters	Vear self-contained breathing apparatus for ecessary.	firefighting if

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	: Use personal protective equipment.	
Environmental precautions	: Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.	
Methods and materials for containment and cleaning up	: Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.	



Version 1.2

Revision Date 01/12/2017

SECTION 7. HANDLING AND STORAGE

Advice on safe handling	 Do not breathe vapours/dust. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. To avoid spills during handling keep bottle on a metal tray. Dispose of rinse water in accordance with local and national regulations.
Conditions for safe storage	 Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Observe label precautions. Electrical installations / working materials must comply with the technological safety standards.
Materials to avoid	: Do not store near acids. Oxidizing agents

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

	•			
Components	CAS-No.	Value type (Form of	Control parameters /	Basis
		exposure)	Permissible	
		. ,	concentration	
sodium hypochlorite	7681-52-9	STEL	2 mg/m3	US WEEL
Engineering measures	: effective ver	ntilation in all pro	ocessing areas	
Personal protective equipme	ent			
Respiratory protection	: In case of ir equipment.	nsufficient ventila	tion, wear suitable re	spiratory
Hand protection Remarks		ity for a specific ducers of the pro	workplace should be ptective gloves.	discussed
Eye protection	problems.	shield and proted g safety goggles	ctive suit for abnormal	processing
Skin and body protection		ly protection acc	cording to the amount ous substance at the	
Hygiene measures	: When using	do not eat or dr	ink.	



Version 1.2

Revision Date 01/12/2017

Print Date 02/15/2017

When using do not smoke. Wash hands before breaks and at the end of workday.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: liquid
Colour	: colourless
Odour	: slight chlorine
Odour Threshold	: No data available
рН	: 12.5 - 13.0
Melting point/freezing point	: No data available
Boiling point	: >100 °C
Flash point	:
	does not flash
Evaporation rate	: 1
Upper explosion limit	: No data available
Lower explosion limit	: No data available
Vapour pressure	: No data available
Relative vapour density	: No data available
Density	: 1.04 g/cm3
Solubility(ies)	
Water solubility	: soluble
Partition coefficient: n- octanol/water	: No data available
Auto-ignition temperature	: not determined
Thermal decomposition	: No data available
Viscosity	
Viscosity, kinematic	: No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Stable
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: No decomposition if stored and applied as directed.
Conditions to avoid	: No data available
Incompatible materials	: Acids Aluminium



Version 1.2	Revision Date 01/12/2017	Print Date 02/15/2017
	Metals Oxidizing agents Reducing agents Ammonia	

Chlorine

Hazardous decomposition : Carbon oxides

SECTION 11. TOXICOLOGICAL INFORMATION

Potential Health Effects

products

Aggravated Medical Condition Symptoms of Overexposure	None known.Symptoms may include blistering, irritation, burns, and pain.
Carcinogenicity:	
IARC	No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
OSHA	No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.
NTP	No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
Acute toxicity	
Draduct	

Product:

Skin corrosion/irritation

Product:

Remarks: Extremely corrosive and destructive to tissue.

Serious eye damage/eye irritation

Product:

Remarks: May cause irreversible eye damage.

Respiratory or skin sensitisation

No data available

Germ cell mutagenicity

No data available

Carcinogenicity



Version 1.2

Revision Date 01/12/2017

Print Date 02/15/2017

No data available

Reproductive toxicity

No data available

sodium hypochlorite:

STOT - single exposure

No data available

STOT - repeated exposure

No data available

Aspiration toxicity

No data available

Further information

Product:

Remarks: No data available

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

No data available

Persistence and degradability

No data available Bioaccumulative potential

Product:

Partition coefficient: n- octanol/water	: Remarks: No data available
Mobility in soil	
No data available	
Other adverse effects	
No data available Product:	
Regulation	40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances
Remarks	This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).
Additional ecological information	: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal., Toxic to



Version 1.2

Revision Date 01/12/2017

Print Date 02/15/2017

aquatic life with long lasting effects.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods	
Waste from residues	 The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of in accordance with local regulations.
Contaminated packaging	: Empty remaining contents. Dispose of as unused product. Do not re-use empty containers.

SECTION 14. TRANSPORT INFORMATION

Transportation Regulation: 49 CFR (USA): ORM-D, CONSUMER COMMODITY

Transportation Regulation: IMDG (Vessel): UN1791, HYPOCHLORITE SOLUTION, 8, III - Limited quantity

Transportation Regulation: IATA (Cargo Air): UN1791, Hypochlorite solution, 8, III - Limited quantity

Transportation Regulation: IATA (Passenger Air): UN1791, Hypochlorite solution, 8, III - Limited quantity

Transportation Regulation: TDG (Canada): UN1791, HYPOCHLORITE SOLUTION, 8, III - Limited quantity

The product as delivered to the customer conforms to packaging requirements for shipment by road under US Department of Transportation (DOT) regulations. Additional transportation classifications noted above are for reference only, and not a certification or warranty of the suitability of the packaging for shipment under these alternative transport regulations.

SECTION 15. REGULATORY INFORMATION

TSCA list

: No substances are subject to a Significant New Use Rule. No substances are subject to TSCA 12(b) export notification requirements.

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity



Version 1.2

Revision Date 01/12/2017

Print Date 02/15/2017

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
sodium hydroxide	1310-73-2	1000	*

*: Calculated RQ exceeds reasonably attainable upper limit.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards	Acute Health Hazard
SARA 302	No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.
SARA 313	This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.
California Prop 65	This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.
The components of this pro	uct are reported in the following inventories:

The components of this product are reported in the following inventories:

TSCA	On TSCA Inventory
DSL	All components of this product are on the Canadian DSL


For information on the country notification status for other regions please contact the manufacturer's regulatory group.

Inventory Acronym and Validity Area Legend:

TSCA (USA), DSL (Canada), NDSL (Canada)

SECTION 16. OTHER INFORMATION

Further information



HMIS III:

HEALTH	3
FLAMMABILITY	0
PHYSICAL HAZARD	0

0 = not significant, 1 =Slight, 2 = Moderate, 3 = High

4 = Extreme, * = Chronic

OSHA - GHS Label Information:



Version 1.2

Revision Date 01/12/2017

Print Date 02/15/2017

Hazard pictograms

Signal word

Hazard statements Precautionary statements Danger:

Causes severe skin burns and eye damage.

Prevention: Wash skin thoroughly after handling. Wear protective gloves/protective clothing/ eye protection/ face protection.
 Response: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin w ith w ater/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/doctor. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor. Wash contaminated clothing before reuse.

Storage: Store locked up. Disposal: Dispose of contents/container in accordance with local regulation.

Version:	1.2
Revision Date:	01/12/2017
Print Date:	02/15/2017

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organization supporting this manufacturer, supplier or distributor.

Zep Inc. markets products under well recognized and established brand names such as Zep®, Zep Commercial®,Zep Professional®, Enforcer®, National Chemical[™], Selig[™], Misty®, Next Dimension[™], Petro®, i-Chem®, TimeMist®, TimeWick[™], MicrobeMax®, Country Vet®, Konk®, Original Bike Spirits®, Blue Coral®, Black Magic®, Rain-X®, Niagara National[™], FC Forward Chemicals®,Rexodan®, Mykal[™], and a number of private labeled brands.