for Chemical Products (According to GB/T 16483-2008)

Version:3.0 Preparation date:2018.1.4 Revision date: N/A

Nickel Metal Hydride Battery

Section 1 - Chemical Product and Company Identification

Chemical product identification

| Product Name: | Nickel Metal Hydride Battery |
|----------------------|---|
| Recommended Uses: | Used as DC Power of Personal care, Vacuum cleaner, Lighting, Electrical tool, Digital products and so on. |
| Restrictions on use: | N/A |

Company identification

| company racinimation | |
|----------------------|---|
| Company: | Shenzhen Highpower Technology Co., Ltd. |
| Address: | 68 Xinxia Road, Pinghu Town, Shenzhen, Guangdong, China |
| Post code: | 518111 |
| E-mail: | Marketing@highpowertech.com |
| Telephone : | 86-755-89686068 |
| Fax: | 86-755-89686796 |

Emergency telephone: 86-755-89687254

Section 2 - Hazards Identification

Emergency overview: N/A Classification according to GHS

Not a dangerous substance according to GHS.

Label elements

| Hazard pictogram(s): | Not available |
|----------------------|---------------|
| Signal word: | Not available |
| Hazard statement(s): | Not available |

Precautionary statement(s)

| Prevention: | Not available |
|-------------|---------------|
| Response: | Not available |
| Disposal: | Not available |

Environmental hazards: No relevant information.

Important symptoms: See Section 11 for more information.

Emergency overview: In case of accident or if you feel unwell, seek medical advice immediately.

See Section 4 for more information.



for Chemical Products (According to GB/T 16483-2008)

Version:3.0 Preparation date:2018.1.4 Revision date: N/A

Section 3 – Composition, Information on Ingredients

Chemical characterization: Mixture

Emergency overview: N/A

| Chemical name | CAS No. | Formula | Composition(in % by weight) |
|--------------------------|------------|---------------------|-----------------------------|
| Nickel-dihydroxide | 12054-48-7 | Ni(OH) ₂ | 15 - 22 |
| Iron | 7439-89-6 | Fe | 16 - 20 |
| Nickel | 7440-02-0 | Ni | 30 - 40 |
| Manganese | 7439-96-5 | Mn | 0.3 - 1.5 |
| Lanthanum | 7439-91-0 | La | 1.7 - 4.5 |
| Cobalt | 7440-48-4 | Со | 1.5 - 2.5 |
| Potassium-hydroxide | 1310-58-3 | кон | 1 - 2 |
| Polyethylene | 9002-88-4 | PE | 0 - 0.6 |
| Cerium | 7440-45-1 | Ce | 0.29 - 0.9 |
| Neodymium | 7440-00-8 | Nd | 0 - 1 |
| Aluminium (metal) | 7429-90-5 | Al | 0 - 1 |
| Sodium-hydroxide | 1310-73-2 | NaOH | 1 - 2 |
| Lithium-hydroxide | 1310-65-2 | LiOH | 0.1 - 0.5 |
| Poly tetrafluoroethylene | 9002-84-0 | PTFE | 0 - 0.1 |
| Cellulose, carboxymethyl | | | |
| ether,sodium salt | 9004-32-4 | CMC | 0 - 0.1 |
| Polypropylene | 9003-07-0 | PP | 1 - 3 |
| Styrene polymer with | | | |
| 1,3-butadiene | 9003-55-8 | SBR | 0.1 - 0.5 |
| Cobalt hydroxide | 21041-93-0 | Co(OH) ₂ | 0.5 - 2 |
| Zinc-hydroxide | 20427-58-1 | Zn(OH) ₂ | 0 - 0.1 |
| Water | 7732-18-5 | H ₂ O | 0.15 - 0.23 |

Section 4 - First Aid Measures

Description of first aid measures

General information: No special measures required.

If eye contact

Flush eyes with plenty of water for several minutes while holding eyelids open. Get medical attention if irritation persists.

If inhalation

Remove victim to fresh area. Administer artificial respiration if breathing is difficult. Seek medical attention.

If skin contact

Remove contaminated clothing and shoes. Wash with water and soap and rinse thoroughly. Wash

for Chemical Products (According to GB/T 16483-2008)

Version:3.0 Preparation date:2018.1.4 Revision date: N/A

clothing and shoes before reuse. If irritation occurs, get medical attention.

If swallowing

Do not induce vomiting. Get medical attention.

Notes to the doctor:

No further relevant information available.

Personal protective equipment for first-aid responders:

No further relevant information available.

Indication of immediate medical attention and special treatment needed.

No further relevant information available.

Section 5 – Fire Fighting Measures

Flammability:

Not available.

Extinguishing agent:

Suitable extinguishing agent:

Use extinguishing agent suitable for local conditions and the surrounding environment. Such as dry powder, CO₂.

Unsuitable extinguishing agent:

No further relevant information available.

Special fire-fighting methods:

No further relevant information available.

Specific Hazards arising from the chemical:

Special hazards arising from the substance or mixture.

Battery may burst and release hazardous decomposition products when exposed to a fire situation. When damaged or abused(e.g. mechanical damage or electrical overcharging); may burn rapidly with flare-burning effect; may ignite other batteries in clothes proximity.

Fire-fighting measures and protection for fire-fighters:

Protective equipment: wear self-contained respirator. Wear fully protective impervious suit.

Section 6 – Accidental Release Measures

Personal precautions:

Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation.

Protective equipment:

No further relevant information available.

Emergency procedures:

Remove ignition sources, evacuate area. Sweep up using a method that does not generate dust. Collect as much of the spilled material as possible, placed the spilled material into a suitable

for Chemical Products (According to GB/T 16483-2008)

Version:3.0 Preparation date:2018.1.4 Revision date: N/A

disposal container. Keep spilled material out of sewers. Ditches and bodies of water.

Environmental precautions:

Do not allow material to be released to the environment without proper governmental permits.

Methods and materials for containment and cleaning up:

All waste must refer to the United Nations, the national and local regulations for disposal.

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

Section 7 - Handling and Storage

Precautions for safe handling:

Wash hands with soap and water before eating, drinking.

Ground containers when transferring liquid to prevent static accumulation and discharge.

Information about fire and explosion protection

Batteries may explode or cause burns, if disassembled, crushed or exposed to fire or high temperatures. Do not short or install with incorrect polarity.

Conditions for safe storage, including any incompatibilities:

Requirements to be met by storerooms and receptacles.

Store in a cool, dry, well-ventilated place. Keep away from heat, Sparks, Open flames, hot surfaces, avoiding the sunlight.

Further information about storage conditions

No further relevant information available.

Specific and use

No further relevant information available.

Section 8 - Exposure Controls, Personal Protection

Control parameters

| CAS No. | No. ACGIH NIOSH | | OSHA |
|------------|--------------------------------|--|-------------------------------|
| 12054-48-7 | TLV-TWA 0.2mg/m ³ | N/A | PEL-TWA 1mg/m ³ |
| 7439-89-6 | N/A | N/A | PEL-TWA 5mg/m ³ |
| 7439-89-0 | IV/A | N/A | PEL-TWA 15mg/m ³ |
| 7440-02-0 | TLV-TWA 1.5mg/m ³ | REL-TWA 0.015mg/m ³ | PEL-TWA 1mg/m ³ |
| | TLV-TWA 0.1mg/m ³ ; | RELs-TWA 1mg/m ³ | PELs-TWA 5mg/m ³ |
| 7439-96-5 | TLV-TWA 0.1mg/m; | RELS-TWA TING/III RELS-STEL 3mg/m ³ | PELs-TWA 15mg/m ³ |
| | TLV-TWA 0.02mg/m | KELS-STEL SITIB/III | PELs-Peak 5mg/m ³ |
| 7439-91-0 | N/A | N/A | N/A |
| 7440-48-4 | TLV-TWA 0.02mg/m ³ | RELs-TWA 0.05mg/m ³ | PELs-TWA 0.1mg/m ³ |

for Chemical Products (According to GB/T 16483-2008)

Version:3.0 Preparation date:2018.1.4 Revision date: N/A

| 1310-58-3 | TLV-Peak 2mg/m ³ | REL-Peak 2mg/m ³ | N/A |
|------------|-------------------------------|-----------------------------|------------------------------|
| 9002-88-4 | 002-88-4 N/A N/A | | N/A |
| 7440-45-1 | N/A | N/A | N/A |
| 7440-00-8 | N/A | N/A | N/A |
| 7429-90-5 | TLV-TWA 1mg/m ³ | RELs-TWA 5mg/m ³ | PELs-TWA 5mg/m ³ |
| 7429-90-3 | ILV-IVVA IIIIg/III | KELS-TWA SITIR/TIT | PELs-TWA 15mg/m ³ |
| 1310-73-2 | TLV-Peak 2mg/m ³ | REL-Peak 2mg/m ³ | PEL-TWA 2mg/m ³ |
| 1310-65-2 | N/A | N/A | N/A |
| 9002-84-0 | N/A | N/A | N/A |
| 9004-32-4 | N/A | N/A | N/A |
| 9003-07-0 | N/A | N/A | N/A |
| 9003-55-8 | N/A | N/A | N/A |
| 21041-93-0 | TLV-TWA 0.02mg/m ³ | N/A | N/A |
| 20427-58-1 | N/A | N/A | N/A |
| 7732-18-5 | N/A | N/A | N/A |

Engineering control method:

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Remove all soiled and contaminated clothing immediately.

Wash hands before breaks and at the end of work.

Personal Protective Equipment

Respiratory protection: Wear suitable protective mask in order to reduce the respiratory system. A large number of leakage , wear chemical protective clothing, including self-contained breathing apparatus.

Eyes Protection: Wear safety goggles or eye protection combined with respiratory protection.

Skin and Body Protection: Wear working clothing and apron.

Hand Protection: Wear appropriate protective gloves to reduce skin contact.

Section 9 – Physical and Chemical Properties

Information on basic physical and chemical properties

General information

Form: Cylindrical Odour: Odorless PH: Not available

Change in condition

Melting point:Not availableBoiling point:Not availableFreezing point:Not available

for Chemical Products (According to GB/T 16483-2008)

Version:3.0 Preparation date:2018.1.4 Revision date: N/A

Flash point:

Flammability:

Not available

Ignition temperature:

Not available

Decomposition temperature:

Not available

Self-igniting:

Not available

Danger of explosion:

Not available

Explosion limits Not available Lower: **Upper:** Not available **Oxidizing properties:** Not available Vapour pressure: Not available Density: Not available Relative density: Not available Not available Vapour density: Not available **Evaporation rate:** Solubility in/Miscibility with water: Not available n-octanol/water partition coefficient: Not available Viscosity: Not available **Dynamic:** Not available **Kinematic:** Not available

Section 10 – Stability and Reactivity

Reactivity: Data not available. **Chemical stability:** Stable.

Possibility of hazardous reactions: Data not available.

Conditions to Avoid: Flames, sparks, and other sources of ignition, incompatible materials.

Incompatibilities materials: Oxidizing agents, acid, base.

Hazardous decomposition products: Carbon monoxide, carbon dioxide, lithium oxide fumes.

Section 11 – Toxicological Information

Acute toxicity:

| CAS No. | LC50/LD50 | | |
|------------|---|--|--|
| 12054 49 7 | Oral (rat) LD50: 1500mg/kg; Oral (Rat) LD50: 1515mg/kg; | | |
| 12054-48-7 | Inhalation (Rat) LC50: 1200mg/m³/4h | | |
| 7439-89-6 | Oral (rat) LD50: 98600mg/kg | | |
| 7440-02-0 | Intravenous (dog) LD50: 40mg/kg | | |
| 7439-96-5 | Oral (rat) LD50: 9000mg/kg | | |
| 7439-91-0 | Not available. | | |



for Chemical Products (According to GB/T 16483-2008)

Version:3.0 Preparation date:2018.1.4 Revision date: N/A

| 7440-48-4 Oral (rat) LD50: 6170mg/kg 1310-58-3 Oral (rat) LD50: 273mg/kg 9002-88-4 Inhalation (mouse) LC50: 12000mg/m³/30m 7440-45-1 Not available. 7440-00-8 Not available. 7429-90-5 Not available. 1310-73-2 Not available. 1310-65-2 Not available. 9002-84-0 Oral (mouse) LD50: 5000mg/kg 9004-32-4 Not available. 9003-07-0 Oral (mouse) LD50: 3200mg/kg | | • |
|--|------------|---|
| Inhalation (mouse) LC50: 12000mg/m³/30m Oral (rat) LD50: >3000mg/kg 7440-45-1 | 7440-48-4 | Oral (rat) LD50: 6170mg/kg |
| 9002-88-4 Oral (rat) LD50: >3000mg/kg 7440-45-1 Not available. 7440-00-8 Not available. 1310-73-2 Not available. 1310-65-2 Not available. 9002-84-0 Oral (mouse) LD50: 5000mg/kg 9004-32-4 Not available. | 1310-58-3 | Oral (rat) LD50: 273mg/kg |
| Oral (rat) LD50: >3000mg/kg 7440-45-1 | 0002.00.4 | Inhalation (mouse) LC50: 12000mg/m³/30m |
| 7440-00-8 Not available. 7429-90-5 Not available. 1310-73-2 Not available. 1310-65-2 Not available. 9002-84-0 Oral (mouse) LD50: 5000mg/kg 9004-32-4 Not available. | 9002-88-4 | Oral (rat) LD50: >3000mg/kg |
| 7429-90-5 Not available. 1310-73-2 Not available. 1310-65-2 Not available. 9002-84-0 Oral (mouse) LD50: 5000mg/kg 9004-32-4 Not available. | 7440-45-1 | Not available. |
| 1310-73-2 Not available. 1310-65-2 Not available. 9002-84-0 Oral (mouse) LD50: 5000mg/kg 9004-32-4 Not available. | 7440-00-8 | Not available. |
| 1310-65-2 Not available. 9002-84-0 Oral (mouse) LD50: 5000mg/kg 9004-32-4 Not available. | 7429-90-5 | Not available. |
| 9002-84-0 Oral (mouse) LD50: 5000mg/kg 9004-32-4 Not available. | 1310-73-2 | Not available. |
| 9004-32-4 Not available. | 1310-65-2 | Not available. |
| | 9002-84-0 | Oral (mouse) LD50: 5000mg/kg |
| 9003-07-0 Oral (mouse) LD50: 3200mg/kg | 9004-32-4 | Not available. |
| | 9003-07-0 | Oral (mouse) LD50: 3200mg/kg |
| 9003-55-8 Not available. | 9003-55-8 | Not available. |
| 21041-93-0 Not available. | 21041-93-0 | Not available. |
| 20427-58-1 Not available. | 20427-58-1 | Not available. |
| 7732-18-5 Not available. | 7732-18-5 | Not available. |

Skin irritation or corrosion: No further relevant information available. **Eye damage or irritation:** No further relevant information available.

Respiratory or skin sensitization: No further relevant information available. **Reproductive Cell Mutagenicity:** No further relevant information available.

Carcinogenicity: No further relevant information available. **Reproductive toxicity:** No further relevant information available.

Specific target organ toxicity-Single exposure: No further relevant information available. **Specific target organ toxicity-Repeated exposure:** No further relevant information available.

Aspiration hazard: No further relevant information available. **Potential Health Effects:** No further relevant information available.

Inhalation: No further relevant information available.

Skin contact: No further relevant information available.

Eye contact: No further relevant information available.

Ingestion: No further relevant information available.

Section 12 - Ecological Information

Ecological Toxicity: No further relevant information available.

Persistence and degradability: No further relevant information available. **Bio-accumulative Potential:** No further relevant information available.

Mobility in Soil: No further relevant information available.

Other adverse effects: No further relevant information available.

for Chemical Products (According to GB/T 16483-2008)

Version:3.0 Preparation date:2018.1.4 Revision date: N/A

Section 13 – Disposal Considerations

Disposal methods:

Recommendation:

Consult state, local or national regulations to ensure proper disposal.

Uncleaned packaging

Recommendation: Disposal must be made according to official regulations. Avoid polluting environment during the disposal process.

Section 14 – Transport Information

UN Number: IATA, IMDG: N/A UN Proper shipping name IATA, IMDG N/A Transport hazard class(es) IATA, IMDG N/A Packing group N/A IATA, IMDG Packaging Sign IATA, IMDG N/A **Environmental hazards** Marine pollutant: No Special precautions for user Not applicable

Transport information: Ni-MH Battery is exempt from dangerous goods. It is considered non-dangerous goods by the International Civil Aviation Organization (ICAO), the International Air Transport Association 2018 IATA DGR 59th Edition, IATA Special Provisions A199, International Martine Dangerous Goods Regulations (IMDG) (2014 Edition)

S.P.A199 The UN number UN 3496 is only applicable in sea transport. Nickel-metal hydride batteries or nickel-metal hydride battery-powered devices, equipment or vehicles having the potential of a dangerous evolution of heat are not subject to these Regulations provided they are prepared for transport so as to prevent:

- (a) a short-circuit (e.g. in the case of batteries, by the effective insulation of exposed terminal; or, in the case of equipment, by disconnection of the battery and protection of exposed terminals); and
- (b) unintentional activation.

The words "Not Restricted" and the Special Provision number must be included in the description of the substance on the Air Waybill as required by 8.2.6, when an Air Waybill is issued.

for Chemical Products (According to GB/T 16483-2008)

Version:3.0 Preparation date:2018.1.4 Revision date: N/A

Separate batteries when shipping to prevent short-circuiting. They should be packed in strong packaging for support during transport.

Note: Products weighing less than 100kg in the Container (By sea).

Transport Fashion: By air, by sea.

Section 15 - Regulatory Information

Safety, health and environmental regulations/ legislation specific for the substance or mixture

| CAS No. | TSCA | IECSC | DSL/NDSL | EINECS/ ELINCS/ NLP |
|------------|--------|--------|------------|---------------------|
| 12054-48-7 | Listed | Listed | Listed DSL | Listed |
| 7439-89-6 | Listed | Listed | Listed DSL | Listed |
| 7440-02-0 | Listed | Listed | Listed DSL | Listed |
| 7439-96-5 | Listed | Listed | Listed DSL | Listed |
| 7439-91-0 | Listed | Listed | Listed DSL | Listed |
| 7440-48-4 | Listed | Listed | Listed DSL | Listed |
| 1310-58-3 | Listed | Listed | Listed DSL | Listed |
| 9002-88-4 | Listed | Listed | Listed DSL | Listed |
| 7440-45-1 | Listed | Listed | Listed DSL | Listed |
| 7440-00-8 | Listed | Listed | Listed DSL | Listed |
| 7429-90-5 | Listed | Listed | Listed DSL | Listed |
| 1310-73-2 | Listed | Listed | Listed DSL | Listed |
| 1310-65-2 | Listed | Listed | Listed DSL | Listed |
| 9002-84-0 | Listed | Listed | Listed DSL | Listed |
| 9004-32-4 | Listed | Listed | Listed DSL | Listed |
| 9003-07-0 | Listed | Listed | Listed DSL | Listed |
| 9003-55-8 | Listed | Listed | Listed DSL | Listed |
| 21041-93-0 | Listed | Listed | Listed DSL | Listed |
| 20427-58-1 | Listed | Listed | Listed DSL | Listed |
| 7732-18-5 | Listed | Listed | Listed DSL | Listed |

Section 16 – Additional Information

Revision Information:

Date of this revision:2015.7.1, the first new SDS.

Training advice:

Provide adequate information, instruction and training for operators.

Data source:

Provided by company.



for Chemical Products (According to GB/T 16483-2008)

Version:3.0 Preparation date:2018.1.4 Revision date: N/A

| version.5.0 | Preparation date.2016.1.4 Revision date. N/A |
|-----------------------|---|
| Abbreviations and acr | onyms: |
| GHS: | Globally Harmonized System of Classification Labeling of Chemicals. |
| CAS: | Chemical Abstracts Service registration number. |
| EC: | European Commission |
| ACGIH: | American Conference of Governmental Industrial Hygienists |
| NIOSH: | US National Institute for Occupational Safety and Health |
| OSHA: | US Occupational Safety and Health |
| TLV: | Threshold Limit Value |
| TWA: | Time Weighted Average |
| STEL: | Short Term Exposure Limit |
| PEL: | Permissible Exposure Level |
| REL: | Recommended Exposure Limit |
| PC-STEL: | Permissible Concentration-Short Time Exposure Limit |
| PC-TWA: | Permissible Concentration- Time Weighted Average |
| LC50: | Lethal Concentration, 50 percent kill |
| LD50: | Lethal Dose, 50 percent kill |
| IARC: | International Agency for Research on Cancer |
| EC50: | Median Effective Concentration |
| BCF: | Bio-concentration Factor |
| BOD: | Bio-chemical Oxygen Demand |
| NOEC: | No Observed Effect Concentration |
| NTP: | US National Toxicology Program |
| RTECS: | Registry of Toxic Effects of Chemical Substances |
| ITAT | International Air Transport Association |
| IMDG: | International Maritime Dangerous Goods |
| TSCA: | Toxic Substances Control Act, |
| IECSC: | Inventory of existing chemical substances in China |
| DSL: | Domestic Substances List, The American chemical inventory. |
| NDSL: | The Non-domestic Substances List of Canada |
| EINECS: | European Inventory of Existing Commercial Chemical Substances. |
| | |

Disclaimer to reader:

The information in this SDS is provided all the relevant data fully and truly. However, the information is provided without any warranty on their absolute extensiveness and accuracy. This SDS was prepared to provided safety preventive measures for the users who have got professional training. The personal user who obtained this SDS should make independent judgment for the applicability of this SDS under special conditions. In these special cases, we do not assume responsibility for the damage.