

**Safety Data Sheet**

according to Hazard Communication Standard; 29 CFR 1910.1200



**SC JOHNSON PROFESSIONAL® WINDEX® FOAMING GLASS CLEANER**

Version 1.2

Print Date 03/24/2017

Revision Date 06/13/2016

SDS Number 350000021130

**1. PRODUCT AND COMPANY IDENTIFICATION**

**Product information**

**Product name** : **SC JOHNSON PROFESSIONAL® WINDEX® FOAMING GLASS CLEANER**

**Recommended use** : Hard Surface Cleaner

**Manufacturer, importer, supplier** : S.C. Johnson & Son, Inc.  
1525 Howe Street  
Racine WI 53403-2236

**Telephone** : +18005585252  
**Emergency telephone number** : 24 Hour Medical Emergency Phone: (866)231-5406  
24 Hour International Emergency Phone: (703)527-3887  
24 Hour Transport Emergency Phone: (800)424-9300

**2. HAZARDS IDENTIFICATION**

**Classification of the substance or mixture**

**Globally Harmonized System (GHS) Classification**

Hazard classification	Hazard category	Hazards identification
Aerosol	Category 2	Flammable aerosol.
Gases under pressure	Liquefied gas	Contains gas under pressure; may explode if heated.

**Labelling**

**Hazard symbols**

Flame  
Gas cylinder

**Signal word**

Warning

**Hazard statements**

Flammable aerosol.  
Contains gas under pressure; may explode if heated.

**Precautionary statements**

Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F.

**Safety Data Sheet**

according to Hazard Communication Standard; 29 CFR 1910.1200



**SC JOHNSON PROFESSIONAL® WINDEX® FOAMING GLASS CLEANER**

Version 1.2

Print Date 03/24/2017

Revision Date 06/13/2016

SDS Number 350000021130

Protect from sunlight. Store in a well-ventilated place.  
Keep away from heat/sparks/open flames/hot surfaces. No smoking.  
Do not spray on an open flame or other ignition source.  
Do not pierce or burn, even after use.  
**Other hazards** : None identified

---

**3. COMPOSITION/INFORMATION ON INGREDIENTS**

Chemical Name	CAS-No.	Weight percent
Isobutane	75-28-5	1.00 - 5.00
Propylene glycol monobutyl ether	5131-66-8	1.00 - 5.00

The specific chemical identity and/or exact percentage (concentration) of this composition has been withheld as a trade secret.

For additional information on product ingredients, see [www.whatsinsidescjohnson.com](http://www.whatsinsidescjohnson.com).

---

**4. FIRST AID MEASURES**

**Eye contact** : No special requirements  
**Skin contact** : No special requirements  
**Inhalation** : No special requirements.  
**Ingestion** : No special requirements

---

**5. FIREFIGHTING MEASURES**

**Suitable extinguishing media** : Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.  
**Specific hazards during firefighting** : Aerosol Product - Containers may rocket or explode in heat of fire.  
**Further information** : Fight fire from maximum distance or protected area. Cool and use caution when approaching or handling fire-exposed

**Safety Data Sheet**

according to Hazard Communication Standard; 29 CFR 1910.1200



**SC JOHNSON PROFESSIONAL® WINDEX® FOAMING GLASS CLEANER**

Version 1.2

Print Date 03/24/2017

Revision Date 06/13/2016

SDS Number 350000021130

containers. Fight fire with normal precautions from a reasonable distance. Standard procedure for chemical fires. Wear full protective clothing and positive pressure self-contained breathing apparatus. In case of fire and/or explosion do not breathe fumes.

---

**6. ACCIDENTAL RELEASE MEASURES**

- Personal precautions** : Remove all sources of ignition.  
Wash thoroughly after handling.
  
- Environmental precautions** : Outside of normal use, avoid release to the environment.
  
- Methods and materials for containment and cleaning up** : If damage occurs to aerosol can:  
Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local / national regulations (see section 13).  
Use only non-sparking equipment.  
Dike large spills.  
Clean residue from spill site.

---

**7. HANDLING AND STORAGE**

- Handling**
  
- Precautions for safe handling** : Avoid contact with skin, eyes and clothing.  
For personal protection see section 8.  
Use only as directed.  
**KEEP OUT OF REACH OF CHILDREN AND PETS.**  
Pressurized container.  
Do not pierce or burn, even after use.
  
- Advice on protection against fire and explosion** : Keep away from sources of ignition - No smoking.  
Do not spray on an open flame or other ignition source.
  
- Storage**
  
- Requirements for storage areas and containers** : Keep container closed when not in use.  
Protect from sunlight. Do not expose to temperatures

**Safety Data Sheet**

according to Hazard Communication Standard; 29 CFR 1910.1200



**SC JOHNSON PROFESSIONAL® WINDEX® FOAMING GLASS CLEANER**

Version 1.2

Print Date 03/24/2017

Revision Date 06/13/2016

SDS Number 350000021130

exceeding 50 °C/ 122 °F.  
Keep in a dry, cool and well-ventilated place.

**8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

**Occupational Exposure Limits**

Components	CAS-No.	mg/m3	ppm	Non-standard units	Basis
Isobutane	75-28-5	-	1,000 ppm	-	ACGIH STEL

**Personal protective equipment**

- Respiratory protection** : No special requirements.
- Hand protection** : No special requirements.
- Eye protection** : No special requirements.
- Skin and body protection** : No special requirements.
- Hygiene measures** : Handle in accordance with good industrial hygiene and safety practice. Wash thoroughly after handling.

**9. PHYSICAL AND CHEMICAL PROPERTIES**

- Form** : aerosol  
Compressed gas
- Color** : translucent
- Odor** : characteristic
- Odour Threshold** : No data available
- pH** : 11

**Safety Data Sheet**

according to Hazard Communication Standard; 29 CFR 1910.1200



**SC JOHNSON PROFESSIONAL® WINDEX® FOAMING GLASS CLEANER**

Version 1.2

Print Date 03/24/2017

Revision Date 06/13/2016

SDS Number 350000021130

at (25 C)  
(undiluted)

- Melting point/freezing point** : No data available
- Initial boiling point and boiling range** : No data available
- Flash point** : < -7 C  
< 19.4 °F  
Method: Tag Closed Cup (TCC)  
Propellant
- Evaporation rate** : No data available
- Flammability (solid, gas)** : Does not sustain combustion.
- Upper/lower flammability or explosive limits** : No data available
- Vapour pressure** : No data available
- Vapour density** : No data available
- Relative density** : 8.327 lb/gal at 20 C
- Solubility(ies)** : soluble
- Partition coefficient: n-octanol/water** : No data available
- Auto-ignition temperature** : not auto-flammable

**Safety Data Sheet**

according to Hazard Communication Standard; 29 CFR 1910.1200



**SC JOHNSON PROFESSIONAL® WINDEX® FOAMING GLASS CLEANER**

Version 1.2

Print Date 03/24/2017

Revision Date 06/13/2016

SDS Number 350000021130

- Decomposition temperature** : No data available
- Viscosity, dynamic** : No data available
- Viscosity, kinematic** : No data available
- Oxidizing properties** : not determined
- Volatile Organic Compounds** : 6.9 % - additional exemptions may apply  
**Total VOC (wt. %)\*** \*as defined by US Federal and State Consumer Product Regulations
- Other information** : None identified :

---

**10. STABILITY AND REACTIVITY**

- Possibility of hazardous reactions** : If accidental mixing occurs and toxic gas is formed, exit area immediately. Do not return until well ventilated.
- Conditions to avoid** : Heat, flames and sparks.
- Incompatible materials** : Do not mix with bleach or any other household cleaners. Strong bases
- Hazardous decomposition products** : Thermal decomposition can lead to release of irritating gases and vapours.

---

**11. TOXICOLOGICAL INFORMATION**

- Emergency Overview** : Warning
- Acute oral toxicity** :
- Acute inhalation toxicity** :

**Safety Data Sheet**

according to Hazard Communication Standard; 29 CFR 1910.1200



**SC JOHNSON PROFESSIONAL® WINDEX® FOAMING GLASS CLEANER**

Version 1.2

Print Date 03/24/2017

Revision Date 06/13/2016

SDS Number 350000021130

**Acute dermal toxicity** :

GHS Properties	Classification	Routes of entry
Acute toxicity	No classification proposed	-
Skin corrosion/irritation	No classification proposed	-
Serious eye damage/eye irritation	No classification proposed	-
Skin sensitisation	No classification proposed	-
Respiratory sensitisation	No classification proposed	-
Germ cell mutagenicity	No classification proposed	-
Carcinogenicity	No classification proposed	-
Reproductive toxicity	No classification proposed	-
Specific target organ toxicity - single exposure	No classification proposed	-
Specific target organ toxicity - repeated exposure	No classification proposed	-
Aspiration hazard	No classification proposed	-

**Aggravated Medical Condition** : None known.

**12. ECOLOGICAL INFORMATION**

**Product** : The product itself has not been tested.

**Toxicity**

The ingredients in this formula have been reviewed and no adverse impact to the environment is expected when used according to label directions.

**Toxicity to fish**

**Safety Data Sheet**

according to Hazard Communication Standard; 29 CFR 1910.1200

**SC JOHNSON PROFESSIONAL® WINDEX® FOAMING GLASS CLEANER**

Version 1.2

Print Date 03/24/2017

Revision Date 06/13/2016

SDS Number 350000021130

Components	End point	Species	Value	Exposure time
Isobutane	LC50 QSAR	Fish	27.98 mg/l	96 h
Propylene glycol monobutyl ether	static test LC50	Poecilia reticulata (guppy)	> 560 - 1,000 mg/l	96 h

**Toxicity to aquatic invertebrates**

Components	End point	Species	Value	Exposure time
Isobutane	LC50 QSAR	Daphnid	16.33 mg/l	48 h
Propylene glycol monobutyl ether	static test EC50	Daphnia magna (Water flea)	> 1,000 mg/l	48 h

**Toxicity to aquatic plants**

Components	End point	Species	Value	Exposure time
Isobutane	EC50 QSAR	Green algae	8.57 mg/l	96 h
Propylene glycol monobutyl ether	EC50	Pseudokirchneriella subcapitata (green algae)	> 1,000 mg/l	72 h

**Persistence and degradability**

Component	Biodegradation	Exposure time	Summary
Isobutane	70 %	< 10 d	Readily biodegradable



## Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200



# SC JOHNSON PROFESSIONAL® WINDEX® FOAMING GLASS CLEANER

Version 1.2

Print Date 03/24/2017

Revision Date 06/13/2016

SDS Number 350000021130

Propylene glycol monobutyl ether	90 %	28 d	Readily biodegradable
----------------------------------	------	------	-----------------------

### Bioaccumulative potential

Component	Bioconcentration factor (BCF)	Partition Coefficient n-Octanol/water (log)
Isobutane	1.57 - 1.97	2.8
Propylene glycol monobutyl ether	3.2 estimated	1.2 Measured

### Mobility

Component	End point	Value
Isobutane	No data available	
Propylene glycol monobutyl ether	Koc	1.3 - 6

### PBT and vPvB assessment

Component	Results
Isobutane	Not fulfilling PBT and vPvB criteria
Propylene glycol monobutyl ether	Not fulfilling PBT and vPvB criteria

**Other adverse effects** : None known.

## 13. DISPOSAL CONSIDERATIONS

Consumer may discard empty container in trash, or recycle where facilities exist.

## 14. TRANSPORT INFORMATION

Please refer to the Bill of Lading/receiving documents for up-to-date shipping information.

**Safety Data Sheet**

according to Hazard Communication Standard; 29 CFR 1910.1200



**SC JOHNSON PROFESSIONAL® WINDEX® FOAMING GLASS CLEANER**

Version 1.2

Print Date 03/24/2017

Revision Date 06/13/2016

SDS Number 350000021130

	Land transport	Sea transport	Air transport
<b>UN number</b>	1950	1950	1950
<b>UN proper shipping name</b>	AEROSOLS, Flammable	AEROSOLS, Flammable	AEROSOLS, Flammable
<b>Transport hazard class(es)</b>	2.1	2	2.1
<b>Packing group</b>	-	-	-
<b>Environmental hazards</b>	-	-	-
<b>Special precautions for user</b>	Limited quantities derogation may be applicable to this product, please check transport documents.	Limited quantities derogation may be applicable to this product, please check transport documents.	Limited quantities derogation may be applicable to this product, please check transport documents.

**15. REGULATORY INFORMATION**

**Notification status** : All ingredients of this product are listed or are excluded from listing on the U.S. Toxic Substances Control Act (TSCA) Chemical Substance Inventory.

**Notification status** : All ingredients of this product comply with the New Substances Notification requirements under the Canadian Environmental Protection Act (CEPA).

**California Prop. 65** : This product is not subject to the reporting requirements under California's Proposition 65.

**State Right To Know**

Massachusetts RTK	Isobutane	75-28-5
No components are subject to the Minnesota "Right To Know" Act		
New Jersey HRTK	Isobutane	75-28-5
Pennsylvania RTKL	Water	7732-18-5
	Isobutane	75-28-5
	Ammonium Hydroxide	1336-21-6

**Safety Data Sheet**

according to Hazard Communication Standard; 29 CFR 1910.1200



**SC JOHNSON PROFESSIONAL® WINDEX® FOAMING GLASS CLEANER**

Version 1.2

Print Date 03/24/2017

Revision Date 06/13/2016

SDS Number 350000021130

**16. OTHER INFORMATION**

**HMIS Ratings**

<b>Health</b>	1
<b>Flammability</b>	4
<b>Reactivity</b>	0

**NFPA Ratings**

<b>Health</b>	1
<b>Fire</b>	4
<b>Reactivity</b>	0
<b>Special</b>	-

This information is being provided in accordance with the Occupational Safety and Health Administration (OSHA) regulation (29 CFR 1910.1200). The information supplied is designed for workplaces where product use and frequency of exposure exceeds that established for the labeled consumer use.

**Further information**

This document has been prepared using data from sources considered to be technically reliable. It does not constitute a warranty, expressed or implied, as to the accuracy of the information contained herein. Actual conditions of use are beyond the seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.

Prepared by	SC Johnson Global Safety Assessment & Regulatory Affairs (GSARA)
-------------	--